


TAMIL NADU ELECTRICITY BOARD BULLETIN



No 10



TAMIL NADU ELECTRICITY BOARD

BULLETIN

OCTOBER, 2002

CONTENTS

	Page
1. PART - I	
NEWS & NOTES	III
2. PART - II	
GENERAL ADMINISTRATION & SERVICES	1
3. PART - III	
FINANCE	16
4. PART - IV	
TECHNICAL	30
5. INDEX	86

News & Notes

PART - I News & Notes

I. Generation Particulars:

The generation/relief figures for October, 2002 were as follows:

Sl. No.	Particulars	October, 2002 (in Million Units)
1.	Ennore T.P.S.	157.902
2.	North Chennai T.P.S.	335.362
3.	Tuticorin T.P.S.	735.720
4.	Mettur T.P.S.	489.090
5.	Total Thermal	1718.074
6.	Neyveli T.S. I	263.092
7.	Neyveli T.S. II	656.280
8.	MAPS	1.018
9.	Hydro Generation	235.982
10.	Kadamparai Pump Mode	—
11.	Import from N.T.P.C.	594.122
12.	Exp. to Kerala	406.683
13.	Exp. to Pondy	106.085
14.	Import from Manali	0.815
15.	Wind Mill Generation + Solar	0.770
16.	Wind Mill (PVT)	101.819
17.	B. Bridge & Perungulam	18.886
18.	Kovilkalappal	67.926
19.	GMR PCL	92.990
20.	Samalpatty	46.434
21.	MPCL	47.703
22.	TCPL	43.773
23.	Hitec	2.747
24.	Cogeneration	35.000
25.	PP. Nallur	209.461
26.	ST-CMS	0.882
27.	Kayamkulam (Kerala) Power	0.000
28.	NTPC, Simhadri/AP Power	0.000
TNEB Consumption (MU)		3625.006

The average grid consumption in the month of October was 116.936 MU per day.

The Maximum grid demand and consumption during October, 2002 were 6499 MW at 48.65 Hz on 17.10.2002 and 122.883 MU on 17.10.2002 respectively.

II. Hydro Inflows :

The Hydro inflows excluding Mettur for the month of October, 2002 was 368 MU against 320 MU in October, 2001 and the ten years average of 398 MU.

III. Storage Position:

The Storage position in various reservoirs as on 1.11.2002 when compared to the storage as on 1.11.2001 was as follows:-

Sl. No.	Name of the Group	As on 01.11.2002	As on 01.11.2001	Difference
1.	Nilgiris	610.730	666.910	(-) 56.180
2.	P.A.P.	137.970	204.050	(-) 66.080
3.	Periyar	38.270	76.000	(-) 37.730
4.	Papanasam & Servalar	12.190	7.550	(+) 4.640
5.	Suruliyar	25.830	24.620	(+) 1.210
6.	Kodayar	32.850	46.910	(-) 14.060
7.	Total Excluding Mettur	857.840	1026.040	(-) 168.200
8.	For Mettur	24.340	68.730	(-) 44.390

IV. Performance of Thermal Stations:

i) Tuticorin (5 x 210 MW):

The details of generation at Tuticorin T.P.S. during October, 2002 were as follows:

	Unit	Availability Factor (%)	Generation (in MU)	Plant Load Factor (%)
I	(210 MW)	88.80	126.48	81.00
II	(210 MW)	99.70	152.26	97.50
III	(210 MW)	93.80	134.00	85.80
IV	(210 MW)	100.00	161.77	103.50
V	(210 MW)	99.50	161.21	103.20
	STATION	96.40	735.72	94.20

ii) Mettur (4 x 210 MW):

The details of generation at Mettur T.P.S. during October, 2002 were as follows:

	Unit	Availability Factor (%)	Generation (in MU)	Plant Load Factor (%)
I	(210 MW)	95.71	146.61	93.84
II	(210 MW)	93.84	145.70	93.25
III	(210 MW)	71.76	107.97	69.11
IV	(210 MW)	58.90	88.81	56.84
	STATION	80.05	489.09	78.26

III) North Chennai (3 x 210 MW):

The details of generation at North Chennai T.P.S. during October, 2002 were as follows:

Unit	Availability Factor (%)	Generation (in MU)	Plant Load Factor (%)
I (210 MW)	61.59	78.217	50.36
II (210 MW)	96.00	123.370	78.96
III (210 MW)	99.13	133.775	85.62
STATION	85.57	335.362	71.65

IV) Ennore (2 x 60 MW + 3 x 110 MW):

The details of generation at Ennore T.P.S. during October, 2002 were as follows:

Unit	Availability Factor (%)	Generation (in MU)	Plant Load Factor (%)
I (60 MW)	79.50	17.272	38.70
II (60 MW)	59.60	12.637	28.30
III (110 MW)	98.70	58.248	71.20
IV (110 MW)	86.40	45.248	55.30
V (110 MW)	38.50	24.497	29.90
STATION	73.20	157.902	47.20

V. Coal Particulars for October, 2002:

Sl.No.	Particulars	Tuticorin TPS	Mettur TPS	North Chennai TPS	Ennore TPS
1.	Coal Linkage (in lakh tonnes)	3.60	3.05	3.10	1.70
2.	Coal Receipt (-do-)	3.10	2.15	3.10	1.74
3.	Coal Consumption (-do-)	4.16	3.69	2.74	1.54
4.	Coal stock as on 1.11.2002 (-do-)	3.64	2.64	2.09	1.32
5.	Specific Coal Consumption (Kg./Kw hr.)	0.565	0.755	0.817	0.974

VI. Auxillary consumption and oil consumption during October, 2002:

Details	Name of the Thermal Power Station			
	T.T.P.S.	M.T.P.S.	N.C.T.P.S.	E.T.P.S.
Specific Oil consumption (ml/ug)	0.71	1.842	3.02	14.4
Auxiliary consumption (%)	7.7	7.83	9.98	13.5

S. Mookandi,
Executive Engineer/Chairman's Office.

* * *

The following are the details of posts Created, Abolished, Upgraded and Downgraded during the month of October, 2002.

B. Jeyaraman,
Chief Engineer/Personnel.

POSTS CREATED

Sl. No.	Reference in which the posts were created	Name of the Circle	Name of the Post	No. of Posts	Purpose for which the posts were created	Remarks
(1)	(2)	(3)	(4)	(5)	(6)	(7)
1.	(Per.) B.P.(Ch.) No.227, (Adm.Br.), dt. 5.10.2002.	Kuttalam G.T.P.P.	S.E.(Elec.)	1	For attending Kuttalam G.T.P.P.	For a period up to 28.2.2003 from the date of utilisation.
2.	(Per.) B.P.(Ch.) No.230, (Adm.Br.), dt. 8.10.2002.	Generation Circle/ Kadamparai	A.E./Elec.	1	For passing bills, Maintaining Stores materials etc. for 2 x 1.25 M.W. Aliyar Dam Small Power House.	For the period up to 28.2.2003.
3.	(Per.) B.P.(Ch.) No.238, (Adm.Br.), dt. 19.10.2002.	Ramnad EDC	S.B.O./L.I. Helper	4 4	Formation of 33/11 KV Sub-Station at Mudukulathur.	For a period of one year from the date of utilisation.
			Total	8		
4.	(Per.) B.P.(Ch.) No.242, (Adm.Br.) dt.25.10.2002.	Coimbatore E.D.C./North	AE/JE (El.) I Gr. J.E./El. II Gr. Line Inspector Helper	1 4 4 1	Sanction of posts to the 110/22 KV (Non- Grid) Sub-Station at Kovilpalayam in Coimbatore EDC/ North.	For a period up to 28.2.2003 from the date of utilisation of the post.
			Total	10		
5.	Memo. No.31031/ 103/G.36/G.363/ 2002-1, dt.26.10.2002.	Valuthur G.T.P.P./ Ramnad	A.E.E./Civil	1	Revival of post	For a period up to 31.3.2002.

POSTS ABOLISHED

Sl. No.	Reference in which the posts were abolished	Name of the Circle	Name of the Post	No. of Posts	Purpose for which the posts were abolished	Remarks
(1)	(2)	(3)	(4)	(5)	(6)	(7)
1.	Memo.(Per.) No.031587/G39/G393/2002-2, dt.19.10.2002.	Thanjavur E.D.C.	S.B.O./L.I. Helper	4 4	Upgradation of 33/11 KV SS into 110/11 KV	With immediate effect.
			Total	8	Sub-station at Vadaseri.	

(1)	(2)	(3)	(4)	(5)	(6)	(7)
2.	Memo.(Per.) No.113094/G39/ G393/2002-4, dt.24.10.2002.	Madurai EDC	Blue Printer I Gr. Blue Printer II Gr. Total	1 1 2	As proposed by the SE/Madurai EDC, these posts are abolished with immediate effect.	—

**POSTS UPGRADED
-NIL-**

**POSTS DOWNGRADED
-NIL-**

*** * ***

GENERAL ADMN. & SERVICES

PART - II

General Administration & Services

Tamil Nadu Electricity Board - Procurement and repair of computer systems - Powers of sanction - Revision orders issued.

(Permanent) B.P. (Ch.) No.290

(Technical Branch)

Dated 7.9.2002,
Avani 22, Chithirabanu Aandu,
Thiruvalluvar Aandu 2033.

Read:

- 1) (Permanent) B.P. (FB) No.20, dated 13.5.1999.
- 2) (Permanent) B.P. (FB) No.328, dated 30.12.2000.
- 3) (Permanent) B.P. (Ch.) No.291, dated 20.10.2001.

Proceedings:-

Powers of sanction to Chief Engineers for procurement of computer systems up to Rs.5 lakhs was delegated vide B.P. (FB) No.20, dated 13.5.1999. The above powers were subsequently withdrawn in B.P. (FB) No.328, dated 30.12.2000. Subsequently, vide the B.P. third cited, approval was accorded to delegate powers to Chief Engineer/Distribution also with powers to sanction purchase of computer systems (both hardware and software) up to Rs. 5 lakhs per annum. The Chief Engineer/Operation and Chief Engineer/Thermal Stations have also requested for delegating the above powers to them.

The Tamil Nadu Electricity Board, after careful consideration, directs that Chief Engineer/Operation and Chief Engineers/Thermal Stations may also be delegated with powers to sanction/purchase of computer systems (both hardware and software) up to Rs.5 lakhs per annum. The Chief Engineer/Operation and Chief Engineers/Thermal Stations are directed to adhere to the following guidelines that were given to Chief Engineers/Distribution, in the B.P. third cited, while sanctioning the proposals.

- i. The Chief Engineer/Operation and Chief Engineers/Thermal Stations shall restrict their sanction to Rs.5 lakhs per annum. Purchase shall be within the allotted budget of the concerned circle.
- ii. The Chief Engineers shall satisfy themselves that the procurement is essentially required to maintain/improve Board functioning.
- iii. Priority should be given for the replacement of old printers, systems with 486 and lower configurations and for upgrading diskless nodes to window machines.
- iv. Only latest configuration with compatible software should be procured.
- v. Use of free software, such as Star Office should be encouraged as far as possible.
- vi. These powers of sanction only apply to upgradation and procurement of new items. Existing powers in respect of procurement of spares and consumables will continue.

(By Order of the Chairman)

P. Rajamani,
Chief Engineer/Operation.

Tamil Nadu Electricity Board - Procurement of computer system for Sub Load Despatch Centre at Madurai - Orders issued.

(Permanent) B.P. (Ch.) No.291

(Technical Branch)

Dated 7.9.2002,
Avani 22, Chithirabanu Aandu,
Thiruvalluvar Aandu 2033.

Read:

CE/Operation's note dated 26.7.2002.

Proceedings:-

The Chairman/Tamil Nadu Electricity Board approves the proposal of the Chief Engineer/Operation for the procurement of a Pentium based personal computer to the Sub Load Despatch Centre at Madurai at a cost of Rs.35,000/- (Rupees thirty five thousand only).

2. The expenditure is chargeable to TNEB Funds-Capital expenditure-Account code No.10.909.

(By Order of the Chairman)

P. Rajamani,
Chief Engineer/Operation.

* * *

Electricity - TNEB - Implementing the load shedding - Increase in the BSNL Phone calls - Approved.

(Per.) B.P. (Ch.) No.308

(Technical Branch)

Dated 20.9.2002,
Purattasi 4, Chithirabanu Aandu,
Thiruvalluvar Aandu 2033.

Read:

(Permanent) B.P. (Ch.) No.121, (Sectt. Br.), dated 24.5.1997.

Proceedings:-

In the B.P. cited, orders were issued fixing the ceiling limits on expenditure of call charges for various categories of officers. Representation was received to exempt the ceiling limit of telephone calls to all 230 KV Sub stations, since the shift personnel in the 230 KV Sub stations have to contact various 110 KV, 33 KV, 22 KV, 11 KV Sub stations for day to day operations and also during load shedding periods with the help of BSNL telephones.

After careful consideration, the ceiling limit is enhanced for all 230 KV/400 KV Sub stations to 4000 calls/bimonthly.

(By Order of the Chairman)

P. Rajamani,
Chief Engineer/Operation.

* * *

Memorandum (Per.) No.73536/A22/A221/2002-1, (Secretariat Branch), dated 1.10.2002.

Sub: Delegation - Powers to sanction payment under imprest enhancement of powers - Clarification - Requested - Reg.

- Ref: 1) (Per.) B.P. (FB) No.3, (SB), dated 21.1.98.
2) From the Superintending Engineer/Generation Circle/Erode Lr.No.SEG/ED/AO/APS-II/Asst./F.Imp./D.170/2002, dated 15.7.2002.

In the Board Proceeding first cited, orders were issued enhancing the powers to certain Engineers to sanction pass order for payment under Imprest. The Superintending Engineer/Generation Circle/Erode

has now raised clarification whether the field Officers can be given powers both for sanction and for pass orders for payment under Imprest.

2. It is clarified that the Board has issued orders for enhancing the limit for pass order for payment alone and not for both the sanctioning powers for expenditure incurred and the pass order for payment under imprest as interpreted by the field Officers.

3. Receipt of this memorandum shall be acknowledged.

G. Gnanaselvam,
Secretary.

* * *

Establishment - Class II service - Medical Officers - Requests for transfer Medical and Paramedical Staff in TNEB - Instruction - Issued.

(Per.) B.P. (Ch.) No.229

(Administrative Branch)

Dated 7.10.2002,
Purattasi 21, Chithirabanu Aandu,
Thiruvalluvar Aandu 2033.

Read:

1. B.P. Ms. (Ch.) No.248, Adm.Br., dated 9.5.1986.
2. CMO/Head Qtrs. Dispensary Note No.001633/CMO/HQD/Supdt./A1/2002, dated 28.8.2002.

Proceedings:-

In the past as per the B.P cited, Board has followed that the Medical Officers belonging to Board's establishment will be posted only to group A (i.e Remote & Hill Areas) and requests from them for posting to group B (i.e Other Areas) will be considered only if there are no vacancies in Group A. The vacancies in Group 'B' should ordinarily be filled up only by getting Medical Officers on deputation from the Govt. Medical Department.

2. As per the above B.P., the Medical Officers belonging to Board's establishment who are now working in dispensaries in Group 'B' will be transferred to vacant station in Group 'A' and the consequential vacancies in Group 'B' station will be filled up by persons to be obtained from the Govt. Medical Department on deputation.

3. As the orders in the vogue that the Medical Officers are serving in Group 'A' (i.e) Remote and Hill areas for a long time, they are not able to look after their families and children. Some of the Medical Officers who are working in Remote and Hill areas are requesting transfer to the other areas. They have rendered their services for more than five years in the same circle and not able to move to other areas at their request.

4. After detailed examination of the request of the Medical Officers of Board's establishment it has been decided to accommodate the Medical Officers belonging to Board's establishment to Group 'B' dispensaries depending on the vacancy position and the places which fall vacant at Group 'A' may be filled up by outsourcing of professional services. Only after finalisation of outsourcing, transfer and relief shall be made.

5. It was also decided that the places where deputationist from Govt. are occupying may be filled up with Board Medical Officers as and when the period of deputation gets over.

6. In view of the said reasons the B.P 1st cited is hereby cancelled.

(By Order of the Chairman)

B. Jeyaraman,
Chief Engineer/Personnel.

Amendment No.9/2002:

Regulation - Class III Service - Regular Work Establishment - Promotion to the post of Instrument Mechanic Grade-I - Prescribing of additional qualification - Amendment to Tamil Nadu Electricity Board Service Regulations - Issued.

(Per.) B.P. (FB) No.55

(Secretariat Branch)

Dated 17th October, 2002,
Purattasi 31, Chithirabanu Aandu,
Thiruvalluvar Aandu 2033.

Read:

(Per.) B.P. (FB) No.28, (Administrative Branch), dated 23.8.99.

Proceedings:-

In exercise of the powers conferred by Section 79 (c) of the Electricity (Supply) Act, 1948 (Central Act 54 of 1948), the Tamil Nadu Electricity Board hereby makes the following amendment to the Tamil Nadu Electricity Board Service Regulations:-

AMENDMENT

In the said Regulations,-

in Annexure-III referred to in Regulation 94, in the Table, in Column (3) against the post "Instrument Mechanic Grade-I" in Column (1) and the entry "Promotion" in Column (2), the following qualification shall be added, namely:-

"The persons working in the category of Wireman/Wireman equivalent having 6 years experience in the type of work may be considered for appointment to the post of Instrument Mechanic Grade I

(OR)

The Wireman/Wireman equivalent who are qualified for promotion to the higher post of Line Inspector/Line Inspector equivalent and the persons who possesses the I.T.I. Certificate of Electrician, Instrumentation, working in the post of Wireman/Wireman equivalent may be deputed for practical training in the MRT Section of the circle as per seniority by fixing a period of 6 months and after completion of the successful training they can be considered for appointment to the post of Line Inspector/Instrument Mechanic Grade I".

2. The amendment shall be deemed to have come into force with effect from 23rd August, 1999.
3. Receipt of the Proceedings shall be acknowledged.

(By Order of the Board)

G. Gnanaselvam,
Secretary.

* * *

Memo.No.118828/679/G42/G423/2002-1, (Administrative Branch), dated 19.10.2002.

Sub: Electricity - Labour Union - Strike proposed by certain unions on
23.10.2002 - Instructions Issued.

Certain Trade Unions of Tamil Nadu Electricity Board have given strike notice for one day on 23.10.2002 for redressal of their grievances.

2. The attention of the Superintending Engineers of Distribution Circles is invited to the Standing Instructions issued in Chairman's Memo No.0099696/690/Adm.Br./IRI(3)/89-1, dated 19.8.1989, Chief Engineer/Personnel's Memo. No.024748/108/IRI (3)/93-1, dated 12.3.1993 and Chief Engineer/Personnel's

Memo. No.042597/G42/G423/2001-1, dated 4.9.2000 and they are requested to take suitable action for the maintenance of un-interrupted power supply and for ensuring the safety of Board's Personnel and properties during the period of Strike in consultation with the local police, if necessary.

3. The Government of Tamil Nadu have banned Strike under Essential Services Maintenance Act. No.36 of 2002 published in Tamil Nadu Government Gazette Extraordinary No.653, dated 1.10.2002 defining Electricity as "Essential Service" and to ensure the uninterrupted Power Supply. It has also been notified in the above Act that the above Strike is Illegal and Punishable with imprisonment for a term, which may extend to 3 years or with fine up to Rs.5000/- or with both, besides other disciplinary actions.

4. Departmental action withholding of Wage, D.P., etc., may be initiated against the officials/ employees of the Board who participate in the above strike as per Tamil Nadu Government Gazette and send a report to this office on the day of the Strike itself by 12.00 noon.

5. A copy of the Tamil Nadu Government Gazette Extraordinary is also enclosed herewith for immediate necessary action.

6. The receipt of the memo. may be acknowledged.

B. Jeyaraman,
Chief Engineer/Personnel.

Encl.: One

Copy of:

Tamil Nadu Government Gazette Extraordinary

Published by Authority

Chennai, Tuesday, October 1, 2002.

Purattasi 15, Chithirabanu Aandu, Thiruvalluvar Aandu 2033.

Part IV - Section 2

Tamil Nadu Acts and Ordinances.

The following Act of the Tamil Nadu Legislative Assembly received the assent of the President on the 24th September 2002 and is hereby published for general information.

Act No.36 of 2002

An Act to provide for stricter enforcement of discipline among certain essential services and to provide for matters connected therewith

Be it enacted by the Legislative Assembly of the State of Tamil Nadu in the Fifty-third Year of the Republic of India as follows:

1. (1) This Act may be called the Tamil Nadu Essential Service Maintenance Act 2002

(2) It extends to the whole of the State of Tamil Nadu. Short title extent and commencement.

(3) It shall come into force at once.

2. (1) In this Act, unless the context otherwise requires:-

(a) "essential Service" means Definitions

(i) any service connected with the supply of water or electricity.

(ii) any transport service for the carriage of passengers or goods by motor vehicles;

Central
Act 59
of 1988.

Explanation:- For the purpose of this sub-clause and sub-clause (iii), the expression "motor vehicle" shall have the same meaning assigned to it in clause (28) of section 2 of the Motor Vehicle Act, 1988;

(iii) any service connected with workshop for the maintenance or repair of the motor vehicles of any transport service referred to in sub-clause (ii).

(iv) any service connected with public health and sanitation including hospitals and dispensaries and public conservancy;

- (v) any service connected with a Municipal Corporation, Municipal Council or other Local Authorities;
- (vi) any Fire Brigade Service.
- (vii) any public services and posts in connection with the affairs of the State, and also persons appointed to the Secretarial staff of the State Legislative Assembly and the officers and servants of the High Court.
- (viii) any other service or employment or class thereof connected with any matter with respect to which the State Legislature has powers to make laws under List II in the Seventh Schedule to the Constitution and which the Government being of opinion that strikes therein would prejudicially affect the maintenance of any public utility service, the public safety or the maintenance of supplies and services necessary for the life of the community or would result in the infliction of grave hardship on the community may by notification, declare to be an essential service for the purpose of this Act.
- (b) "Government" means the State Government.
- (c) "Strike" means the cessation of work by a body of persons while employed in any essential service acting in combination or a concerted refusal or a refusal under a common understanding of any number of persons who are have been so employed to continue to work or to accept work assigned, and includes-
 - (i) refusal to work overtime where such work is necessary for the maintenance of any essential service.
 - (ii) any other conduct which is likely to result in, or results in cessation or substantial retardation of work in any essential service.
- (2) (a) Every notification issued under sub/clause (viii) of clause (a) of sub-section (1) shall be placed on the Table of the State Legislative Assembly immediately after it is made, if the Assembly is in session, and on the first day of the next session of the Assembly if it is not in session, and shall cease to operate at the expiration of forty days from the date of its being so placed or from the re-assembly of the Assembly, as the case may be, unless before the expiration of that period, a resolution approving the issue of the notification is passed by the Assembly.
- (b) Where any notification ceases to operate by or under this sub-section, the cesser shall be without prejudice to anything done or omitted to be done before such cesser.

Power prohibit strikes in certain essential services

- 3. (1) If the Government are satisfied that in the public interest or in the interest of the public order, it is necessary or expedient so to do, they may, by general or special order, prohibit strikes in such essential service and from such date as may be specified in the order.
- 2. An order made under sub-section (1) shall be published in such manners as the Government consider best calculated to bring at to the notice of the persons affected by the order.
- 3. An order made under sub-section (1) shall be in force for three months only from the date it comes into operation, but the Government may, by a like order, published in the like manner, extend it for any period not exceeding three months, if they are satisfied that in the public interest or in the interest of the public order, it is necessary or expedient so to do.

4. Upon the issue of an order under sub/section (1)-
 - (a) no person employed in any essential service to which the order relates shall go or remain on, or otherwise take part in strike.
 - (b) any strike declared or commenced, whether before or after the issue of the order, by persons employed in any such service, shall be illegal.
5. Any order made under sub/section (1) or sub section (3) may, at any time be rescinded by the Government by a like order, but such rescission shall not affect the previous operation of any thing duly done or suffered thereunder, and shall not affect any obligation or liability accrued or incurred, or any penalty or punishment incurred in respect of any offence committed against this Act before such rescission.
6. No order under sub/section (1), Sub-section (3) or sub section (5) shall be made in respect of:
 - (a) the persons appointed to the Secretarial staff of the State Legislative Assembly, except at the request of the Speaker of the Legislative Assembly.
 - (b) the officers and servants of the High Court, except at the request of the Chief Justice of the High Court.
4. Any person who commences a strike which is illegal under this Act goes or remains on, or otherwise takes part in, any such strike, shall, on conviction, be punished with imprisonment for a term which may extend to three years, or with fine which may extend to five thousand rupees, or with both. Penalty for illegal strikes
5. Any person, who instigates, or incites other persons to take part in or otherwise acts in furtherance of, a strike which is illegal under this Act, shall on conviction, be punished with imprisonment for a term which may extend to three years, or with fine which may extend to five thousand rupees, or with both. Penalty for instigation etc.
6. Any person who knowingly lends or supplies any money in furtherance or support of a strike which is illegal under this Act, shall, on conviction, be punished with imprisonment for a term which may extend to three years, or with fine which may extend to five thousand rupees, or with both. Penalty giving financial aid to illegal strike
7. Any action taken against any person under sections 4, 5 or 6 shall not affect, and shall be in addition to, any other action of a disciplinary nature or any consequence which may cause, and to which the person may be liable by or under the terms and conditions of his service or employment. Action under section 4, 5 or 6 in addition to other disciplinary action.
8. The provisions of this Act and of any order issued thereunder shall have effect notwithstanding anything inconsistent therewith contained in any other law for the time being in force. Act to override other laws.

(By Order of the Governor)

A. Krishnankutty Nair,
Secretary to Government, Law Department.

/ True Copy /

Amenities - Recreation Club - Mettur Electricity Distribution Circle - Recurring matching grant for the year 2000-2001 - Sanction Accorded.

(Routine) B.P. (Ch.) No.6

(Administrative Branch)

Dated 23.10.2002,
Iyppasi 6, Chithirabanu Aandu,
Thiruvalluvar Aandu 2033.

Read:

- 1) (Per.) B.P. (Ch.) No.239, Adm.Br., dated 4.7.92.
- 2) (Routine) B.P. (Ch.) No.5, Adm.Br., dated 28.6.2000.
- 3) From the S.E./Mettur EDC/Mettur Dam Lr.No.D.5/SE/
MEDC/Sports/F.M.R.C./2002, dated 17.9.2002.

Proceedings:-

Sanction is hereby accorded for the drawal and disbursement of recurring matching grant of Rs.6,000/- (Rupees Six thousand only) to the Recreation Club functioning in Mettur Electricity Distribution Circle/Mettur Dam for the year 2000-2001.

2. The above expenditure is debitable to Head of Account No.75 - 750.

(By Order of the Chairman)

B. Jeyaraman,
Chief Engineer/Personnel.

*** * ***

Amenities - Recreation Club - Generation Circle/Kundah - Recurring matching grant for the year 2001-2002 - Sanction Accorded.

(Routine) B.P. (Ch.) No.7

(Administrative Branch)

Dated 23.10.2002,
Iyppasi 6, Chithirabanu Aandu,
Thiruvalluvar Aandu 2033.

Read:

- 1) Per. B.P. (Ch.) No.239, Adm.Br., dated 4.7.92.
- 2) (Routine) B.P. (Ch.) No.3, Adm.Br., dated 7.3.2002.
- 3) From the S.E./S.E./Gen.Circle/Kundah Lr.No.SEG/K/CAS/
A2/F.Recreation/R.308/2002, dated 18.9.2002.

Proceedings:-

Sanction is hereby accorded for the drawal and disbursement of recurring matching grant of Rs.6,000/- (Rupees Six thousand only) to the Recreation Club functioning in the Upper Camp/Generation Circle/Kundah for the year 2001-2002.

2. The above expenditure is debitable to Head of Account No.76 - 162.

(By Order of the Chairman)

B. Jeyaraman,
Chief Engineer/Personnel.

Memo.No.31886/B10/B10i/2002-1, (Vig. Cell, Secretariat Branch), dated 25.10.2002.

Sub: Vigilance Cell - Enforcement Wing - Supply of one English Newspaper to the offices of the Executive Engineers of Enforcement Wing - Orders - Issued.

- Ref: i) From the Exe. Engineer/Enforcement, Trichy Lr.No.1451/F12/EE/APTS/Tr./2001-2, dated 31.10.2001.
 ii) From Exe. Engineer/Enforcement, Trichy Lr.No.D1451/F12/EE/APTS/Tr./2001-3, dated 26.3.2002.
 iii) From Exe. Engineer/Enforcement, Chennai Lr.No.16854/B123/F.General/2002, dated 20.5.2002.
 iv) From Exe. Engineer/Enforcement, Madurai Lr.No.862/EE/APTS/F.Misc.MDU/2002, dated 20.5.2002.

The Executive Engineers of Enforcement Wing/Trichy, Madurai, Coimbatore and Chennai have represented for supply of daily Newspapers to their Offices in order to have access to information relating to theft of energy indulged by the consumers and other related information. The request of Executive Engineers of Enforcement for the supply of Newspapers to their offices was examined.

2. Approval is hereby accorded for the supply of One English Newspaper to the offices of each of the Executive Engineers/Enforcement, Trichy, Madurai, Coimbatore and Chennai.

3. The expenditure for the supply of Newspaper is debitable to TNEB Fund 76-Administration and General Expenses - 76.152 - Books and periodicals.

(By Order of the Chairman)

G. Gnanaselvam,
Secretary.

* * *

TNEB - Thermal Stations - Awarding of rolling shields for least sp. oil consumption and auxiliary consumption during the year 2001 and Gold medals and shields for higher productivity during the year 2001-2002 - Approval - Accorded.

Rt. B.P. (F.B.) No.8

(Technical Branch)

Dated 25.10.2002,
Iyppasi 8, Chithirabanu Aandu,
Thiruvalluvar Aandu 2033.

Read:

Item 12 of the Extract from the Minutes of the 860th meeting
of Tamil Nadu Electricity Board held on 19.10.2002.

Proceedings:-

In recognition of having achieved a higher performance level during the calendar year 2001 and financial year 2001-2002 by the thermal stations (ANNEXURE-I) and in order to motivate and increase the competitive spirit among the Thermal Stations of TNEB, the Board have accorded sanction for the following awards at a total cost of not exceeding Rs.80,000/- (Rupees Eighty thousand only).

Sl. No. (1)	Purpose (2)	Awards Proposed (3)	Qty. Nos. (4)	Approx. Value (Rs.) (5)	To be awarded to (6)
1.	In recognition of lesser specific oil consumption during 2001.	ROLLING SHIELD FOR THE STATION WITH LEAST SPECIFIC OIL CONSUMPTION.	1	(Already available)	MTPS

(1)	(2)	(3)	(4)	(5)	(6)
2.	In recognition of lesser Aux. consumption during 2001.	ROLLING SHIELD FOR THE STATION WITH LEAST AUX. CONSUMPTION.	1	(Already available)	TTPS
3.	In recognition of higher peak hour gen. during 2001-2002 (for achieving the productivity level of above 7500 KWHr./KW/Yr. (85.6% PLF)	GOLD MEDAL (Weighing 24 gms. of gold each) AND SHIELD	3 3	60,000.00 15,000.00	One each as per Annexure II for TTPS, MTPS & NCTPS.
4.	In recognition of lesser oil/ Aux. cons. during 2001 & for higher peak hour gen. during 2001-02.	Commendation certificates for the eligible CEs./SEs.	Lump sum	5,000.00	for the eligible CEs./SEs. (Annexure II)

The Tamil Nadu Electricity Board have also accorded approval for delegating the powers of sanction of expenditure for this purpose in future to the Chairman/TNEB.

(By Order of the Board)

Encl.: As Above.

K. Balakrishnan,
Chief Engineer/Mechanical/Thermal Stations.

ANNEXURE - I

THE ACHIEVEMENTS OF THE THERMAL STATIONS OF TNEB DURING THE YEARS 2001 & 2001-2002.

(A) AWARD PROPOSAL FOR REDUCTION IN OIL CONSUMPTION FOR THE YEAR 2001

Sl. No. (A)	Description (B)	MTPS (C)	TTPS (D)	NCTPS (E)	ETPS (F)
1.	Installed capacity in MW	840	1050	630	450
2.	Generation during 2001 in M.U.	6437.69	8075.68	4708.87	992.42
3.	Oil Consumption during 2001 in K.L.	5018.5	9265.9	35186.4	2556.9
4.	Specific Oil Consumption during 2001 in ml./KWHr.	0.8	1.1	7.5	25.8

(B) AWARD PROPOSAL FOR REDUCTION IN AUXILIARY CONSUMPTION FOR THE YEAR 2001

1.	Installed capacity in MW	840	1050	630	450
2.	Generation during 2001 in M.U.	6437.69	80075.68	4708.87	992.42
3.	Auxiliary Consumption during 2001 in M.U.	514.8	621.68	425.43	162.47
4.	Auxiliary Consumption during 2001 in %	8.0	7.7	9.0	16.4

(A)	(B)	(C)	(D)	(E)	(F)
(C) AWARD PROPOSAL FOR REDUCTION IN AUXILIARY CONSUMPTION FOR THE YEAR 2001-2002					
Productivity Level during 2001-2002 in KWHR./KW/Year	7803	7860	8016	2590	

/ True Copy /

Encl.:

ANNEXURE - II**LIST OF OFFICERS TO RECEIVE GOLD MEDALS FOR HIGHER PRODUCTIVITY DURING THE YEAR 2001-2002**

Sl. No.	Name of the Officer/Designation	Period of Service during 2001-02	
		From (3)	To (4)

(1)	(2)		
1.	Er. K. Meenakshisundaram, B.E., F.I.E., Chief Engineer	03.08.01	31.03.02
2.	Er. P. Ramaswamy Pillai, Chief Engineer	06.08.01	31.03.02
3.	Er. S. Thanaseelan, B.E., M.A., F.I.E., Chief Engineer	01.04.01	28.02.02

LIST OF OFFICERS TO RECEIVE COMMENDATION CERTIFICATES FOR HIGHER PRODUCTIVITY DURING THE YEAR 2001-2002**I) TUTICORIN THERMAL POWER STATION**

1.	Er. Jaya A.K. Sivakumar, B.E., F.I.E., Chief Engineer.	01.04.01	31.07.01 (Retd.)
2.	Er. K. Meenakshisundaram, B.E., F.I.E., Chief Engineer.	03.08.01	31.03.02
3.	Er. V. Alagarsamy, B.E., Superintending Engineer/P&A.	13.06.01	31.01.02 (Retd.)
4.	Er. S. Sudalaiyandi, B.E., Superintending Engineer/OPN.	01.04.01	31.08.01 (Retd.)
5.	Er. S.R. Pirathabsingh, B.E., Superintending Engineer/OPN.	05.09.01	31.03.02
6.	Er. N. Benaugustus Ponnusamy, B.E., Superintending Engineer/ES.	08.06.01	31.03.02
7.	Er. R. Kannan, B.Sc., B.E., M.Sc., (Engg.), Superintending Engineer/M-I.	01.04.01	10.03.02
8.	Er. A.K. Kumaravelu, B.E., Superintending Engineer/M-II.	01.04.01	30.11.01 (Retd.)
9.	Er. S. Sasikumar, B.Sc., (Engg.), M.I.E., Superintending Engineer/Civil.	01.04.01	31.03.02

(1)	(2)	(3)	(4)
II) METTUR THERMAL POWER STATION			
1.	Er. N. Chidambara Kuttalam, Chief Engineer.	01.04.01	31.07.01
2.	Er. P. Ramaswamy Pillai, Chief Engineer.	06.08.01	31.03.02
3.	Late Er. A. Subbiah, SE/Operation.	01.04.01	20.07.01
4.	Er. V. Somasundaravelu, SE/Operation.	03.08.01	31.03.02
5.	Er. M. Chinnaiyan, SE/ES.	01.04.01	31.07.01
6.	Er. K. Manickam, SE/ES.	06.08.01	31.03.02
7.	Er. M. Venugopal, SE/Mechanical-I.	01.04.01	02.07.01
8.	Er. A. Balasubramanian, SE/Mechanical-I.	25.07.01	31.03.02
9.	Er. M. Meenakshisundaram, SE/Mechanical-II.	01.04.01	05.07.01
10.	Er. A. Suriyagopal, SE/Mechanical-II.	27.07.01	31.03.02
11.	Er. V. Periyalagan, SE/P&A.	01.04.01	01.02.02
12.	Er. K. Kesavan, SE/P&A.	01.02.02	31.03.02
13.	Er. K.G. Natesan, SE/Civil.	01.04.01	08.01.02
14.	Er. B.V. Subrahmanya Sarma, SE/Civil.	25.02.02	31.03.02
III) NORTH CHENNAI THERMAL POWER STATION			
1.	Er. S. Thanaseelan, B.E., M.A., F.I.E., Chief Engineer.	01.04.01	28.02.02 (Retd.)
2.	Er. E.S. Doraisamy, B.E., Superintending Engineer/Operation.	01.04.01	31.01.02
3.	Er. M. Singaravelu, M.E., M.I.E., Superintending Engineer/Operation.	22.02.02	31.03.02
4.	Er. B. Susendaran, B.E., Superintending Engineer/M-I.	01.04.01	30.09.01
5.	Er. M. Arunachalam, B.Sc., B.E., Superintending Engineer/M-I.	06.10.01	31.03.02
6.	Er. K. Meenakshisundaram, B.E., Superintending Engineer/M-II.	01.04.01	03.08.01
7.	Er. M. Govindaraman, B.Sc., B.E., Superintending Engineer/M-II.	17.08.01	31.03.02

(1)	(2)	(3)	(4)
8.	Er. S. Subbiaknone, B.E., Superintending Engineer/ES.	01.04.01	05.08.01
9.	Er. A. Muthuswamy, B.E., Superintending Engineer/ES.	15.09.01	31.03.02
10.	Er. G. Sethuraman, B.E., M.I.E., Superintending Engineer/P&A.	01.04.01	31.03.02
11.	Er. K. Santhanagopalan, M.I.E., Superintending Engineer/Civil Maint.	01.04.01	30.09.01
12.	Er. K. Rajendran, B.E., Superintending Engineer/Civil Maint.	01.10.01	31.03.02

LIST OF OFFICERS OF TUTICORIN THERMAL POWER STATION TO RECEIVE COMMENDATION CERTIFICATES FOR LEAST AUXILIARY CONSUMPTION DURING THE CALENDAR YEAR 2001

Sl. No.	Name of the Officer/Designation	Period of Service during 2001	
		From (3)	To (4)
(1)	(2)	(3)	(4)
1.	Er. Jaya A.K. Sivakumar, B.E., F.I.E., Chief Engineer.	01.01.01	31.07.01 (Retd.)
2.	Er. K. Meenakshisundaram, B.E., F.I.E., Chief Engineer.	03.08.01	31.12.01
3.	Er. P. Ramaswami Pillai, B.E., Superintending Engineer/P&A.	01.01.01	19.03.01
4.	Er. V. Alagarsamy, B.E., Superintending Engineer/P&A.	13.06.01	31.12.01
5.	Er. S. Sudalaiyandi, B.E., Superintending Engineer/OPN.	12.02.01	31.08.01 (Retd.)
6.	Er. S.R. Pirathabsingh, B.E., Superintending Engineer/OPN.	05.09.01	31.12.01
7.	Er. M. Subramanian, B.E., Superintending Engineer/ES.	01.01.01	31.03.01 (Retd.)
8.	Er. N. Benaugustus Ponnusamy, B.E., Superintending Engineer/ES.	08.06.01	31.12.01
9.	Er. R. Kannan, B.Sc., B.E., M.Sc., (Engg.), Superintending Engineer/M-I.	01.01.01	31.12.01
10.	Er. A.K. Kumaravelu, B.E., Superintending Engineer/M-II.	01.01.01	30.11.01 (Retd.)
11.	Er. N. Sasikumar, B.Sc., (Engg.), M.I.E., Superintending Engineer/Civil	08.01.01	31.12.01

**LIST OF OFFICERS OF METTUR THERMAL POWER STATION TO RECEIVE COMMENDATION
CERTIFICATES FOR LEAST OIL CONSUMPTION DURING THE CALENDAR YEAR 2001**

(1)	(2)	(3)	(4)
1.	Er. N. Chidambara Kuttalam, Chief Engineer.	01.01.01	31.07.01
2.	Er. P. Ramaswamy Pillai, Chief Engineer.	06.08.01	31.12.01
3.	Late Er. A. Subbiah, SE/Operation.	01.01.01	20.07.01
4.	Er. V. Somasundaravelu, SE/Operation.	03.08.01	31.12.01
5.	Er. M. Chinnaiyan, SE/ES.	01.01.01	31.07.01
6.	Er. K. Manickam, SE/ES.	06.08.01	31.12.01
7.	Er. M. Venugopal, SE/Mechanical-I.	01.01.01	02.07.01
8.	Er. A. Balasubramanian, SE/Mechanical-I.	25.07.01	31.12.01
9.	Er. M. Meenakshisundaram, SE/Mechanical-II.	01.01.01	05.07.01
10.	Er. A. Suriyagopal, SE/Mechanical-II.	27.07.01	31.12.01
11.	Er. V. Periyalagan, SE/P&A.	01.01.01	31.12.01
12.	Er. K. Natarajan, SE/Civil.	01.01.01	31.01.01
13.	Er. K. Rajendran, SE/Civil.	07.02.01	05.03.01
14.	Er. K.G. Natesan, SE/Civil.	05.03.01	31.12.01

/ True Copy /

* * *

குறிப்பாணை எண் 53425/அ32/அ322/2002-1, (கணக்குக் கிளை), நாள் 28.10.2002.

பொருள்: தமிழ் நாடு மின்சார வாரியம் - அக்டோபர் 2002 மாதத்திய சம்பளப் பட்டுவாபா - கன்னியாகுமரி மின் பகிர்மான வட்ட ஊழியர்களுக்கு 31.10.2002 அன்று வழங்கிட ஆணை பிறப்பிக்கப்படுகிறது.

பார்வை: 1) மேற்பார்வைப் பொறியாளர்/கன்னியாகுமரி கடித எண். SE/KEDC/ NGL/AAO/Cash/A3/A1/D.222/2002, dated 23.10.2002.
2) மேற்பார்வைப் பொறியாளர்/கன்னியாகுமரி மின் பகிர்மான வட்டம் கு.ஆ.எண்.029607/நிபி3/டி.4/கோ.16/2002, நாள் 23.10.2002.

கன்னியாகுமரி மாவட்டம் தமிழகத்துடன் இணைந்த நாளை முன்னிட்டு 1.11.2002 அன்று உள்ளூர் விடுமுறை அறிவிக்கப்பட்டுள்ளதால், கன்னியாகுமரி மின் பகிர்மான வட்ட அனைத்துப்

பிரிவு மின் ஊழியர்களுக்கு மட்டும் அக்டோபர் 2002 மாதத்திற்கான சம்பளப் பட்டுவாபா 31.10.2002 அன்று செய்யப்படவேண்டும்.

(மின் வாரியத் தலைவர் ஆணைப்படி)

கோ. ஞானசெல்வம்,
செயலாளர்.

* * *

Memo.(Per.) No.029918/78/G38/G382/2002-3, (Administrative Branch), dated 31.10.2002.

Sub: Establishment - Operation Circle - Sanctioning of intermediate Wireman post in Lines Section and Maintenance Section of Sub-Stations - Certain instructions - Issued.

Ref: C.E./Operation/Chennai Letter No.SE/LD & GO/EE/LD/AE/F.CE.PER/D.1090/2002, dated 06.07.2002.

The Chief Engineer/Operation in his letter cited has forwarded a proposal with regard to sanction of Helper/Wireman posts in Lines Section to overcome the difficulties of non-availability of staff for patrolling the Lines :

- a) Out of the total sanctioned strength of Helper 50% may be sanctioned as Wireman and the balance 50% retained as Helper so that as and when the Helpers are promoted they can be absorbed as Wireman in the Lines Section itself so that their experience and expertise could be beneficially utilised.
- b) Alternatively the entire post of Helper in the Operation Circle may be sanctioned as Helper/Wireman so that according to the availability it could be filled up.

2. After careful consideration of the proposal, it is hereby ordered that the existing number of posts of Helper in Lines Sections may be sanctioned as Helper/Wireman posts to allow greater flexibility in utilising the personnel, as and when a Helper in the Lines Section is promoted as Wireman. The Superintending Engineers of concerned O & M Distribution Circle should send a suitable proposal to the Chief Engineer/Personnel to get the post upgraded as Wireman post in Lines Section so as to retain the individual on promotion in that post. No additional post of Helper in lieu of the upgradation will be sanctioned. While sanctioning the upgradation, the total strength of Lines Section should not be altered.

3. The receipt of the memo. shall be acknowledged.

(By Order of the Chairman)

B. Jeyaraman,
Chief Engineer/Personnel.

* * *

FINANCE

PART - III

Finance

Inspection Bungalow - Inclusion of Honourable Chief Justice and Honourable Judges of Tamil Nadu in approved list for occupation of Inspection Bungalow and Rent Houses of Tamil Nadu Electricity Board.

(Permanent) B.P. (Ch.) No.210

(Secretariat Branch)

Dated the 11th October, 2002,
Purattasi 25, Chithirabanu Aandu,
Thiruvalluvar Aandu 2033.

Read:

(Permanent) B.P. (Ch.) No.247, (Technical Branch), dated 22.9.97.

Proceedings:-

In continuation of the orders issued in the Board's Proceedings cited, the Tamil Nadu Electricity Board hereby directs that the Honourable Chief Justice and Honourable Judges of High Court of Madras be included in item (1) of Annexure to the Board's Proceedings cited for occupation of Inspection Bungalows and Rest Houses of Tamil Nadu Electricity Board. They are also exempted from payment of rent.

2. Receipt of these Proceedings shall be acknowledged.

(By Order of the Chairman)

G. Gnanaselvam,
Secretary.

* * *

TNEB - Chennai Region (North) - Chennai Development Circle - Construction of Compound Wall for the MRC Nagar 33/11 KV Sub-Station, Chennai - Administrative Approval - Accorded.

(Permanent) B.P. (Ch.) No.332

(Technical Branch)

dated 16.10.2002,
Purattasi 30, Chithirabanu Aandu,
Thiruvalluvar Aandu 2033.

Read:

Chairman's approval dt. 22.9.2002 on the CE/D/
Chennai Region (North)'s Note dt. 27.7.2002.

Proceedings:-

Administrative approval is hereby accorded for the construction of compound wall for the MRC Nagar 33/11 KV Sub-station, Chennai, with the cost of construction of compound wall not-exceeding Rs.6.80 lakhs (Rupees Six lakhs and eighty thousand only) on the proposal of Chief Engineer/Distribution/Chennai Region (North).

2. The expenditure for the above work is debitable to Tamil Nadu Electricity Board Funds - Capital expenditure - Chennai Region (North) - A/c. Code : 14.454.

(By Order of the Chairman)

V. Ganapathy,
Chief Engineer/Civil Designs.

BONUS - Tamil Nadu Electricity Board - Bonus to Workmen of Tamil Nadu Electricity Board for 2001-2002 - Orders - Issued.

(Per.) B.P. (Ch.) No. 212

(Secretariat Branch)

Dated 24th October, 2002,
Iyppasi 7, Chithirabanu Aandu,
Thiruvalluvar Aandu 2033.

Read:

- 1) (Per.) B.P. (FB) No.58, (SB), dated 18.7.98.
- 2) Govt. Order (Ms.) No.96, Energy (B2) Department, dated 22.10.2002.

Proceedings:-

The quantum of Bonus payable for the accounting year 2001-2002 to the Workmen of the Tamil Nadu Electricity Board covered by the Wage Revision Orders issued in the B.P. first cited has been ordered by the Government in the reference second cited.

2. In pursuance of the above, it is hereby ordered that for the accounting year 2001-2002, the workmen of the Board covered by the Wage Revision orders referred to in the B.P. first cited be paid a Bonus calculated at the rate of 8.33% of the salary or wage earned by them during the said accounting year, subject to and in accordance with the provisions of the Payment of Bonus Act, 1965 as amended upto-date.

3. The Workmen of the Board (monthly paid and full-time workmen) Helper (Trainees), Office Helper (Trainees) appointed on consolidated salary and also the workmen of the State Government, Central Government and other organisations who had worked on deputation in the Board during the accounting year 2001-2002 drawing a salary or wage, including those drawing pay exceeding Rs.3,500/- per month, will be eligible for the Bonus sanctioned in para-2 above, as was allowed last year.

4. Where the salary or wage of a workman entitled to Bonus exceeds Rs.2,500/- (Rupees Two Thousand and Five hundred only) per mensem, the Bonus payable to such employees shall be calculated as if his salary or wage is Rs.2,500/- (Rupees Two Thousand and Five hundred only).

5. Salary or wage for the purpose of payment of Bonus will include only the following:-

- (a) Basic pay-Leave salary.
- (b) All classes of special pay (including shorthand and typewriting special pay).
- (c) Personal Pay.
- (d) Additional Pay for additional charge.
- (e) Additional days wage paid for work on National Holidays and Festival Holidays.
- (f) Dearness Allowance.
- (g) Personal Compensatory Allowance given for protecting loss of pay; and
- (h) Deputation Allowance.

The term 'Salary' or 'Wage' will not include Interim Relief, over-time pay and allowances and will not include any pay and allowances other than those mentioned from (a) to (h) above. Salary or Wage for the leave surrendered by an employee during 2001-2002 should not be taken into account for computation of Bonus.

6. All the workmen who had worked in the establishment for not less than thirty working days in the accounting year 2001-2002, are entitled to the payment of Bonus.

7. The maximum Bonus amount payable shall be Rs.2,499/- (Rupees Two Thousand Four Hundred and Ninety Nine only). This Bonus will be reduced on actual basis if a workman had not worked on all the working days in the accounting year 2001-2002 as per the provisions under Section-13 of the Payment of Bonus Act.

8. The Board also directs that the workmen, who are now under suspension but were on duty during the accounting year 2001-2002, also be paid Bonus for the year 2001-2002 subject to the conditions mentioned above.

9. If during any part of the accounting year 2001-2002, workmen covered by the Wage Revision order referred to in the B.P. first cited is promoted to officer category, whose pay scale is defined with

reference to (Permanent) B.P. (FB) No.59, (SB), dated 18.7.98 shall also be paid the Bonus in a proportionate manner for the period they had worked in workmen category.

10. The workmen covered by the order first cited, who had worked in the accounting year 2001-2002 fully or partly but had retired/died subsequently shall be paid the Bonus.

11. The expenditure on the payment of Bonus shall be debitable to "Tamil Nadu Electricity Board Funds - Revenue Expenses - Account No.75.501".

12. The Tamil Nadu Electricity Board also directs that the Bonus payment for the year 2001-2002 should be disbursed to all the eligible employees on 28th October, 2002.

(By Order of the Chairman)

G. Gnanaselvam,
Secretary.

* * *

Memorandum No.121509/2251/G42/G421/2002-1, (Administrative Branch), dated 24.10.2002.

Sub: Payment of Ex-gratia of Rs.400/- to the Contract Labourers working in Distribution areas and other areas and employees on consolidated remuneration, Part-time employees and Part-time contingency workers who were in service during 2001-2002 - Orders - Issued.

The Chief Engineers and Superintending Engineers of Distribution Circles and other areas and other Officers of the Board are informed that the Contract Labourers working in Distribution Circles and other areas who were paid Ex-gratia for the year 2000-2001 and engaged during 2001-2002 and part-time employees and part-time contingency workers who were paid Ex-gratia for the year 2000-2001 and in service during 2001-2002 shall be paid an Ex-gratia of Rs.400/- (Rupees Four hundred only) per head on 28.10.2002.

2. They are requested to send a statement showing the names of the Contract Labourers, Part-time Employees and Part-time Contingency workers, Date of Birth, Date of Joining, Total years of service as on 31.3.2002 and the place in which they are working after making the payment.

(By Order of the Chairman)

B. Jeyaraman,
Chief Engineer/Personnel.

* * *

Tamil Nadu Electricity Board - Employees Special Provident Fund-Cum-Gratuity Scheme - Payment of interest on the employees subscription beyond 148th instalment - Revised Orders - issued.

(Permanent) B.P. (FB) No. 57

(Secretariat Branch)

Dated the 25th October, 2002,
Iyppasi 8, Chithirabanu Aandu,
Thiruvalluvar Aandu 2033.

Read:

- 1) (Per.) B.P. (FB) No. 35, (SB), dated 15.5.1997.
- 2) (Per.) B.P. (FB) No. 98, (SB), dated 8.12.2000.
- 3) (Per.) B.P. (FB) No. 62, (SB), dated 20.11.2001.
- 4) G.O. Ms. No. 268, Finance (Pension) Department, dated 31.7.2002.

Proceedings:-

Following the Government, the Tamil Nadu Electricity Board has introduced the Special Provident Fund-Cum-Gratuity Scheme from 1.4.1984. According to Rule 5 of the above scheme the rate of interest

shall be on par with the rate of interest applicable to General Provident Fund after the recovery of subscription together with interest reaches Rs.5021/-. The rate of interest for the year 1996-1997 towards General Provident Fund was 12% per annum.

2. In the Board Proceedings first cited, orders have been issued allowing interest at 12% per annum instead of 9% per annum on the second stage of interest calculation by issuing the following orders:-

- (i) Those employees subscribing to the scheme and retire before completion of 148th instalment shall receive gross amount as per the table already given in the Board's Proceedings dated 31.8.1985. (This amount is inclusive of Board's contribution of Rs.5,000/-).
- (ii) Those who have already subscribed 148 instalments as at the end of the month of July 1996, shall be paid the principal amount of Rs.5,021/- plus the interest thereon at 12% per annum compounded annually plus the Board's Contribution of Rs.5000/- (now enhanced to Rs.10000/-). The sanctioning authorities shall work out the interest and sanction the payment under the scheme.

3. In the Board Proceedings second and third cited the rate of interest payable on the principal amount of Rs.5021/- under the Tamil Nadu Electricity Board Employees Special Provident Fund-Cum-Gratuity Scheme has been reduced from 12% per annum to 11% per annum compounded annually with effect from 1.8.2000 and from 11% per annum to 9.5% per annum compounded annually with effect from 1.8.2001 respectively.

4. Now the Government have issued orders in the Government Order fourth cited further reducing the rate of interest from 9.5% to 9% per annum in respect of Tamil Nadu Government Employees Special Provident Fund-Cum-Gratuity Scheme on par with General Provident Fund. It has, therefore, been decided to reduce the rate of interest from 9.5% to 9% per annum with effect from 1.8.2002 towards second stage of interest calculation for the Tamil Nadu Electricity Board Employees Special Provident Fund-Cum-Gratuity Scheme.

5. The Tamil Nadu Electricity Board hereby directs that the rate of interest payable on the principal amount of Rs.5021/- shall be reduced to 9% compounded annually with effect from 1.8.2002. However, past cases already settled prior to the date of this order at the rate of 9.5% shall not be re-opened.

6. An illustration for the calculation of interest is annexed to this order.

7. Receipt of the Board Proceedings should be acknowledged.

(By Order of the Board)

G. Gnanaselvam,
Secretary.

Encl.:

ANNEXURE
ILLUSTRATION

A Board employee is due to retire on superannuation on 31st January, 2003.

	Rs.
Subscription paid for 148 instalments at Rs.20/- per month	- 2960
Interest allowed upto 31.7.96 as per the table of repayment	- 2061
Total	- 5021

From 1.8.96 onwards the principal amount for calculation of interest will be Rs.5021/-

Interest for the period from 1.8.96 to 31.7.97	
on Rs.5021 = $\text{Rs.5021} \times 12/100 = \text{Rs.602.52}$ rounded to nearest rupee	- 603
Total at the end of 31.7.97 = $\text{Rs.5021} + 603$	- 5624

From 1.8.97 onwards the principal amount will be Rs.5624

Interest for the period from 1.8.97 to 31.7.98	
on Rs.5624 = $\text{Rs.5624} \times 12/100 = \text{Rs.674.88}$ rounded to nearest rupee	- 675
Total at the end of 31.7.98 = $\text{Rs.5624} + 675$	- 6299

From 1.8.98 onwards the principal amount will be Rs.6299	Rs.
Interest for the period from 1.8.98 to 31.7.99 on Rs.6299 = Rs.6299 X 12/100 = Rs.755.88 rounded to nearest rupee	- 756
Total at the end of 31.7.99 = Rs.6299 + 756	- 7055
From 1.8.99 onwards the principal amount will be Rs.7055	
Interest for the period from 1.8.99 to 31.7.2000 on Rs.7055 = Rs.7055 X 12/100 = 846.88 rounded to nearest rupee	- 847
Total at the end of 31.7.2000 = Rs.7055 + 847	- 7902
From 1.8.2000 onwards the principal amount will be Rs.7902	
Interest for the period from 1.8.2000 to 31.7.2001 on Rs.7902 = Rs.7902 X 11/100 = Rs.869.22 rounded to nearest rupee	- 869
Total at the end of 31.7.2001 = Rs.7902 + 869	- 8771
From 1.8.2001 onwards the principal amount will be Rs.8771	
Interest for the period from 1.8.2001 to 31.7.2002 on Rs.8771 = Rs.8771 X 9.5/100 = Rs.833.25 rounded to nearest rupee	- 833
Total at the end of 31.7.2002 = 8771 + 833	- 9604
From 1.8.2002 onwards the principal amount will be Rs.9604	
Interest for the period from 1.8.2002 to 31.1.2003 on Rs.9604 = Rs.9604 X 9/100 X 6/12 (for six months) = Rs.432.18 rounded to nearest rupee	- 432
Total at the end of 31.1.2003 = Rs.9604 + 432	- 10036
So total interest to be allowed is (Rs.10036 - 2960)	- 7076

The retiring employee will get an aggregate amount as given below:

Principal	=	Rs. 2960
Interest	=	Rs. 7076
Board's Contribution	=	Rs. 10000
Total amount to be paid	=	Rs. 20036

/ True Copy /

படிகள் - அகவிடைப் படி - 1.10.2002 முதற்கொண்டு உயர்த்தப்பட்ட அகவிடைப் படி வீதம் - ஆணைகள் - வெளியிடப்படுகின்றன.

தமிழ் நாடு மின் வாரிய ஆணை (நிலை/ எண்.58 (முழு வாரியம்)

(செயலகக் கிளை)

நாள் 29.10.2002,
ஐப்பசி 12, சித்திரபானு ஆண்டு,
திருவள்ளூர் ஆண்டு 2033.

பின்வருவனவற்றைப் படிக்கவும்:-

- 1) தமிழ் நாடு மின் வாரிய ஆணை (நிலை) எண். 58, (முழு வாரியம், செயலகக் கிளை, நாள் 18.7.98.
- 2) தமிழ் நாடு மின் வாரிய ஆணை (நிலை) எண். 59, (முழு வாரியம், செயலகக் கிளை, நாள் 18.7.98.
- 3) அரசாணை நிலை எண். 346, நிதித் (படிகள்) துறை, நாள் 21.10.2002.

ஆணை :-

தமிழ் நாடு மின் வாரிய ஆணை (நிலை) எண். 58, (முழு வாரியம்) செயலகக் கிளை, நாள் 18.7.98 மற்றும் தமிழ் நாடு மின் வாரிய ஆணை (நிலை) எண். 59, (முழு வாரியம்) செயலகக் கிளை, நாள் 18.7.98 ஆகியவற்றில் உள்ள பத்தி 1 (ii) (அ)-வில் கண்டுள்ள ஆணையின்படி, தமிழ் நாடு மின் வாரியத் தொழிலாளர்கள் மற்றும் அலுவலர்களுக்கு மாநில அரசு தன் ஊழியர்களுக்கு வழங்கியுள்ளபடி, திருத்தப்பட்ட அகவிடைப் படி வீதம் வழங்குவது குறித்து பரிசீலிக்கப்பட்டது.

2. பார்வை 3-ல் குறிப்பிடப்பட்டுள்ள அரசாணையில் தமிழ் நாடு அரசு, 1.10.2002 முதற்கொண்டு அதன் பணியாளர்களுக்குக் கீழ்க்கண்ட திருத்தப்பட்ட வீதத்தில் அகவிலைப் படி வழங்க ஆணையிட்டுள்ளது:-

எந்த நாளிலிருந்து வழங்கத்தக்கது	அகவிலைப் படி வீதம் (மாதம் ஒன்றுக்கு)
1.10.2002	அடிப்படைச் சம்பளத்தில் 49 சதவீதம்

3. தமிழ் நாடு அரசின் இந்த ஆணையைப் பின்பற்றி, தமிழ் நாடு மின்சார வாரியம், அதன் தொழிலாளர்கள் மற்றும் அலுவலர்களுக்கு 1.10.2002 முதற்கொண்டு உயர்த்தப்பட்ட அகவிலைப் படியாக அடிப்படைச் சம்பளத்தில் 49 சதவீதம் என்ற வீதத்தில் அகவிலைப் படி வழங்க ஆணையிடுகிறது.

4. மேற்கண்ட உயர்த்தப்பட்ட வீதத்திலான அகவிலைப் படியானது, வாரியத்தில் பணிபுரியும் தொழிலாளர்கள், அலுவலர்கள் மற்றும் பகுதி நேரத் துப்புரவுப் பணியாளர்களாக ஏற்றுக்கொள்ளப்பட்ட absorbed part time sweepers/scavengers in the time scale of pay பகுதி நேரப் பணியாளர்கள் உட்பட அனைவருக்கும் 1.10.2002 முதல் ரொக்கமாக வழங்கப்படும்.

5. பல்வேறு நிலைகளில் அடிப்படைச் சம்பளம் பெறும் பணியாளர்கள் மற்றும் அலுவலர்களுக்கு அனுமதிக்கத்தக்க திருத்தப்பட்ட அகவிலைப் படி குறித்த விபரங்கள், இந்த ஆணையின் இணைப்பில் கொடுக்கப்பட்டுள்ளன.

6. அனுமதிக்கத்தக்க திருத்தப்பட்ட அகவிலைப் படியினைக் கணக்கிட, அடிப்படைச் சம்பளத்துடன் தனிப்பட்ட ஊதியத்தையும் (Personal Pay) சேர்த்துக்கொள்ள வேண்டும். அவ்வாறு கணக்கிடப்பட்ட பணியாளர் மற்றும் அலுவலரின் சம்பளம், இந்த ஆணையின் இணைப்பின் முதற்பெரும் பத்தியில் (Column-I) குறிப்பிடப்பட்டுள்ள இரண்டு அடிப்படைச் சம்பள நிலைகளுக்கிடையே வருமாயின், அத்தகைய இனங்களில் அனுமதிக்கத்தக்க அகவிலைப் படி மேலே பத்தி 3-ல் குறிப்பிடப்பட்டுள்ள திருத்தப்பட்ட சதவீத விகிதங்களில் கணக்கிடப்படவேண்டும். திருத்தப்பட்ட அகவிலைப் படியைக் கணக்கிடுகையில், ஒரு ரூபாய்க்கு குறைவாக வரக்கூடிய தொகை 50 காசும் அதற்கு மேலும் இருக்குமாயின், அதனை அடுத்த ஒரு ரூபாயாகக் கணக்கில் எடுத்துக்கொள்ளப்பட வேண்டும். 50 காசுக்குக் குறைவாக இருந்தால் அதனை கணக்கில் எடுத்துக்கொள்ள வேண்டியதில்லை.

7. இவ்வாரிய ஆணை பெறப்பட்டமைக்கான ஒப்புகையை உடனடியாக அனுப்பி வைக்க வேண்டும்.

(முழு வாரியத்தின் ஆணைப்படி)

கோ. ஞானசெல்வம்,
செயலாளர்.

இணைப்பு:

பல்வேறு நிலைகளில் அடிப்படைச் சம்பளம் பெறும் பணியாளர்களுக்கு 1.10.2002 முதல் அனுமதிக்கத்தக்க திருத்தப்பட்ட அகவிலைப் படி குறித்த விவரங்கள் (ரூபாய்களில்)

அடிப்படைச் சம்பளம் (ரூ) (1)	49% அகவிலைப் படி (ரூ) (2)	அடிப்படைச் சம்பளம் (ரூ) (1)	49% அகவிலைப் படி (ரூ) (2)	அடிப்படைச் சம்பளம் (ரூ) (1)	49% அகவிலைப் படி (ரூ) (2)	அடிப்படைச் சம்பளம் (ரூ) (1)	49% அகவிலைப் படி (ரூ) (2)
3050	1495	3795	1860	4235	2075	4590	2249
3125	1531	3800	1862	4270	2092	4670	2288
3200	1568	3870	1896	4330	2122	4675	2291
3275	1605	3875	1899	4345	2129	4710	2308
3350	1642	3905	1913	4350	2132	4720	2313
3370	1651	3950	1936	4370	2141	4770	2337
3425	1678	3970	1945	4430	2171	4785	2345
3470	1700	4015	1967	4450	2181	4840	2372
3500	1715	4030	1975	4455	2183	4850	2377
3570	1749	4070	1994	4460	2185	4870	2386
3575	1752	4110	2014	4470	2190	4895	2399
3650	1789	4125	2021	4510	2210	4970	2435
3670	1798	4170	2043	4565	2237	4980	2440
3725	1825	4190	2053	4570	2239	5005	2452
3770	1847	4200	2058	4580	2244	5070	2484

(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)
5100	2499	6790	3327	9100	4459	11975	5868
5110	2504	6800	3332	9200	4508	12050	5905
5115	2506	6825	3344	9240	4528	12125	5941
5170	2533	6850	3357	9250	4533	12175	5966
5225	2560	6920	3391	9275	4545	12200	5978
5230	2563	6930	3396	9375	4594	12225	5990
5240	2568	6990	3425	9450	4631	12275	6015
5270	2582	7000	3430	9465	4638	12400	6076
5335	2614	7050	3455	9475	4643	12500	6125
5360	2626	7060	3459	9500	4655	12575	6162
5370	2631	7175	3516	9575	4692	12675	6211
5445	2668	7180	3518	9650	4729	12750	6248
5470	2680	7215	3535	9690	4748	12775	6260
5490	2690	7225	3540	9700	4753	12800	6272
5500	2695	7250	3553	9750	4778	12875	6309
5555	2722	7310	3582	9800	4802	12950	6346
5570	2729	7350	3602	9850	4827	13050	6395
5600	2744	7440	3646	9875	4839	13100	6419
5620	2754	7450	3651	9915	4858	13175	6456
5630	2759	7525	3687	9925	4863	13225	6480
5665	2776	7570	3709	10025	4912	13325	6529
5670	2778	7665	3756	10100	4949	13400	6566
5750	2818	7675	3761	10150	4974	13450	6591
5760	2822	7690	3768	10175	4986	13475	6603
5770	2827	7700	3773	10200	4998	13500	6615
5775	2830	7850	3847	10300	5047	13600	6664
5850	2867	7875	3859	10375	5084	13700	6713
5880	2881	7890	3866	10400	5096	13775	6750
5885	2884	7900	3871	10475	5133	13800	6762
5890	2886	8000	3920	10575	5182	13875	6799
5950	2916	8050	3945	10600	5194	14000	6860
5995	2938	8075	3957	10700	5243	14075	6897
6010	2945	8100	3969	10750	5268	14150	6934
6020	2950	8115	3976	10775	5280	14300	7007
6050	2965	8125	3981	10825	5304	14375	7044
6105	2991	8225	4030	10850	5317	14500	7105
6125	3001	8250	4043	11000	5390	14600	7154
6140	3009	8275	4055	11025	5402	14675	7191
6150	3014	8340	4087	11050	5415	14850	7277
6215	3045	8350	4092	11075	5427	14900	7301
6250	3063	8375	4104	11125	5451	14975	7338
6270	3072	8400	4116	11275	5525	15100	7399
6280	3077	8450	4141	11300	5537	15200	7448
6300	3087	8550	4190	11350	5562	15275	7485
6325	3099	8565	4197	11375	5574	15500	7595
6400	3136	8575	4202	11400	5586	15525	7607
6410	3141	8650	4239	11500	5635	15550	7620
6435	3153	8750	4288	11575	5672	15575	7632
6450	3161	8790	4307	11600	5684	15800	7742
6475	3173	8800	4312	11675	5721	15900	7791
6530	3200	8825	4324	11700	5733	15950	7816
6540	3205	8925	4373	11725	5745	16250	7963
6650	3259	9015	4417	11850	5807	16375	8024
6660	3263	9025	4422	11900	5831	16600	8134
6670	3268	9050	4435	11950	5856	16800	8232

(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)
16950	8306	18000	8820	18600	9114	19775	9690
17225	8440	18075	8857	18925	9273	20100	9849
17300	8477	18100	8869	19100	9359	20600	10094
17600	8624	18350	8992	19350	9482	21100	10339
17650	8649	18500	9065	19600	9604	21600	10584
						22100	10829

/ உண்மை நகல் /

* * *

Bonus - TNEB - Bonus to workmen of Rural Electric Co-operative Societies taken over by the Board w.e.f. 6.4.2002 - Orders - Issued.

(Per.) B.P. (Ch.) No. 245

(Administrative Branch)

Dated 29.10.2002,
Iyppasi 12, Chithirabanu Aandu,
Thiruvalluvar Aandu 2033.

Read:

1. (Per.) B.P. (Ch.) No.212, (SB), dated 24.10.2002.
2. Administrative Branch Memo.No.121509/G42/G421/2002-1, dated 24.10.2002.

Proceedings:-

The quantum of Bonus payable for the accounting year 2001-2002 to the workmen of the Rural Electric Co-operative Society at Vandavasi, Kumbakonam and Thirumayam, which have been taken over by the Tamil Nadu Electricity Board with effect from 6.4.2002 has been considered by the Board.

2. In pursuance of the above it is hereby ordered that for the accounting year 2001-2002, the workmen of the 3 Rural Electric Co-operative Societies shall be paid bonus calculated at the rate of 8.33% of the salary or wage earned by them during the said accounting year subject to and in accordance with the provisions of the payment of bonus act 1965 as amended up to date.

3. The workmen of the R.E.C.S. who had worked during the accounting year 2001-2002 drawing a salary or wage including those drawing pay exceeding Rs.3,500/- per month will be eligible for the bonus sanctioned in para 2 above as was allowed last year.

4. Where the Salary or wage of a workman entitled to bonus exceeds Rs.2,500/- (Rupees two thousand five hundred only) per mensem, the bonus payable to such employees shall be calculated as if his/her salary or wage is Rs.2,500/- (Rupees two thousand five hundred only) p.m.

5. Salary or wage for the purpose of payment of bonus will include only the following.

- a) Basic pay/ Leave Salary.
- b) All class of special pay (including Shorthand and Typewriting special pay).
- c) Personal pay.
- d) Additional pay for additional charge.
- e) Additional days wage paid for work on National Holidays and Festival Holidays.
- f) Dearness allowance.
- g) Personal compensatory allowance given for protecting loss of pay and
- h) Deputation allowance.

The term "Salary" or "Wage" will not include interim relief, overtime pay and allowance and will not include any pay and allowances other than those mentioned from (a) to (h) above. Salary or Wage for the leave surrender by an employee during 2001-2002 should not be taken in to account for computation of bonus.

6. All the workmen who had worked in the establishment for not less than 30 working days in the accounting year 2001-2002 are entitled to the payment of bonus.

7. The maximum bonus amount payable shall be Rs.2,499/- (Rupees two thousand four hundred and ninety nine only). This bonus will be reduced on actual basis if a workman had not worked on all the working days in the accounting year 2001-2002 as per the provisions under section 13 of the payment of bonus act.

8. The Board also directs that the workmen, who are now under suspension but were on duty during the accounting year 2001-2002, also be paid bonus for the year 2001-2002 subject to the conditions mentioned above.

9. The workmen who had worked in the accounting year 2001-2002 fully or partly but had retired/died subsequently shall be paid the bonus.

10. In the case of Contract Labourers and contingent workmen engaged in the 3 R.E.C.S. at Vandavasi, Kumbakonam and Tirumayam, they shall be paid an ex-gratia at the rate of Rs.400/- (Rupees Four hundred only) for the year 2001-2002 provided they were paid ex-gratia for the year 2000-2001 and continued to be engaged during the year 2001-2002.

11. In the case of employees at Kumbakonam, Vandavasi R.E.C.S. the payment of bonus ordered above is subject to the conditions that the society concerned has followed Board's norms during the last year (i.e) 2000-2001.

12. The Superintending Engineers are requested to furnish the report regarding the number of employees to whom the bonus was paid and the total expenditure incurred towards payment of bonus in respect of the employees of the R.E.C.S.

13. The expenditure on the payment of bonus shall be debitable to T.N.E.B. Funds-Revenue expenses Account No.75.501.

14. The receipt of the B.P. shall be acknowledged.

(By Order of the Chairman)

B. Jeyaraman,
Chief Engineer/Personnel.

* * *

கடித எண்.106284/அ3/அ32/2002-1, (செயலகக் கிளை), நாள் 30.10.2002

பொருள்: படிகள் - அகவிடைப் படி - 1.10.2002 முதற்கொண்டு உயர்த்தப்பட்ட அகவிடைப் படி வீதம் - அரசின் ஆணை - வாரியத்தில் அயல்பணி ஆற்றும் மாநில அரசு ஊழியர்களுக்கு வழங்கும் பொருட்டு - நகல் அனுப்பப்படுகிறது.

பார்வை: அரசாணை நிலை எண்.346, நிதித் (படிகள்) துறை, நாள் 21.10.2002

வாரியத்தில் அயல் பணியாற்றும் அரசு ஊழியர்களுக்கு 1.10.2002 முதல் திருத்தப்பட்ட அகவிடைப் படியினை வழங்கும் பொருட்டு பார்வையில் சுட்டியுள்ள அரசு ஆணையின் நகல் ஒன்று மேல் நடவடிக்கைக்காக அனுப்பி வைக்கப் பணிக்கப்பட்டுள்ளன.

இணைப்பு:

கோ. ஞானசெல்வம்,
செயலாளர்.

Copy of:

Manuscript Series

GOVERNMENT OF TAMIL NADU
FINANCE (ALLOWANCES) DEPARTMENT

G.O.No.346, dated 21st October, 2002
(Chithirabanu, Iyypasi 5, Thiruvalluvar Aandu 2033)

Allowances - Dearness Allowance - Enhanced Rate of Dearness Allowance from 1st October, 2002 - Orders - Issued.

Read - the following paper:-

G.O.Ms.No.525, Finance (Allowances) Department, dated 31st December, 2001.

Order No.346, Finance (Allowances) Department, dated 21st October, 2002.

In the Government Order read above, orders were issued sanctioning revised rates of Dearness Allowance to the State Government employees as detailed below:-

Date from which payable	Rate of D.A. (per month)
1st July 2001	45 per cent of pay

2. The Government of India have now sanctioned revised rate of Dearness Allowance to their employees with effect from 1st January 2002 as follows:-

Date from which payable	Rate of D.A. (per month)
1st January 2002	49 per cent of pay

3. In view of the extremely difficult financial position faced by the Government, the Government after having discussions with the Tamil Nadu Government Officials Union, Tamil Nadu Arasu Aluvalar Kazhagam (C&D) Group and Tamil Nadu Secretariat Association, has decided to sanction one additional instalment of Dearness Allowance at 4% to the employees of the State with effect from 1.10.2002. Accordingly, the Government now sanction the revised rate of Dearness Allowance to the State Government employees as indicated below:-

Date from which payable	Revised Rate of D.A. (per month)
1st October 2002	49 per cent of pay

4. The Government also direct that out of the 4% increase in Dearness Allowance, 3% will be given in cash with effect from 1.10.2002 and 1% increase shall be credited to the General Provident Fund Account of the employees. The amount so credited into the Provident Fund Account shall be allowed to be withdrawn as and when the fiscal position improves. The amount so credited to General Provident Fund shall be allowed interest with effect from 1.12.2002.

5. The details of admissibility of revised Dearness Allowance for employees drawing pay at various stages and the amount to be credited in General Provident Fund account are given in the Annexure to this Order. In cases where the pay of Government servants fall between two pay ranges indicated in column (1) in the Annexure to this order, the revised Dearness Allowance shall be worked out at the percentage rate. While working out the revised Dearness Allowance, fraction of a rupee shall be rounded off to next higher rupee if such fraction is 50 paise and above and shall be ignored if it is less than 50 paise.

6. The Government also directs that the revised Dearness Allowance sanctioned above, shall be admissible to full time employees who are at present getting Dearness Allowance and paid from contingencies at fixed monthly rates and to full time non-provincialised work-charged establishments. The revised rates of Dearness Allowance sanctioned in this order shall not be admissible to part-time employees.

7. The revised Dearness Allowance sanctioned in this order will also apply to the teaching and non-teaching staff working in aided educational institutions, employees under local bodies, employees governed

by the University Grants Commission/All India Council for Technical Education scales of pay, the Teachers/ Physical Directors/Librarians in Government and Aided Polytechnics and Special Diploma Institutions, Village Assistants in Revenue Department, Noon Meal Organisers, Child Welfare Organisers and Anganwadi Workers.

8. The expenditure shall be debited to the detailed head of account '03. Dearness Allowance' under the relevant sub, minor, sub-major and major heads of account.

9. The Treasury Officers/Pay and Accounts Officers are requested to make payment of the revised Dearness Allowance when bills are presented without waiting for the authorisation from the Principal Accountant General (A&E), Chennai-18.

(By Order of the Governor)

Sd./- XXX
N. Narayanan,
Secretary to Government.

Encl.:

/ True Copy /

ANNEXURE

**DETAILS OF ADMISSIBILITY OF REVISED DEARNESS ALLOWANCE FOR EMPLOYEES IN
VARIOUS PAY RANGES AND THE AMOUNT TO BE CREDITED IN GENERAL PROVIDENT FUND
ACCOUNT WITH EFFECT FROM 1st OCTOBER 2002**

Pay	DA at 49%	D.A.at 48% paid in Cash	Difference 1% to be credited in G.P.F. A/c.	Pay	DA at 49%	D.A.at 48% paid in Cash	Difference 1% to be credited in G.P.F. A/c.
(Rs.)	(Rs.)	(Rs.)	(Rs.)	(Rs.)	(Rs.)	(Rs.)	(Rs.)
(1)	(2)	(3)	(4)	(1)	(2)	(3)	(4)
2550	1250	1224	26	3030	1485	1454	31
2605	1276	1250	26	3040	1490	1459	31
2610	1279	1253	26	3050	1495	1464	31
2650	1299	1272	27	3080	1509	1478	31
2660	1303	1277	26	3090	1514	1483	31
2670	1308	1282	26	3100	1519	1488	31
2715	1330	1303	27	3105	1521	1490	31
2720	1333	1306	27	3125	1531	1500	31
2730	1338	1310	28	3140	1539	1507	32
2750	1348	1320	28	3150	1544	1512	32
2780	1362	1334	28	3170	1553	1522	31
2790	1367	1339	28	3200	1568	1536	32
2820	1382	1354	28	3215	1575	1543	32
2840	1392	1363	29	3235	1585	1553	32
2845	1394	1366	28	3240	1588	1555	33
2850	1397	1368	29	3275	1605	1572	33
2890	1416	1387	29	3280	1607	1574	33
2900	1421	1392	29	3285	1610	1577	33
2910	1426	1397	29	3300	1617	1584	33
2960	1450	1421	29	3310	1622	1589	33
2970	1455	1426	29	3345	1639	1606	33
2975	1458	1428	30	3350	1642	1608	34
3020	1480	1450	30	3370	1651	1618	33

B.B.3

(1)	(2)	(3)	(4)	(1)	(2)	(3)	(4)
3380	1656	1622	34	4510	2210	2165	45
3410	1671	1637	34	4560	2234	2189	45
3425	1678	1644	34	4590	2249	2203	46
3440	1686	1651	35	4600	2254	2208	46
3450	1691	1656	35	4625	2266	2220	46
3455	1693	1658	35	4645	2276	2230	46
3475	1703	1668	35	4700	2303	2256	47
3500	1715	1680	35	4730	2318	2270	48
3510	1720	1685	35	4750	2328	2280	48
3520	1725	1690	35	4800	2352	2304	48
3540	1735	1699	36	4815	2359	2311	48
3575	1752	1716	36	4875	2389	2340	49
3580	1754	1718	36	4900	2401	2352	49
3590	1759	1723	36	4950	2426	2376	50
3625	1776	1740	36	5000	2450	2400	50
3650	1789	1752	37	5100	2499	2448	51
3660	1793	1757	36	5125	2511	2460	51
3710	1818	1781	37	5150	2524	2472	52
3720	1823	1786	37	5200	2548	2496	52
3725	1825	1788	37	5250	2573	2520	53
3730	1828	1790	38	5300	2597	2544	53
3790	1857	1819	38	5375	2634	2580	54
3795	1860	1822	38	5400	2646	2592	54
3800	1862	1824	38	5450	2671	2616	55
3860	1891	1853	38	5500	2695	2640	55
3875	1899	1860	39	5550	2720	2664	56
3880	1901	1862	39	5600	2744	2688	56
3900	1911	1872	39	5625	2756	2700	56
3930	1926	1886	40	5675	2781	2724	57
3950	1936	1896	40	5700	2793	2736	57
3965	1943	1903	40	5750	2818	2760	58
4000	1960	1920	40	5800	2842	2784	58
4025	1972	1932	40	5850	2867	2808	59
4030	1975	1934	41	5875	2879	2820	59
4050	1985	1944	41	5900	2891	2832	59
4100	2009	1968	41	6000	2940	2880	60
4110	2014	1973	41	6025	2952	2892	60
4135	2026	1985	41	6050	2965	2904	61
4175	2046	2004	42	6100	2989	2928	61
4190	2053	2011	42	6125	3001	2940	61
4200	2058	2016	42	6150	3014	2952	62
4220	2068	2026	42	6200	3038	2976	62
4250	2083	2040	43	6250	3063	3000	63
4270	2092	2050	42	6300	3087	3024	63
4300	2107	2064	43	6350	3112	3048	64
4305	2109	2066	43	6375	3124	3060	64
4325	2119	2076	43	6450	3161	3096	65
4350	2132	2088	44	6500	3185	3120	65
4390	2151	2107	44	6550	3210	3144	66
4400	2156	2112	44	6625	3246	3180	66
4430	2171	2126	45	6650	3259	3192	67
4475	2193	2148	45	6700	3283	3216	67
4500	2205	2160	45	6725	3295	3228	67

(1)	(2)	(3)	(4)	(1)	(2)	(3)	(4)
6750	3308	3240	68	10650	5219	5112	107
6800	3332	3264	68	10700	5243	5136	107
6875	3369	3300	69	10750	5268	5160	108
6900	3381	3312	69	10900	5341	5232	109
6950	3406	3336	70	10975	5378	5268	110
7000	3430	3360	70	11025	5402	5292	110
7050	3455	3384	71	11300	5537	5424	113
7075	3467	3396	71	11575	5672	5556	116
7100	3479	3408	71	11625	5696	5580	116
7200	3528	3456	72	11850	5807	5688	119
7250	3553	3480	73	11950	5856	5736	120
7300	3577	3504	73	12000	5880	5760	120
7350	3602	3528	74	12125	5941	5820	121
7400	3626	3552	74	12275	6015	5892	123
7425	3638	3564	74	12375	6064	5940	124
7500	3675	3600	75	12400	6076	5952	124
7550	3700	3624	76	12600	6174	6048	126
7600	3724	3648	76	12675	6211	6084	127
7650	3749	3672	77	12750	6248	6120	128
7700	3773	3696	77	12925	6333	6204	129
7775	3810	3732	78	12950	6346	6216	130
7800	3822	3744	78	13125	6431	6300	131
7850	3847	3768	79	13225	6480	6348	132
7900	3871	3792	79	13250	6493	6360	133
7950	3896	3816	80	13500	6615	6480	135
8000	3920	3840	80	13575	6652	6516	136
8100	3969	3888	81	13775	6750	6612	138
8125	3981	3900	81	13875	6799	6660	139
8150	3994	3912	82	13900	6811	6672	139
8275	4055	3972	83	14050	6885	6744	141
8300	4067	3984	83	14225	6970	6828	142
8475	4153	4068	85	14250	6983	6840	143
8500	4165	4080	85	14300	7007	6864	143
8550	4190	4104	86	14550	7130	6984	146
8650	4239	4152	87	14625	7166	7020	146
8700	4263	4176	87	14700	7203	7056	147
8825	4324	4236	88	14875	7289	7140	149
8900	4361	4272	89	15000	7350	7200	150
9000	4410	4320	90	15100	7399	7248	151
9100	4459	4368	91	15200	7448	7296	152
9300	4557	4464	93	15375	7534	7380	154
9375	4594	4500	94	15400	7546	7392	154
9500	4655	4560	95	15500	7595	7440	155
9650	4729	4632	97	15750	7718	7560	158
9700	4753	4656	97	15800	7742	7584	158
9900	4851	4752	99	15900	7791	7632	159
9925	4863	4764	99	16125	7901	7740	161
10000	4900	4800	100	16200	7938	7776	162
10100	4949	4848	101	16300	7987	7824	163
10200	4998	4896	102	16400	8036	7872	164
10300	5047	4944	103	16500	8085	7920	165
10325	5059	4956	103	16600	8134	7968	166
10475	5133	5028	105	16700	8183	8016	167
10500	5145	5040	105	16850	8257	8088	169

(1)	(2)	(3)	(4)	(1)	(2)	(3)	(4)
16875	8269	8100	169	18300	8967	8784	183
17000	8330	8160	170	18400	9016	8832	184
17100	8379	8208	171	18600	9114	8928	186
17250	8153	8280	173	18650	9139	8952	187
17300	8477	8304	173	18900	9261	9072	189
17400	8526	8352	174	19100	9359	9168	191
17500	8575	8400	175	19400	9506	9312	194
17625	8636	8460	176	19550	9580	9384	196
17750	8698	8520	178	19900	9751	9552	199
17800	8722	8544	178	20000	9800	9600	200
17900	8771	8592	179	20400	9996	9792	204
18000	8820	8640	180	20900	10241	10032	209
18200	8918	8736	182	21400	10486	10272	214
				21900	10731	10512	219

/ True Copy /

* * *

TECHNICAL

PART - IV Technical

Memo.No.SE/MM.II/EET/A2/F.102/D.109/2002, (Technical Branch), dated 20/30.9.2002.

Sub: Vehicles - Retreading/Recapping of tyres - List of Approved firms
with rates for the year 2002-03 - Communicated.

The List of approved firms with rates for retreading/recapping of tyres under both Conventional/Precured process for the year 2002-03 received from the Director/Tamil Nadu Motor Vehicle Maintenance Department, Shopping Centre, II Floor, Ashok Nagar, Chennai - 83 is enclosed.

2. The rates for retreading/recapping of various sizes of tyres in each district are shown in Annexure. The rates are nett and inclusive of repair charges, Taxes and other levies etc. and will be effective from 1.4.2002 to 31.3.2003.

3. The rates approved for private tyre retreading firms are made applicable to State Transport Undertakings in the respective districts.

4. The vehicle using Officers are requested to ensure that the tyre retreading works are entrusted only to approved firms at the rates approved as shown in the Annexure.

5. In places where no retreading tyre Unit of the approved Companies exist and for remaining sizes, the work of retreading should be entrusted to the tyre units approved in the nearby Districts.

6. The to and fro transportation charges for entrusting the tyre for retreading/recapping will be borne by the respective tyre retreading agency.

7. To avoid any hardship to the tyre retreading firms, suitable instructions may be given to the vehicle using Officers for making payment within 30 days on receipt of bills in as much as vehicle using Officers have been delegated with powers to make payment as per G.O.Ms.No.2503, Transport Department, dated 18.9.91.

8. Any undue delay in completing the tyre retreading/recapping work within the stipulated time of seven days for both under Conventional and Precured process may be brought to the notice of this Office for taking suitable action against the firm.

9. The tyres retreaded shall serve the Kilometres noted below:-

Sl.No.	Details	Conventional	Precured
1.	Tyre of Light vehicle	16,000 Kms.	20,000 Kms.
2.	Tyre of Heavy vehicle	20,000 Kms.	25,000 Kms.

If the performance of tyre is not satisfactory, the defect shall be rectified free of cost/proportionate cost of Retreading refunded by the firm.

10. No Objection Certificate from State Transport Undertakings before entrustment of tyre retreading/recapping both under Conventional/Precured methods with the Private Firms need not be obtained.

11. The vehicle using Officers shall decide the process (Conventional/Precured) for even the first retreading/recapping of tyres.

12. The above information may be communicated to the subordinate vehicle using Officers for their information/guidance and strict adherence.

The above instructions are communicated to the field officers for their information and strict adherence.

Encl.: As received from the Director, Tamil Nadu
Motor Vehicles Maintenance Department,
47 Nos. Schedules of Districtwar Tyre
Retreading Approval Rates.

P.S. Mohanakrishnan,
Chief Engineer/Materials Management.

SCHEDULE-1**RATES FOR RETREADING/RECAPPING OF TYRES FOR THE YEAR 2002-03****DISTRICT: CHENNAI**

Sl.No	TYRE SIZE	<u>Rates inclusive of material cost, Labour charge, Taxes, Transportation charges and Repair charges</u>	
		<u>Conventional Method</u>	<u>Name of the Company</u>
		RS. P.	
1	4.50 X 12	273	M/s.Eagle Tyres
2	5.20 X 14	328	M/s.Eagle Tyres
3	5.60 X 12	273	M/s.Eagle Tyres
4	5.60 X 13	328	M/s.Eagle Tyres
5	5.90 X 15	347	M/s.Eagle Tyres
6	6.00 X 16	385	M/s.Durga Tyre
7	6.40 X 15	422	M/s.Eagle Tyres
8	6.70 X 15	433	M/s.Eagle Tyres
9	7.00 X 15	467	M/s.Eagle Tyres
10	7.00 X 16	493	M/s.Eagle Tyres
11	7.50 X 16	532	M/s.Eagle Tyres
12	7.50 X 20	749	M/s.Calicut Tyres
13	8.25 X 20	899	M/s.Calicut Tyres
14	9.00 X 20	920	M/s.Tru Tread Tyres
15	10.00 X 20	995	M/s.Tru Tread Tyres
16	11.00 X 20	1340	M/s.Tru Tread Tyres
17	F78 X 153	528	M/s.Eagle Tyres
18	165 SR 15 RADIAL	452	M/s.Eagle Tyres
19	175 80 R 14 RADIAL	—	
20	215 R 14 RADIAL	—	
21	215 R 15 RADIAL	—	
TRACTOR TYRES			
1	5.50 X 16 (T.F.)	468	M/s.Eagle Tyres
2	6.00 X 16 (T.F.)	437	M/s.Eagle Tyres
3	6.50 X 20 (T.F.)	733	M/s.Durga Tyre
4	6.00 X 19	610	M/s.Eagle Tyres
5	6.50 X 16 FORK LIFT	668	M/s.Eagle Tyres
6	7.50 X 16 TRAILOR RIB	723	M/s.Eagle Tyres
7	11.2 X 28/10.28 Rr.	2400	M/s.Eagle Tyres
8	12.4 X 11 X 28	2460	M/s.Eagle Tyres
9	12.5 X 20	—	
10	14.9 X 13 X 28	3400	M/s.Eagle Tyres
11	16.9 X 29/14.28 Rr.	3700	M/s.Eagle Tyres
12	13.6 X 28/12.28	2740	M/s.Eagle Tyres

Full address of the Companies:

- 1 M/s.Eagle Tyres, No.90-A, Balaji Nagar, Padi, Chennai - 50.
- 2 M/s.Durga Tyre Retreading Co., No.47, ROB Main St., Whites Rd., Royapettah, Ch-14.
- 3 M/s.Tru-Tread Tyres, No.24/1, A2 School Road, Iyanambakkam, Chennai - 602 102.
- 4 M/s.Calicut Tyre Retreading Co., No.56/57, Thayar sahib st., Mount Rd., Chennai - 2.

Sd./-

FOR DIRECTOR/TNMVMD.

SCHEDULE-2**RATES FOR RETREADING/RECAPPING OF TYRES FOR THE YEAR 2002-03****DISTRICT: CHENNAI**

Sl.No	TYRE SIZE	<u>Rates inclusive of material cost, Labour charge, Taxes, Transportation charges and Repair charges</u>	
		<u>Precured Method</u>	<u>Name of the Company</u>
		RS. P.	
1	4.50 X 12	349	M/s.Durga Tyre
2	5.20 X 14	372	M/s.Eagle Tyres
3	5.60 X 12	349	M/s.Durga Tyre
4	5.60 X 13	372	M/s.Eagle Tyres
5	5.90 X 15	461	M/s.Eagle Tyres
6	6.00 X 16	545	M/s.Durga Tyre
7	6.40 X 15	508	M/s.Eagle Tyres
8	6.70 X 15	548	M/s.Eagle Tyres
9	7.00 X 15	638	M/s.Eagle Tyres
10	7.00 X 16	663	M/s.Eagle Tyres
11	7.50 X 16	726	M/s.Eagle Tyres
12	7.50 X 20	1032	M/s.Eagle Tyres
13	8.25 X 20	1100	M/s.Durga Tyre
14	9.00 X 20	1260	M/s.Eagle Tyres
15	10.00 X 20	1272	M/s.Eagle Tyres
16	11.00 X 20	1352	M/s.Eagle Tyres
17	F78 X 15	673	M/s.Eagle Tyres
18	165 SR 15 RADIAL	510	M/s.Tru Tread Tyres
19	175 80 R 14 RADIAL	543	M/s.Durga Tyre
20	215 R 14 RADIAL	669	M/s.Durga Tyre
21	215 R 15 RADIAL	720	M/s.Tru Tread Tyres
TRACTOR TYRES			
1	5.50 x 16 (T.F.)	548	M/s.Eagle Tyres
2	6.00 X 16 (T.F)	548	M/s.Eagle Tyres
3	6.50 x 20 (T.F)	725	M/s.Eagle Tyres
4	6.00 X 19	720	M/s.Eagle Tyres
5	6.50 X 16 FORK LIFT	733	M/s.Durga Tyre
6	7.50 X 16 TRAILOR RIB	813	M/s.Eagle Tyres
7	11.2 X 28/10.28 Rr.	—	
8	12.4 X 11 X 28	—	
9	12.5 X 20	1900	M/s.Eagle Tyres
10	14.9 X 13 X 28	—	
11	16.9 X 29/14.28 Rr.	—	
12	13.6 X 28/12.28	—	

Full address of the Companies:

- 1 M/s.Eagle Tyres , No.80-A, Balaji Nagar, Padi, Chennai - 50.
- 2 M/s.Durga Tyre Retreading Co., No.47, ROB Main St., Whites Rd., Royapettah, Ch-14.
- 3 M/s.Tru-Tread Tyres, No.24/1, A2 School Road, Iyanambakkam, Chennai - 602 102.

Sd./-
FOR DIRECTOR/TNMVMD.

SCHEDULE-3**RATES FOR RETREADING/RECAPPING OF TYRES FOR THE YEAR 2002-03****DISTRICT: TIRUVALLUR & KANCHEEPURAM**

Sl.No	TYRE SIZE	<u>Rates inclusive of material cost, Labour charge, Taxes, Transportation charges and Repair charges</u>	
		Conventional Method	Precured Method
		RS. P.	
1	4.50 X 12	273	—
2	5.20 X 14	328	372
3	5.60 X 12	273	—
4	5.60 X 13	328	372
5	5.90 X 15	347	461
6	6.00 X 16	—	—
7	6.40 X 15	422	508
8	6.70 X 15	433	548
9	7.00 X 15	467	638
10	7.00 X 16	493	663
11	7.50 X 16	532	726
12	7.50 X 20	—	1032
13	8.25 X 20	—	—
14	9.00 X 20	—	1260
15	10.00 X 20	—	1272
16	11.00 X 20	—	1352
17	F78 X 15	528	673
18	165 SR 15 RADIAL	452	—
19	175 80 R 14 RADIAL	—	—
20	215 R 14 RADIAL	—	—
21	215 R 15 RADIAL	—	—
TRACTOR TYRES			
1	5.50 X 16 (T.F.)	468	548
2	6.00 X 16 (T.F.)	437	548
3	6.50 X 20 (T.F.)	—	725
4	6.00 X 19	610	720
5	6.50 X 16 FORK LIFT	668	—
6	7.50 X 16 TRAILOR RIB	723	813
7	11.2 X 28/10.28 Rr.	2400	—
8	12.4 X 11 X 28	2460	—
9	12.5 X 20	—	1900
10	14.9 X 13 X 28	3400	—
11	16.9 X 29/14.28 Rr.	3700	—
12	13.6 X 28/12.28	2740	—

Full address of the Company

- 1 M/s.Eagle Tyres , No.80-A, Balaji Nagar, Padi, Chennai - 50.

Sd./-
FOR DIRECTOR/TNMVMD.

SCHEDULE-4**RATES FOR RETREADING/RECAPPING OF TYRES FOR THE YEAR 2002-03****DISTRICT: VELLORE**

Sl.No	TYRE SIZE	<u>Rates inclusive of material cost, Labour charge, Taxes, Transportation charges and Repair charges</u>	
		<u>Precured Method</u>	<u>Name of the Company</u>
		RS. P.	
1	4.50 X 12	—	
2	5.20 X 14	—	
3	5.60 X 12	—	
4	5.60 X 13	—	
5	5.90 X 15	530	M/s.Hi-mile Retreaders
6	6.00 X 16	—	
7	6.40 X 15	595	M/s.Hi-mile Retreaders
8	6.70 X 15	—	
9	7.00 X 15	—	
10	7.00 X 16	—	
11	7.50 X 16	805	M/s.Hi-mile Retreaders
12	7.50 X 20	—	
13	8.25 X 20	—	
14	9.00 X 20	1328	M/s.Hi-mile Retreaders
15	10.00 X 20	1445	M/s.Hi-mile Retreaders
16	11.00 X 20	—	
17	F78 X 15	700	M/s.Vijay Tyres
18	165 SR 15 RADIAL	—	
19	175 80 R 14 RADIAL	655	M/s.Vijay Tyres
20	215 R 14 RADIAL	—	
21	215 R 15 RADIAL	—	
TRACTOR TYRES			
1	5.50 X 16 (T.F.)	—	
2	6.00 X 16 (T.F.)	—	
3	6.50 X 20 (T.F.)	—	
4	6.00 X 19	—	
5	6.50 X 16 FORK LIFT	768	M/s.Vijay Tyres
6	7.50 X 16 TRAILOR RIB	813	M/s.Vijay Tyres
7	11.2 X 28/10.28 Rr.	—	
8	12.4 X 11 X 28	—	
9	12.5 X 20	—	
10	14.9 X 13 X 28	—	
11	16.9 X 29/14.28 Rr.	—	
12	13.6 X 28/12.28	—	

Full Address of the Companies

- | | |
|---|---|
| 1 | M/s.Hi-mile Retreaders, 2/1, Katpadi Road, Vellore - 4. |
| 2 | M/s.Vijay Tyres. |

Sd./-
FOR DIRECTOR/TNMVMD.

SCHEDULE-5**RATES FOR RETREADING/RECAPPING OF TYRES FOR THE YEAR 2002-03****DISTRICT: DHARMAPURI**

Sl.No	TYRE SIZE	<u>Rates inclusive of material cost, Labour charge, Taxes, Transportation charges and Repair charges</u>	
		<u>Conventional Method</u>	<u>Name of the Company</u>
		RS. P.	
1	4.50 X 12	—	
2	5.20 X 14	—	
3	5.60 X 12	386	M/s.Dharmapuri Tyre Retreading
4	5.60 X 13	384	M/s.Dharmapuri Tyre Retreading
5	5.90 X 15	423	M/s.Jupiter Enterprises
6	6.00 X 16	473	M/s.Jupiter Enterprises
7	6.40 X 15	524	M/s.Dharmapuri Tyre Retreading
8	6.70 X 15	533	M/s.Jupiter Enterprises
9	7.00 X 15	559	M/s.Jupiter Enterprises
10	7.00 X 16	603	M/s.Jupiter Enterprises
11	7.50 X 16	652	M/s.Jupiter Enterprises
12	7.50 X 20	792	M/s.Jupiter Enterprises
13	8.25 X 20	912	M/s.Jupiter Enterprises
14	9.00 X 20	1082	M/s.Jupiter Enterprises
15	10.00 X 20	1162	M/s.Jupiter Enterprises
16	11.00 X 20	—	
17	F78 X 15	620	M/s.Dharmapuri Tyre Retreading
18	165 SR 15 RADIAL	—	
19	175 80 R 14 RADIAL	—	
20	215 R 14 RADIAL	—	
21	215 R 15 RADIAL	—	
TRACTOR TYRES			
1	5.50 X 16 (T.F.)	—	
2	6.00 X 16 (T.F.)	495	M/s.Jupiter Enterprises
3	6.50 X 20 (T.F.)	733	M/s.Dharmapuri Tyre Retreading
4	6.00 X 19	—	
5	6.50 X 16 FORK LIFT	679	M/s.Dharmapuri Tyre Retreading
6	7.50 X 16 TRAILOR RIB	710	M/s.Jupiter Enterprises
7	11.2 X 28/10.28 Rr.	—	
8	12.4 X 11 X 28	2505	M/s.Jupiter Enterprises
9	12.5 X 20	2659	M/s.Dharmapuri Tyre Retreading
10	14.9 X 13 X 28	—	
11	16.9 X 29/14.28 Rr.	—	
12	13.6 X 28/12.28	2950	M/s.Jupiter Enterprises

Full address of the Companies

- 1 M/s.Dharmapuri Tyre Retreading Co., Bye-pass Road, Dharmapuri - 2.
- 2 M/s.Jupiter Enterprises, No.98/92, Kulla Gounder Building,
Bye-pass Road, Dharmapuri-636 701.

Sd./-
FOR DIRECTOR/TNMVMD.

SCHEDULE-6**RATES FOR RETREADING/RECAPPING OF TYRES FOR THE YEAR 2002-03****DISTRICT: DHARMAPURI**

Sl.No	TYRE SIZE	<u>Rates inclusive of material cost, Labour charge, Taxes, Transportation charges and Repair charges</u>	
		<u>Precured Method</u>	<u>Name of the Company</u>
		RS. P.	
1	4.50 X 12	425	M/s.Hi-Tech Retreaders
2	5.20 X 14	460	M/s.Hi-Tech Retreaders
3	5.60 X 12	472	M/s.Hi-Tech Retreaders
4	5.60 X 13	493	M/s.Hi-Tech Retreaders
5	5.90 X 15	530	M/s.Hi-Tech Retreaders
6	6.00 X 16	608	M/s.Hi-Tech Retreaders
7	6.40 X 15	595	M/s.Hi-Tech Retreaders
8	6.70 X 15	654	M/s.Hi-Tech Retreaders
9	7.00 X 15	708	M/s.Hi-Tech Retreaders
10	7.00 X 16	738	M/s.Hi-Tech Retreaders
11	7.50 X 16	805	M/s.Hi-Tech Retreaders
12	7.50 X 20	1070	M/s.Hi-Tech Retreaders
13	8.25 X 20	1178	M/s.Hi-Tech Retreaders
14	9.00 X 20	1328	M/s.Hi-Tech Retreaders
15	10.00 X 20	1445	M/s.Hi-Tech Retreaders
16	11.00 X 20	1545	M/s.Hi-Tech Retreaders
17	F78 X 15	768	M/s.Hi-Tech Retreaders
18	165 SR 15 RADIAL	597	M/s.Hi-Tech Retreaders
19	175 80 R 14 RADIAL	655	M/s.Hi-Tech Retreaders
20	215 R 14 RADIAL	775	M/s.Hi-Tech Retreaders
21	215 R 15 RADIAL	788	M/s.Hi-Tech Retreaders
TRACTOR TYRES			
1	5.50 X 16 (T.F.)	—	—
2	6.00 X 16 (T.F.)	—	—
3	6.50 X 20 (T.F.)	—	—
4	6.00 X 19	—	—
5	6.50 X 16 FORK LIFT	—	—
6	7.50 X 16 TRAILOR RIB	—	—
7	11.2 X 28/10.28 Rr.	—	—
8	12.4 X 11 X 28	—	—
9	12.5 X 20	—	—
10	14.9 X 13 X 28	—	—
11	16.9 X 29/14.28 Rr.	—	—
12	13.6 X 28/12.28	—	—

Full Address of the Company

- 1 M/s.Hi-Tech Retreaders, No.5, Sidco Indul. Estate, Dharmapuri - 636 705.

Sd./-
FOR DIRECTOR/TNMVMD.

SCHEDULE-7

RATES FOR RETREADING/RECAPPING OF TYRES FOR THE YEAR 2002-03

DISTRICT: VILLUPURAM

Sl.No	TYRE SIZE	<u>Rates inclusive of material cost, Labour charge, Taxes, Transportation charges and Repair charges</u>	
		<u>Conventional Method</u>	<u>Name of the Company</u>
		RS. P.	
1	4.50 X 12	350	M/s.Janatha Tyre Works
2	5.20 X 14	350	M/s.Janatha Tyre Works
3	5.60 X 12	350	M/s.Janatha Tyre Works
4	5.60 X 13	350	M/s.Janatha Tyre Works
5	5.90 X 15	390	M/s.Janatha Tyre Works
6	6.00 X 16	400	M/s.Janatha Tyre Works
7	6.40 X 15	500	M/s.Janatha Tyre Works
8	6.70 X 15	500	M/s.Janatha Tyre Works
9	7.00 X 15	540	M/s.Janatha Tyre Works
10	7.00 X 16	560	M/s.Janatha Tyre Works
11	7.50 X 16	620	M/s.Janatha Tyre Works
12	7.50 X 20	650	M/s.Janatha Tyre Works
13	8.25 X 20	700	M/s.Janatha Tyre Works
14	9.00 X 20	900	M/s.Janatha Tyre Works
15	10.00 X 20	1000	M/s.Janatha Tyre Works
16	11.00 X 20	1200	M/s.Janatha Tyre Works
17	F78 X 15	620	M/s.Janatha Tyre Works
18	165 SR 15 RADIAL	452	M/s.Janatha Tyre Works
19	175 80 R 14 RADIAL	550	M/s.Janatha Tyre Works
20	215 R 14 RADIAL	500	M/s.Janatha Tyre Works
21	215 R 15 RADIAL	500	M/s.Janatha Tyre Works
TRACTOR TYRES			
1	5.50 X 16 (T.F.)	450	M/s.Janatha Tyre Works
2	6.00 X 16 (T.F.)	450	M/s.Janatha Tyre Works
3	6.50 X 20 (T.F.)	550	M/s.Janatha Tyre Works
4	6.00 X 19	570	M/s.Janatha Tyre Works
5	6.50 X 16 FORK LIFT	585	M/s.Palaniappan Tyre Retd.
6	7.50 X 16 TRAILOR RIB	650	M/s.Janatha Tyre Works
7	11.2 X 28/10.28 Rr.	2000	M/s.Janatha Tyre Works
8	12.4 X 11 X 28	2525	M/s.Palaniappan Tyre Retd.
9	12.5 X 20	2600	M/s.Janatha Tyre Works
10	14.9 X 13 X 28	3000	M/s.Janatha Tyre Works
11	16.9 X 29/14.28 Rr.	3500	M/s.Janatha Tyre Works
12	13.6 X 28/12.28	3000	M/s.Janatha Tyre Works

Full Address of the Companies

- 1 M/s.Janatha Tyre Works, 57, Cuddalore Road, Kelaiyur, Tirukovilur - 605 757
- 2 M/s.Palaniappan Tyre Retd. Company, 36, Trichy High Road, Villupuram-605 602

Sd./-
FOR DIRECTOR/TNMVMD.

SCHEDULE-8**RATES FOR RETREADING/RECAPPING OF TYRES FOR THE YEAR 2002-03****DISTRICT: VILLUPURAM**

Sl.No	TYRE SIZE	<u>Rates inclusive of material cost, Labour charge, Taxes, Transportation charges and Repair charges</u>	
		<u>Precured Method</u>	<u>Name of the Company</u>
		RS. P.	
1	4.50 X 12	410	M/s.Janatha Tyre Works
2	5.20 X 14	450	M/s.Janatha Tyre Works
3	5.60 X 12	460	M/s.Janatha Tyre Works
4	5.60 X 13	460	M/s.Janatha Tyre Works
5	5.90 X 15	475	M/s.Janatha Tyre Works
6	6.00 X 16	570	M/s.Janatha Tyre Works
7	6.40 X 15	560	M/s.Janatha Tyre Works
8	6.70 X 15	590	M/s.Janatha Tyre Works
9	7.00 X 15	690	M/s.Janatha Tyre Works
10	7.00 X 16	700	M/s.Janatha Tyre Works
11	7.50 X 16	700	M/s.Janatha Tyre Works
12	7.50 X 20	850	M/s.Janatha Tyre Works
13	8.25 X 20	900	M/s.Janatha Tyre Works
14	9.00 X 20	1190	M/s.Palaniappan Tyre Retd.Co.
15	10.00 X 20	1300	M/s.Janatha Tyre Works
16	11.00 X 20	1350	M/s.Janatha Tyre Works
17	F78 X 15	700	M/s.Janatha Tyre Works
18	165 SR 15 RADIAL	597	M/s.Janatha Tyre Works
19	175 80 R 14 RADIAL	600	M/s.Janatha Tyre Works
20	215 R 14 RADIAL	600	M/s.Janatha Tyre Works
21	215 R 15 RADIAL	600	M/s.Janatha Tyre Works

TACTOR TYRES

1	5.50 X 16 (T.F.)	600	M/s.Janatha Tyre Works
2	6.00 X 16 (T.F.)	610	M/s.Janatha Tyre Works
3	6.50 X 20 (T.F.)	700	M/s.Janatha Tyre Works
4	6.00 X 19	750	M/s.Janatha Tyre Works
5	6.50 X 16 FORK LIFT	750	M/s.Janatha Tyre Works
6	7.50 X 16 TRAILOR RIB	750	M/s.Janatha Tyre Works
7	11.2 X 28/10.28 Rr.	2600	M/s.Janatha Tyre Works
8	12.4 X 11 X 28	2600	M/s.Janatha Tyre Works
9	12.5 X 20	2600	M/s.Janatha Tyre Works
10	14.9 X 13 X 28	3400	M/s.Janatha Tyre Works
11	16.9 X 29/14.28 Rr.	3600	M/s.Janatha Tyre Works
12	13.6 X 28/12.28	3198	M/s.Janatha Tyre Works

Full Address of the Companies

- 1 M/s.Janatha Tyre Works, 57, Cuddalore Road, Kelaiyur, Tirukovilur - 605 757
- 2 M/s.Palaniappan Tyre Retd. Company, 36, Trichy High Road, Villupuram-605 602

Sd./-
FOR DIRECTOR/TNMVMD.

SCHEDULE-9**RATES FOR RETREADING/RECAPPING OF TYRES FOR THE YEAR 2002-03****DISTRICT: CUDDALORE**

Sl.No	TYRE SIZE	<u>Rates inclusive of material cost, Labour charge, Taxes, Transportation charges and Repair charges</u>	
		<u>Conventional Method</u>	<u>Name of the Company</u>
		RS. P.	
1	4.50 X 12	350	M/s. Janatha Tyre Works
2	5.20 X 14	350	M/s. Janatha Tyre Works
3	5.60 X 12	350	M/s. Janatha Tyre Works
4	5.60 X 13	350	M/s. Janatha Tyre Works
5	5.90 X 15	415	M/s. Janatha Tyre Retreaders
6	6.00 X 16	486	M/s. Janatha Tyre Retreaders
7	6.40 X 15	520	M/s. Janatha Tyre Retreaders
8	6.70 X 15	543	M/s. Janatha Tyre Retreaders
9	7.00 X 15	585	M/s. Janatha Tyre Retreaders
10	7.00 X 16	615	M/s. Janatha Tyre Retreaders
11	7.50 X 16	674	M/s. Janatha Tyre Retreaders
12	7.50 X 20	695	M/s. Janatha Tyre Retreaders
13	8.25 X 20	790	M/s. Janatha Tyre Retreaders
14	9.00 X 20	940	M/s. Janatha Tyre Retreaders
15	10.00 X 20	1150	M/s. Janatha Tyre Retreaders
16	11.00 X 20	1350	M/s. Janatha Tyre Retreaders
17	F78 X 15	620	M/s. Janatha Tyre Retreaders
18	165 SR 15 RADIAL	452	M/s. Janatha Tyre Retreaders
19	175 80 R 14 RADIAL	550	M/s. Janatha Tyre Works
20	215 R 14 RADIAL	500	M/s. Janatha Tyre Works
21	215 R 15 RADIAL	500	M/s. Janatha Tyre Works
TRACTOR TYRES			
1	5.50 X 16 (T.F.)	450	M/s. Janatha Tyre Works
2	6.00 X 16 (T.F.)	486	M/s. Janatha Tyre Retreaders
3	6.50 X 20 (T.F.)	700	M/s. Janatha Tyre Retreaders
4	6.00 X 19	570	M/s. Janatha Tyre Works
5	6.50 X 16 FORK LIFT	—	
6	7.50 X 16 TRAILOR RIB	723	M/s. Janatha Tyre Retreaders
7	11.2 X 28/10.28 Rr.	2500	M/s. Janatha Tyre Retreaders
8	12.4 X 11 X 28	2450	M/s. Janatha Tyre Retreaders
9	12.5 X 20	2600	M/s. Janatha Tyre Works
10	14.9 X 13 X 28	3000	M/s. Janatha Tyre Works
11	16.9 X 29/14.28 Rr.	3250	M/s. Janatha Tyre Retreaders
12	13.6 X 28/12.28	2750	M/s. Janatha Tyre Retreaders

Full Address of the Companies

- 1 M/s. Janatha Tyre Works, Tirukovillur, Villupuram District.
- 2 M/s. Janatha Tyre Retreaders, A1, North Main Road, Chidambaram - 608 001.

Sd./-
FOR DIRECTOR/TNMVMD.

SCHEDULE-10**RATES FOR RETREADING/RECAPPING OF TYRES FOR THE YEAR 2002-03****DISTRICT: CUDDALORE**

Sl.No	TYRE SIZE	<u>Rates inclusive of material cost, Labour charge, Taxes, Transportation charges and Repair charges</u>	
		<u>Precured Method</u>	<u>Name of the Company</u>
		RS. P.	
1	4.50 X 12	410	M/s.Janatha Tyre Retreaders
2	5.20 X 14	460	M/s.Janatha Tyre Retreaders
3	5.60 X 12	460	M/s.Janatha Tyre Retreaders
4	5.60 X 13	475	M/s.Janatha Tyre Retreaders
5	5.90 X 15	490	M/s.Janatha Tyre Retreaders
6	6.00 X 16	—	—
7	6.40 X 15	595	M/s.Janatha Tyre Retreaders
8	6.70 X 15	654	M/s.Janatha Tyre Retreaders
9	7.00 X 15	—	—
10	7.00 X 16	—	—
11	7.50 X 16	805	M/s.Janatha Tyre Retreaders
12	7.50 X 20	847	M/s.Janatha Tyre Retreaders
13	8.25 X 20	945	M/s.Janatha Tyre Retreaders
14	9.00 X 20	1328	M/s.Janatha Tyre Retreaders
15	10.00 X 20	1445	M/s.Janatha Tyre Retreaders
16	11.00 X 20	1545	M/s.Janatha Tyre Retreaders
17	F78 X 15	690	M/s.Janatha Tyre Retreaders
18	165 SR 15 RADIAL	597	M/s.Janatha Tyre Retreaders
19	175 80 R 14 RADIAL	655	M/s.Janatha Tyre Retreaders
20	215 R 14 RADIAL	700	M/s.Janatha Tyre Retreaders
21	215 R 15 RADIAL	725	M/s.Janatha Tyre Retreaders

TRACTOR TYRES

1	5.50 X 16 (T.F.)	—	—
2	6.00 X 16 (T.F.)	—	—
3	6.50 X 20 (T.F.)	770	M/s.Janatha Tyre Retreaders
4	6.00 X 19	—	—
5	6.50 X 16 FORK LIFT	—	—
6	7.50 X 16 TRAILOR RIB	813	M/s.Janatha Tyre Retreaders
7	11.2 X 28/10.28 Rr.	—	—
8	12.4 X 11 X 28	—	—
9	12.5 X 20	—	—
10	14.9 X 13 X 28	—	—
11	16.9 X 29/14.28 Rr.	—	—
12	13.6 X 28/12.28	—	—

Full address of the Company

- 1 M/s. Janatha Tyre Retreaders, A1, North Main Road, Chidambaram - 608 001.

Sd./-
FOR DIRECTOR/TNMVMD.

SCHEDULE-11**RATES FOR RETREADING/RECAPPING OF TYRES FOR THE YEAR 2002-03****DISTRICT: TIRUVANNAMALAI**

Sl.No	TYRE SIZE	<u>Rates inclusive of material cost, Labour charge, Taxes, Transportation charges and Repair charges</u>	
		<u>Conventional Method</u>	<u>Name of the Company</u>
		RS. P.	
1	4.50 X 12	381	M/s.Janatha Tyre Retreading
2	5.20 X 14	387	M/s.Janatha Tyre Retreading
3	5.60 X 12	—	—
4	5.60 X 13	—	—
5	5.90 X 15	452	M/s.Janatha Tyre Retreading
6	6.00 X 16	515	M/s.Janatha Tyre Retreading
7	6.40 X 15	527	M/s.Janatha Tyre Retreading
8	6.70 X 15	565	M/s.Janatha Tyre Retreading
9	7.00 X 15	598	M/s.Janatha Tyre Retreading
10	7.00 X 16	635	M/s.Janatha Tyre Retreading
11	7.50 X 16	699	M/s.Janatha Tyre Retreading
12	7.50 X 20	870	M/s.Janatha Tyre Retreading
13	8.25 X 20	975	M/s.Janatha Tyre Retreading
14	9.00 X 20	1170	M/s.Janatha Tyre Retreading
15	10.00 X 20	1290	M/s.Janatha Tyre Retreading
16	11.00 X 20	—	—
17	F78 X 15	—	—
18	165 SR 15 RADIAL	—	—
19	175 80 R 14 RADIAL	—	—
20	215 R 14 RADIAL	—	—
21	215 R 15 RADIAL	—	—
TRACTOR TYRES			
1	5.50 X 16 (T.F.)	516	M/s.Janatha Tyre Retreading
2	6.00 X 16 (T.F.)	556	M/s.Janatha Tyre Retreading
3	6.50 X 20 (T.F.)	733	M/s.Janatha Tyre Retreading
4	6.00 X 19	693	M/s.Janatha Tyre Retreading
5	6.50 X 16 FORK LIFT	690	M/s.Janatha Tyre Retreading
6	7.50 X 16 TRAILOR RIB	723	M/s.Janatha Tyre Retreading
7	11.2 X 28/10.28 Rr.	2528	M/s.Janatha Tyre Retreading
8	12.4 X 11 X 28	2525	M/s.Janatha Tyre Retreading
9	12.5 X 20	2750	M/s.Janatha Tyre Retreading
10	14.9 X 13 X 28	3215	M/s.Janatha Tyre Retreading
11	16.9 X 29/14.28 Rr.	3335	M/s.Janatha Tyre Retreading
12	13.6 X 28/12.28	2975	M/s.Janatha Tyre Retreading

Full Address of the Company

- 1 M/s.Janatha Tyre Retreading Co., 147, Sengam Road, Tiruvannamalai - 606 601.

Sd./-
FOR DIRECTOR/TNMVMD.

SCHEDULE-12**RATES FOR RETREADING/RECAPPING OF TYRES FOR THE YEAR 2002-03****DISTRICT: TIRUVANNAMALAI**

Sl.No	TYRE SIZE	<u>Rates inclusive of material cost, Labour charge, Taxes, Transportation charges and Repair charges</u>	
		<u>Precured Method</u>	<u>Name of the Company</u>
		RS. P.	
1	4.50 X 12	—	M/s.Janatha precured Retreads
2	5.20 X 14	460	M/s.Janatha precured Retreads
3	5.60 X 12	—	—
4	5.60 X 13	—	—
5	5.90 X 15	530	M/s.Janatha precured Retreads
6	6.00 X 16	608	M/s.Janatha precured Retreads
7	6.40 X 15	595	M/s.Janatha precured Retreads
8	6.70 X 15	654	M/s.Janatha precured Retreads
9	7.00 X 15	708	M/s.Janatha precured Retreads
10	7.00 X 16	738	M/s.Janatha precured Retreads
11	7.50 X 16	805	M/s.Janatha precured Retreads
12	7.50 X 20	1070	M/s.Janatha precured Retreads
13	8.25 X 20	1178	M/s.Janatha precured Retreads
14	9.00 X 20	1328	M/s.Janatha precured Retreads
15	10.00 X 20	1445	M/s.Janatha precured Retreads
16	11.00 X 20	—	—
17	F78 X 15	768	M/s.Janatha precured Retreads
18	165 SR 15 RADIAL	597	M/s.Janatha precured Retreads
19	175 80 R 14 RADIAL	655	M/s.Janatha precured Retreads
20	215 R 14 RADIAL	775	M/s.Janatha precured Retreads
21	215 R 15 RADIAL	788	M/s.Janatha precured Retreads
TRACTOR TYRES			
1	5.50 X 16 (T.F.)	—	—
2	6.00 X 16 (T.F.)	645	M/s.Janatha precured Retreads
3	6.50 X 20 (T.F.)	—	—
4	6.00 X 19	—	—
5	6.50 X 16 FORK LIFT	—	—
6	7.50 X 16 TRAILOR RIB	—	—
7	11.2 X 28/10.28 Rr.	—	—
8	12.4 X 11 X 28	—	—
9	12.5 X 20	—	—
10	14.9 X 13 X 28	—	—
11	16.9 X 29/14.28 Rr.	—	—
12	13.6 X 28/12.28	—	—

Full Address of the Company

- 1 M/s. Janatha precured Retreaders , No.46/4, Vellore Road, (Opp) to New Bus Stand,
Tiruvannamalai - 606 601.

Sd./-
FOR DIRECTOR/TNMVMD.

SCHEDULE-13**RATES FOR RETREADING/RECAPPING OF TYRES FOR THE YEAR 2002-03****DISTRICT: TRICHY**

Sl.No	TYRE SIZE	<u>Rates inclusive of material cost, Labour charge, Taxes, Transportation charges and Repair charges</u>	
		<u>Conventional Method</u>	<u>Name of the Company</u>
		RS. P.	
1	4.50 X 12	—	
2	5.20 X 14	370	M/s.Sri Velmurugan Tyres
3	5.60 X 12	386	M/s.Sri Velmurugan Tyres
4	5.60 X 13	375	M/s.Sri Velmurugan Tyres
5	5.90 X 15	424	M/s.Sri Velmurugan Tyres
6	6.00 X 16	449	M/s.Sri Velmurugan Tyres
7	6.40 X 15	514	M/s.Sri Velmurugan Tyres
8	6.70 X 15	529	M/s.Sri Velmurugan Tyres
9	7.00 X 15	554	M/s.Palaniappan Retreader
10	7.00 X 16	599	M/s.Sri Velmurugan Tyres
11	7.50 X 16	561	M/s.Sri Velmurugan Tyres
12	7.50 X 20	811	M/s.Sri Velmurugan Tyres
13	8.25 X 20	859	M/s.Palaniappan Retreader
14	9.00 X 20	982	M/s.Palaniappan Retreader
15	10.00 X 20	1197	M/s.Palaniappan Retreader
16	11.00 X 20	1349	M/s.Sri Velmurugan Tyres
17	F78 X 15	620	M/s.Sri Velmurugan Tyres
18	165 SR 15 RADIAL	452	M/s.Sri Velmurugan Tyres
19	175 80 R 14 RADIAL	—	
20	215 R 14 RADIAL	—	
21	215 R 15 RADIAL	—	
TRACTOR TYRES			
1	5.50 X 16 (T.F.)	516	M/s.Sri Velmurugan Tyres
2	6.00 X 16 (T.F.)	489	M/s.Sri Velmurugan Tyres
3	6.50 X 20 (T.F.)	570	M/s.Sri Velmurugan Tyres
4	6.00 X 19	633	M/s.Sri Velmurugan Tyres
5	6.50 X 16 FORK LIFT	669	M/s.Sri Velmurugan Tyres
6	7.50 X 16 TRAILOR RIB	723	M/s.Sri Velmurugan Tyres
7	11.2 X 28/10.28 Rr.	—	
8	12.4 X 11 X 28	2500	M/s.Sri Velmurugan Tyres
9	12.5 X 20	—	
10	14.9 X 13 X 28	—	
11	16.9 X 29/14.28 Rr.	3700	M/s.Sri Velmurugan Tyres
12	13.6 X 28/12.28	2995	M/s.Sri Velmurugan Tyres

Full Address of the Companies

- 1 M/s.Palaniappa Retreaders, No.10, Tanjore Road, Trichy - 8.
- 2 M/s.Sri Velmurugan Tyres, No.61/19, East Puliwar Road, Trichy - 8.

Sd./-
DIRECTOR/TNMVMD.

SCHEDULE-14**RATES FOR RETREADING/RECAPPING OF TYRES FOR THE YEAR 2002-03****DISTRICT: TRICHY**

Sl.No	TYRE SIZE	<u>Rates inclusive of material cost, Labour charge, Taxes, Transportation charges and Repair charges</u>	
		<u>Precured Method</u>	<u>Name of the Company</u>
		RS. P.	
1	4.50 X 12	400	M/s.Velmurugan & Sri Kamala
2	5.20 X 14	400	M/s.Sri Kamala Tyres
3	5.60 X 12	410	M/s.Sri Kamala Tyres
4	5.60 X 13	415	M/s.Sri Kamala Tyres
5	5.90 X 15	435	M/s.Sri Kamala Tyres
6	6.00 X 16	465	M/s.Sri Kamala Tyres
7	6.40 X 15	550	M/s.Sri Kamala Tyres
8	6.70 X 15	535	M/s.Sri Kamala Tyres
9	7.00 X 15	580	M/s.Sri Kamala Tyres
10	7.00 X 16	620	M/s.Sri Kamala Tyres
11	7.50 X 16	660	M/s.Sri Kamala Tyres
12	7.50 X 20	850	M/s.Sri Kamala Tyres
13	8.25 X 20	880	M/s.Sri Kamala Tyres
14	9.00 X 20	1075	M/s.Sri Kamala Tyres
15	10.00 X 20	1265	M/s.Sri Kamala Tyres
16	11.00 X 20	1375	M/s.Sri Kamala Tyres
17	F78 X 15	—	
18	165 SR 15 RADIAL	597	M/s.Sri Velmurugan Tyres
19	175 80 R 14 RADIAL	—	
20	215 R 14 RADIAL	705	M/s.Sri Velmurugan Tyres
21	215 R 15 RADIAL	—	
TRACTOR TYRES			
1	5.50 X 16 (T.F.)	530	M/s.Sri Kamala Tyres
2	6.00 X 16 (T.F.)	500	M/s.Sri Kamala Tyres
3	6.50 X 20 (T.F.)	780	M/s.Sri Velmurugan Tyres
4	6.00 X 19	—	
5	6.50 X 16 FORK LIFT	760	M/s.Sri Velmurugan Tyres
6	7.50 X 16 TRAILOR RIB	813	M/s.Sri Velmurugan Tyres
7	11.2 X 28/10.28 Rr.	—	
8	12.4 X 11 X 28	—	
9	12.5 X 20	—	
10	14.9 X 13 X 28	—	
11	16.9 X 29/14.28 Rr.	—	
12	13.6 X 28/12.28	—	

Full Address of the Companies

- 1 M/s.Sri Kamala Tyres, Near DSM Autos, No.145, Ulaganathapuram, Trichy-620 020
- 2 M/s.Sri Velmurugan Tyres, No.61/19, East Puliwar Road, Trichy - 8.

Sd./-
DIRECTOR/TNMVMD.

SCHEDULE-15**RATES FOR RETREADING/RECAPPING OF TYRES FOR THE YEAR 2002-03****DISTRICT: KARUR**

Sl.No	TYRE SIZE	<u>Rates inclusive of material cost, Labour charge, Taxes, Transportation charges and Repair charges</u>	
		Conventional Method	Precured Method
		RS. P.	
1	4.50 X 12	—	—
2	5.20 X 14	—	—
3	5.60 X 12	—	—
4	5.60 X 13	—	—
5	5.90 X 15	450	530
6	6.00 X 16	545	—
7	6.40 X 15	—	595
8	6.70 X 15	570	654
9	7.00 X 15	598	—
10	7.00 X 16	650	—
11	7.50 X 16	700	805
12	7.50 X 20	—	—
13	8.25 X 20	1000	1178
14	9.00 X 20	1170	1328
15	10.00 X 20	1300	1445
16	11.00 X 20	—	1545
17	F78 X 15	—	760
18	165 SR 15 RADIAL	—	—
19	175 80 R 14 RADIAL	—	—
20	215 R 14 RADIAL	—	—
21	215 R 15 RADIAL	—	—
TRACTOR TYRES			
1	5.50 X 16 (T.F.)	—	—
2	6.00 X 16 (T.F.)	—	—
3	6.50 X 20 (T.F.)	—	—
4	6.00 X 19	—	—
5	6.50 X 16 FORK LIFT	—	—
6	7.50 X 16 TRAILOR RIB	—	—
7	11.2 X 28/10.28 Rr.	—	—
8	12.4 X 11 X 28	—	—
9	12.5 X 20	—	—
10	14.9 X 13 X 28	—	—
11	16.9 X 29/14.28 Rr.	—	—
12	13.6 X 28/12.28	—	—

Full Address of the Company

- 1 M/s. Super Tyres, Hariharampalayam, Karur - 639 002.

Sd./-
DIRECTOR/TNMVMD.

SCHEDULE-16**RATES FOR RETREADING/RECAPPING OF TYRES FOR THE YEAR 2002-03****DISTRICT: PERAMBALUR**

Sl.No	TYRE SIZE	<u>Rates inclusive of material cost, Labour charge, Taxes, Transportation charges and Repair charges</u>	
		Conventional Method	Precured Method
		RS. P.	
1	4.50 X 12	381	425
2	5.20 X 14	387	460
3	5.60 X 12	386	472
4	5.60 X 13	402	493
5	5.90 X 15	452	530
6	6.00 X 16	545	608
7	6.40 X 15	527	595
8	6.70 X 15	580	654
9	7.00 X 15	598	708
10	7.00 X 16	657	738
11	7.50 X 16	700	805
12	7.50 X 20	888	1070
13	8.25 X 20	1000	1178
14	9.00 X 20	1170	1328
15	10.00 X 20	1315	1445
16	11.00 X 20	1350	1545
17	F78 X 15	—	—
18	165 SR 15 RADIAL	—	597
19	175 80 R 14 RADIAL	—	655
20	215 R 14 RADIAL	—	725
21	215 R 15 RADIAL	—	725
TRACTOR TYRES			
1	5.50 X 16 (T.F.)	516	635
2	6.00 X 16 (T.F.)	556	645
3	6.50 X 20 (T.F.)	710	850
4	6.00 X 19	693	805
5	6.50 X 16 FORK LIFT	690	768
6	7.50 X 16 TRAILOR RIB	723	813
7	11.2 X 28/10.28 Rr.	2528	—
8	12.4 X 11 X 28	2525	—
9	12.5 X 20	2750	—
10	14.9 X 13 X 28	3350	—
11	16.9 X 29/14.28 Rr.	3700	—
12	13.6 X 28/12.28	3268	—

Full address of the Company

1 M/s.Sakthi Retreads, No.44, Aathur Road, Perambalur - 621 212.

Sd./-
DIRECTOR/TNMVMD.

SCHEDULE-17**RATES FOR RETREADING/RECAPPING OF TYRES FOR THE YEAR 2002-03****DISTRICT: PUDUKOTTAI**

Sl.No	TYRE SIZE	<u>Rates inclusive of material cost, Labour charge, Taxes, Transportation charges and Repair charges</u>	
		Conventional Method	Precured Method
		RS. P.	
1	4.50 X 12	381	420
2	5.20 X 14	387	460
3	5.60 X 12	—	472
4	5.60 X 13	400	493
5	5.90 X 15	440	530
6	6.00 X 16	510	608
7	6.40 X 15	527	595
8	6.70 X 15	560	654
9	7.00 X 15	598	708
10	7.00 X 16	640	738
11	7.50 X 16	690	805
12	7.50 X 20	828	1070
13	8.25 X 20	1000	1178
14	9.00 X 20	1170	1328
15	10.00 X 20	1270	1445
16	11.00 X 20	1350	1545
17	F78 X 15	620	765
18	165 SR 15 RADIAL	—	597
19	175 80 R 14 RADIAL	—	655
20	215 R 14 RADIAL	—	775
21	215 R 15 RADIAL	—	788
TRACTOR TYRES			
1	5.50 X 16 (T.F.)	516	635
2	6.00 X 16 (T.F.)	556	645
3	6.50 X 20 (T.F.)	733	795
4	6.00 X 19	640	810
5	6.50 X 16 FORK LIFT	690	768
6	7.50 X 16 TRAILOR RIB	723	813
7	11.2 X 28/10.28 Rr.	2528	—
8	12.4 X 11 X 28	2525	—
9	12.5 X 20	2740	—
10	14.9 X 13 X 28	3100	—
11	16.9 X 29/14.28 Rr.	3700	—
12	13.6 X 28/12.28	3200	—

Full Address of the Company

- 1 M/s.Pudukkottai Tyre Retreaders, No.5685, Santhanathapuram, II St.,
Pudukkottai - 1.

Sd./-
DIRECTOR/TNMVMD.

SCHEDULE-18**RATES FOR RETREADING/RECAPPING OF TYRES FOR THE YEAR 2002-03****DISTRICT: THIRUVARUR**

Sl.No	TYRE SIZE	<u>Rates inclusive of material cost, Labour charge, Taxes, Transportation charges and Repair charges</u>	
		<u>Conventional Method</u>	<u>Name of the Company</u>
		RS. P.	
1	4.50 X 12	381	M/s.Maruti Retd. Corpn.
2	5.20 X 14	387	M/s.Maruti Retd. Corpn.
3	5.60 X 12	—	
4	5.60 X 13	400	M/s.Pudukottai Tyres
5	5.90 X 15	452	M/s.Maruti Retd. Corpn.
6	6.00 X 16	545	M/s.Maruti Retd. Corpn.
7	6.40 X 15	527	M/s.Maruti Retd. Corpn.
8	6.70 X 15	580	M/s.Maruti Retd. Corpn.
9	7.00 X 15	598	M/s.Maruti Retd. Corpn.
10	7.00 X 16	640	M/s.Pudukottai Tyres
11	7.50 X 16	700	M/s.Maruti Retd. Corpn.
12	7.50 X 20	898	M/s.Maruti Retd. Corpn.
13	8.25 X 20	1000	M/s.Maruti Retd. Corpn.
14	9.00 X 20	1170	M/s.Maruti Retd. Corpn.
15	10.00 X 20	1300	M/s.Maruti Retd. Corpn.
16	11.00 X 20	1350	M/s.Maruti Retd. Corpn.
17	F78 X 15	620	M/s.Pudukottai Tyres
18	165 SR 15 RADIAL	—	
19	175 80 R 14 RADIAL	—	
20	215 R 14 RADIAL	—	
21	215 R 15 RADIAL	—	
TRACTOR TYRES			
1	5.50 X 16 (T.F.)	516	M/s.Pudukottai Tyres
2	6.00 X 16 (T.F.)	550	M/s.Maruti Retd. Corpn.
3	6.50 X 20 (T.F.)	733	M/s.Pudukottai Tyres
4	6.00 X 19	640	M/s.Pudukottai Tyres
5	6.50 X 16 FORK LIFT	690	M/s.Pudukottai Tyres
6	7.50 X 16 TRAILOR RIB	723	M/s.Maruti Retd. Corpn.
7	11.2 X 28/10.28 Rr.	2528	M/s.Pudukottai Tyres
8	12.4 X 11 X 28	2525	M/s.Maruti Retd. Corpn.
9	12.5 X 20	2740	M/s.Pudukottai Tyres
10	14.9 X 13 X 28	3100	M/s.Pudukottai Tyres
11	16.9 X 29/14.28 Rr.	3700	M/s.Pudukottai Tyres
12	13.6 X 28/12.28	3200	M/s.Pudukottai Tyres

Full Address of the Companies

- 1 M/s.Maruti Retreading Corporation, No.113/1, Gandhi Salai, Bye-pass Road, Vijayapuram, Tiruvarur - 610 001.
- 2 M/s.Pudukottai Tyres, Pudukottai.

Sd./-
DIRECTOR/TNMVMD.

SCHEDULE-19**RATES FOR RETREADING/RECAPPING OF TYRES FOR THE YEAR 2002-03****DISTRICT: THIRUVARUR**

Sl. No	TYRE SIZE	<u>Rates inclusive of material cost, Labour charge, Taxes, Transportation charges and Repair charges</u>	<u>Precured Method</u>	<u>Name of the Company</u>
--------	-----------	--	------------------------	----------------------------

		RS. P.	
1	4.50 X 12	420	M/s.Pudukkottai Tyres
2	5.20 X 14	460	M/s.Pudukkottai Tyres
3	5.60 X 12	472	M/s.Pudukkottai Tyres
4	5.60 X 13	493	M/s.Pudukkottai Tyres
5	5.90 X 15	530	M/s.Pudukkottai Tyres
6	6.00 X 16	608	M/s.Pudukkottai Tyres
7	6.40 X 15	595	M/s.Pudukkottai Tyres
8	6.70 X 15	654	M/s.Pudukkottai Tyres
9	7.00 X 15	708	M/s.Pudukkottai Tyres
10	7.00 X 16	738	M/s.Pudukkottai Tyres
11	7.50 X 16	805	M/s.Pudukkottai Tyres
12	7.50 X 20	1070	M/s.Pudukkottai Tyres
13	8.25 X 20	1178	M/s.Pudukkottai Tyres
14	9.00 X 20	1328	M/s.Pudukkottai Tyres
15	10.00 X 20	1445	M/s.Pudukkottai Tyres
16	11.00 X 20	1545	M/s.Pudukkottai Tyres
17	F78 X 15	765	M/s.Pudukkottai Tyres
18	165 SR 15 RADIAL	597	M/s.Pudukkottai Tyres
19	175 80 R 14 RADIAL	655	M/s.Pudukkottai Tyres
20	215 R 14 RADIAL	775	M/s.Pudukkottai Tyres
21	215 R 15 RADIAL	788	M/s.Pudukkottai Tyres

TRACTOR TYRES

1	5.50 X 16 (T.F.)	635	M/s.Pudukkottai Tyres
2	6.00 X 16 (T.F.)	645	M/s.Pudukkottai Tyres
3	6.50 X 20 (T.F.)	795	M/s.Pudukkottai Tyres
4	6.00 X 19	810	M/s.Pudukkottai Tyres
5	6.50 X 16 FORK LIFT	768	M/s.Pudukkottai Tyres
6	7.50 X 16 TRAILOR RIB	813	M/s.Pudukkottai Tyres
7	11.2 X 28/10.28 Rr.	—	
8	12.4 X 11 X 28	—	
9	12.5 X 20	—	
10	14.9 X 13 X 28	—	
11	16.9 X 29/14.28 Rr.	—	
12	13.6 X 28/12.28	—	

Full Address of the Company

1	M/s.Pudukkottai Tyres, Pudukkottai.
---	-------------------------------------

Sd./-
DIRECTOR/TNMVMD.

SCHEDULE-20**RATES FOR RETREADING/RECAPPING OF TYRES FOR THE YEAR 2002-03****DISTRICT: NAGAPATTINAM**

Sl.No	TYRE SIZE	<u>Rates inclusive of material cost, Labour charge, Taxes, Transportation charges and Repair charges</u>	
		<u>Conventional Method</u>	<u>Name of the Company</u>
		RS. P.	
1	4.50 X 12	381	M/s.Sri Ganapathy Tyre Retd.
2	5.20 X 14	387	M/s.Sri Ganapathy Tyre Retd.
3	5.60 X 12	—	
4	5.60 X 13	400	M/s.Pudukkottai Tyres
5	5.90 X 15	452	M/s.Sri Ganapathy Tyre Retd.
6	6.00 X 16	524	M/s.Sri Ganapathy Tyre Retd.
7	6.40 X 15	527	M/s.Sri Ganapathy Tyre Retd.
8	6.70 X 15	570	M/s.Sri Ganapathy Tyre Retd.
9	7.00 X 15	598	M/s.Sri Ganapathy Tyre Retd.
10	7.00 X 16	636	M/s.Sri Ganapathy Tyre Retd.
11	7.50 X 16	700	M/s.Sri Ganapathy Tyre Retd.
12	7.50 X 20	852	M/s.Sri Ganapathy Tyre Retd.
13	8.25 X 20	1000	M/s.Sri Ganapathy Tyre Retd.
14	9.00 X 20	1170	M/s.Sri Ganapathy Tyre Retd.
15	10.00 X 20	1315	M/s.Sri Ganapathy Tyre Retd.
16	11.00 X 20	1350	M/s.Sri Ganapathy Tyre Retd.
17	F78 X 15	620	M/s.Pudukkottai Tyres
18	165 SR 15 RADIAL	—	
19	175 80 R 14 RADIAL	—	
20	215 R 14 RADIAL	—	
21	215 R 15 RADIAL	—	
TRACTOR TYRES			
1	5.50 X 16 (T.F.)	516	M/s.Pudukkottai Tyres
2	6.00 X 16 (T.F.)	556	M/s.Sri Ganapathy Tyre Retd.
3	6.50 X 20 (T.F.)	733	M/s.Pudukkottai Tyres
4	6.00 X 19	640	M/s.Pudukkottai Tyres
5	6.50 X 16 FORK LIFT	690	M/s.Pudukkottai Tyres
6	7.50 X 16 TRAILOR RIB	723	M/s.Sri Ganapathy Tyre Retd.
7	11.2 X 28/10.28 Rr.	2528	M/s.Pudukkottai Tyres
8	12.4 X 11 X 28	2525	M/s.Sri Ganapathy Tyre Retd.
9	12.5 X 20	2740	M/s.Pudukkottai Tyres
10	14.9 X 13 X 28	3100	M/s.Pudukkottai Tyres
11	16.9 X 29/14.28 Rr.	3700	M/s.Pudukkottai Tyres
12	13.6 X 28/12.28	3200	M/s.Pudukkottai Tyres

Full address of the Companies

- 1 M/s.Sri Ganapathy Tyre Retreading, No.36 E, Nagai Road, Vedharanyam - 614 810
- 2 M/s.Pudukkottai Tyres, Pudukkottai.

Sd./-
DIRECTOR/TNMVMD.

SCHEDULE-21**RATES FOR RETREADING/RECAPPING OF TYRES FOR THE YEAR 2002-03****DISTRICT: NAGAPATTINAM**

Sl.No	TYRE SIZE	<u>Rates inclusive of material cost, Labour charge, Taxes, Transportation charges and Repair charges</u>	
		<u>Precured Method</u>	<u>Name of the Company</u>
		RS. P.	
1	4.50 X 12	420	M/s.Pudukkottai Tyres
2	5.20 X 14	460	M/s.Pudukkottai Tyres
3	5.60 X 12	472	M/s.Pudukkottai Tyres
4	5.60 X 13	493	M/s.Pudukkottai Tyres
5	5.90 X 15	530	M/s.Pudukkottai Tyres
6	6.00 X 16	608	M/s.Pudukkottai Tyres
7	6.40 X 15	595	M/s.Pudukkottai Tyres
8	6.70 X 15	654	M/s.Pudukkottai Tyres
9	7.00 X 15	708	M/s.Pudukkottai Tyres
10	7.00 X 16	738	M/s.Pudukkottai Tyres
11	7.50 X 16	805	M/s.Pudukkottai Tyres
12	7.50 X 20	1070	M/s.Pudukkottai Tyres
13	8.25 X 20	1178	M/s.Pudukkottai Tyres
14	9.00 X 20	1328	M/s.Pudukkottai Tyres
15	10.00 X 20	1445	M/s.Pudukkottai Tyres
16	11.00 X 20	1545	M/s.Pudukkottai Tyres
17	F78 X 15	765	M/s.Pudukkottai Tyres
18	165 SR 15 RADIAL	597	M/s.Pudukkottai Tyres
19	175 80 R 14 RADIAL	655	M/s.Pudukkottai Tyres
20	215 R 14 RADIAL	775	M/s.Pudukkottai Tyres
21	215 R 15 RADIAL	788	M/s.Pudukkottai Tyres
TRACTOR TYRES			
1	5.50 X 16 (T.F.)	635	M/s.Pudukkottai Tyres
2	6.00 X 16 (T.F.)	645	M/s.Pudukkottai Tyres
3	6.50 X 20 (T.F.)	795	M/s.Pudukkottai Tyres
4	6.00 X 19	810	M/s.Pudukkottai Tyres
5	6.50 X 16 FORK LIFT	768	M/s.Pudukkottai Tyres
6	7.50 X 16 TRAILOR RIB	813	M/s.Pudukkottai Tyres
7	11.2 X 28/10.28 Rr.	—	
8	12.4 X 11 X 28	—	
9	12.5 X 20	—	
10	14.9 X 13 X 28	—	
11	16.9 X 29/14.28 Rr.	—	
12	13.6 X 28/12.28	—	

Full address of the Company

1 M/s.Pudukkottai Tyres, Pudukkottai.

Sd./-
DIRECTOR/TNMVMD.

SCHEDULE-22**RATES FOR RETREADING/RECAPPING OF TYRES FOR THE YEAR 2002-03****DISTRICT: THANJAVUR**

Sl.No	TYRE SIZE	<u>Rates inclusive of material cost, Labour charge, Taxes, Transportation charges and Repair charges</u>	
		<u>Conventional Method</u>	<u>Name of the Company</u>
		RS. P.	
1	4.50 X 12	381	M/s.Pudukkottai Tyres
2	5.20 X 14	387	M/s.Pudukkottai Tyres
3	5.60 X 12	—	
4	5.60 X 13	400	M/s.Pudukkottai Tyres
5	5.90 X 15	440	M/s.Pudukkottai Tyres
6	6.00 X 16	510	M/s.Pudukkottai Tyres
7	6.40 X 15	527	M/s.Pudukkottai Tyres
8	6.70 X 15	560	M/s.Pudukkottai Tyres
9	7.00 X 15	598	M/s.Pudukkottai Tyres
10	7.00 X 16	640	M/s.Pudukkottai Tyres
11	7.50 X 16	690	M/s.Pudukkottai Tyres
12	7.50 X 20	828	M/s.Pudukkottai Tyres
13	8.25 X 20	1000	M/s.Pudukkottai Tyres
14	9.00 X 20	1170	M/s.Pudukkottai Tyres
15	10.00 X 20	1270	M/s.Pudukkottai Tyres
16	11.00 X 20	1350	M/s.Pudukkottai Tyres
17	F78 X 15	620	M/s.Pudukkottai Tyres
18	165 SR 15 RADIAL	—	
19	175 80 R 14 RADIAL	—	
20	215 R 14 RADIAL	—	
21	215 R 15 RADIAL	—	
TRACTOR TYRES			
1	5.50 X 16 (T.F.)	516	M/s.Pudukkottai Tyres
2	6.00 X 16 (T.F.)	556	M/s.Pudukkottai Tyres
3	6.50 X 20 (T.F.)	733	M/s.Pudukkottai Tyres
4	6.00 X 19	640	M/s.Pudukkottai Tyres
5	6.50 X 16 FORK LIFT	690	M/s.Pudukkottai Tyres
6	7.50 X 16 TRAILOR RIB	723	M/s.Pudukkottai Tyres
7	11.2 X 28/10.28 Rr.	2528	M/s.Pudukkottai Tyres
8	12.4 X 11 X 28	2525	M/s.Pudukkottai Tyres
9	12.5 X 20	2740	M/s.Pudukkottai Tyres
10	14.9 X 13 X 28	3100	M/s.Pudukkottai Tyres
11	16.9 X 29/14.28 Rr.	3700	M/s.Pudukkottai Tyres
12	13.6 X 28/12.28	3200	M/s.Pudukkottai Tyres

Full Address of the Company

1 M/s.Pudukkottai Tyres, Pudukkottai.

Sd./-
DIRECTOR/TNMVMD.

SCHEDULE-23**RATES FOR RETREADING/RECAPPING OF TYRES FOR THE YEAR 2002-03****DISTRICT:THANJAVUR**

Sl.No	TYRE SIZE	<u>Rates inclusive of material cost, Labour charge, Taxes, Transportation charges and Repair charges</u>	
		<u>Precured Method</u>	<u>Name of the Company</u>
		RS. P.	
1	4.50 X 12	425	M/s.Vijay Tyres
2	5.20 X 14	460	M/s.Vijay Tyres
3	5.60 X 12	472	M/s.Pudukkottai Tyre Retread.
4	5.60 X 13	493	M/s.Vijay Tyres
5	5.90 X 15	530	M/s.Vijay Tyres
6	6.00 X 16	608	M/s.Vijay Tyres
7	6.40 X 15	595	M/s.Vijay Tyres
8	6.70 X 15	654	M/s.Vijay Tyres
9	7.00 X 15	708	M/s.Vijay Tyres
10	7.00 X 16	738	M/s.Vijay Tyres
11	7.50 X 16	805	M/s.Vijay Tyres
12	7.50 X 20	1070	M/s.Pudukkottai Tyre Retread.
13	8.25 X 20	1178	M/s.Pudukkottai Tyre Retread.
14	9.00 X 20	1328	M/s.Pudukkottai Tyre Retread.
15	10.00 X 20	1445	M/s.Pudukkottai Tyre Retread.
16	11.00 X 20	1545	M/s.Vijay Tyres
17	F78 X 15	700	M/s.Vijay Tyres
18	165 SR 15 RADIAL	597	M/s.Vijay Tyres
19	175 80 R 14 RADIAL	655	M/s.Vijay Tyres
20	215 R 14 RADIAL	775	M/s.Vijay Tyres
21	215 R 15 RADIAL	788	M/s.Pudukkottai Tyre Retread.
TRACTOR TYRES			
1	5.50 X 16 (T.F.)	635	M/s.Vijay Tyres
2	6.00 X 16 (T.F.)	645	M/s.Vijay Tyres
3	6.50 X 20 (T.F.)	1000	M/s.Vijay Tyres
4	6.00 X 19	875	M/s.Vijay Tyres
5	6.50 X 16 FORK LIFT	768	M/s.Vijay Tyres
6	7.50 X 16 TRAILOR RIB	813	M/s.Vijay Tyres
7	11.2 X 28/10.28 Rr.	—	
8	12.4 X 11 X 28	—	
9	12.5 X 20	—	
10	14.9 X 13 X 28	—	
11	16.9 X 29/14.28 Rr.	—	
12	13.6 X 28/12.28	—	

Full Address of the Companies

- 1 M/s.Vijay Tyres, 3/45, Karaikal Road, Kumbakonam - 612 401.
- 2 M/s.Pudukkottai Tyre Retreaders, No.5685, Santhanapuram, II St., Pudukkottai

Sd./-
DIRECTOR/TNMVMD.

SCHEDULE-24**RATES FOR RETREADING/RECAPPING OF TYRES FOR THE YEAR 2002-03****DISTRICT: MADURAI**

Sl.No	TYRE SIZE	<u>Rates inclusive of material cost, Labour charge, Taxes, Transportation charges and Repair charges</u>	
		<u>Conventional Method</u>	<u>Name of the Company</u>
		RS. P.	
1	4.50 X 12	—	
2	5.20 X 14	380	M/s.Metro & Sri Standard
3	5.60 X 12	—	
4	5.60 X 13	385	M/s.Metro & Sri Standard
5	5.90 X 15	410	M/s.Metro Tyres
6	6.00 X 16	475	M/s.Metro & Sri Standard
7	6.40 X 15	520	M/s.Sri Standard Retd.Co.
8	6.70 X 15	515	M/s.Mohan & Sri Standard
9	7.00 X 15	—	
10	7.00 X 16	520	M/s.Metro Tyres
11	7.50 X 16	570	M/s.Metro Tyres
12	7.50 X 20	710	M/s.Metro Tyres
13	8.25 X 20	875	M/s.Mohan & Metro
14	9.00 X 20	899	M/s.Sri Standard Retd.Co.
15	10.00 X 20	990	M/s.Metro Tyres
16	11.00 X 20	1135	M/s.Sri Standard Retd.Co.
17	F78 X 15	—	
18	165 SR 15 RADIAL	—	
19	175 80 R 14 RADIAL	—	
20	215 R 14 RADIAL	—	
21	215 R 15 RADIAL	—	
TRACTOR TYRES			
1	5.50 X 16 (T.F.)	516	M/s.Metro & Sri Standard
2	6.00 X 16 (T.F.)	525	M/s.Metro Tyres
3	6.50 X 20 (T.F.)	725	M/s.Metro Tyres
4	6.00 X 19	—	
5	6.50 X 16 FORK LIFT	690	M/s.Metro Tyres
6	7.50 X 16 TRAILOR RIB	723	M/s.Metro Tyres
7	11.2 X 28/10.28 Rr.	2300	M/s.Sri Standard Retd.Co.
8	12.4 X 11 X 28	2400	M/s.Sri Standard Retd.Co.
9	12.5 X 20	—	
10	14.9 X 13 X 28	2900	M/s.Sri Standard Retd.Co.
11	16.9 X 29/14.28 Rr.	3700	M/s.Metro Tyres
12	13.6 X 28/12.28	2850	M/s.Metro Tyres

Full Address of the Companies

1. M/s.Sri Standard Retd. Company, 153 E, North Veli St., Madurai - 625 001.
2. M/s.Metro Tyres, No.23/1, Govindanchetty St., Simmakkal, Madurai - 625 001.
3. M/s.Mohan Retreading Co., 35/150, Arupukkottai Road, Avaniapuram, Madurai-625 012.

Sd./-
DIRECTOR/TNMVMD.

SCHEDULE-25**RATES FOR RETREADING/RECAPPING OF TYRES FOR THE YEAR 2002-03****DISTRICT: MADURAI**

Sl.No	TYRE SIZE	<u>Rates inclusive of material cost, Labour charge, Taxes, Transportation charges and Repair charges</u>	
		<u>Precured Method</u>	<u>Name of the Company</u>
		RS. P.	
1	4.50 X 12	390	M/s.Sri Standard & Mohan
2	5.20 X 14	420	M/s.Mohan Retreading Co.
3	5.60 X 12	390	M/s.Mohan Retreading Co.
4	5.60 X 13	410	M/s.Sri Standard Retreading
5	5.90 X 15	490	M/s.Sri Standard Retreading
6	6.00 X 16	580	M/s.Sri Standard Retreading
7	6.40 X 15	595	M/s.Sri Standard & Mohan
8	6.70 X 15	654	M/s.Sri Standard Retreading
9	7.00 X 15	—	
10	7.00 X 16	—	
11	7.50 X 16	775	M/s.Mohan Retreading Co.
12	7.50 X 20	975	M/s.Sri Standard Retreading
13	8.25 X 20	1095	M/s.Sri Standard Retreading
14	9.00 X 20	1235	M/s.Sri Standard Retreading
15	10.00 X 20	1375	M/s.Sri Standard Retreading
16	11.00 X 20	1475	M/s.Sri Standard & Mohan
17	F78 X 15	768	M/s.Mohan Retreading Co.
18	165 SR 15 RADIAL	590	M/s.Mohan Retreading Co.
19	175 80 R 14 RADIAL	590	M/s.Sri Standard & Mohan
20	215 R 14 RADIAL	720	M/s.Sri Standard Retreading
21	215 R 15 RADIAL		

TRACTOR TYRES

1	5.50 X 16 (T.F.)	—	
2	6.00 X 16 (T.F.)	645	M/s.Mohan Retreading Co.
3	6.50 X 20 (T.F.)	875	M/s.Mohan Retreading Co.
4	6.00 X 19	—	
5	6.50 X 16 FORK LIFT	768	M/s.Mohan Retreading Co.
6	7.50 X 16 TRAILOR RIB	—	
7	11.2 X 28/10.28 Rr.	—	
8	12.4 X 11 X 28	—	
9	12.5 X 20	—	
10	14.9 X 13 X 28	—	
11	16.9 X 29/14.28 Rr.	—	
12	13.6 X 28/12.28	—	

Full Address of the Companies

1. M/s.Sri Standard Retd. Company, 153 E, North Veli St., Madurai - 625 001.
2. M/s.Mohan Retreading Co., 35/150, Arupukkottai Road, Avaniapuram, Madurai-625 012.

Sd./-
DIRECTOR/TNMVMD.

SCHEDULE-26**RATES FOR RETREADING/RECAPPING OF TYRES FOR THE YEAR 2002-03****DISTRICT: DINDIGUL**

Sl.No	TYRE SIZE	<u>Rates inclusive of material cost, Labour charge, Taxes, Transportation charges and Repair charges</u>	
		<u>Precured Method</u>	<u>Name of the Company</u>
		RS. P.	
1	4.50 X 12	—	
2	5.20 X 14	—	
3	5.60 X 12	—	
4	5.60 X 13	—	
5	5.90 X 15	435	M/s.Sri Iyyappa Retreading Co.
6	6.00 X 16	497	M/s.Sri Iyyappa Retreading Co.
7	6.40 X 15	525	M/s.Sri Iyyappa Retreading Co.
8	6.70 X 15	545	M/s.Sri Iyyappa Retreading Co.
9	7.00 X 15	585	M/s.Sri Iyyappa Retreading Co.
10	7.00 X 16	600	M/s.Sri Iyyappa Retreading Co.
11	7.50 X 16	675	M/s.Sri Iyyappa Retreading Co.
12	7.50 X 20	828	M/s.Sri Iyyappa Retreading Co.
13	8.25 X 20	975	M/s.Sri Iyyappa Retreading Co.
14	9.00 X 20	1170	M/s.Sri Iyyappa Retreading Co.
15	10.00 X 20	1275	M/s.Sri Iyyappa Retreading Co.
16	11.00 X 20	1350	M/s.Sri Iyyappa Retreading Co.
17	F78 X 15	—	
18	165 SR 15 RADIAL	—	
19	175 80 R 14 RADIAL	—	
20	215 R 14 RADIAL	—	
21	215 R 15 RADIAL	—	
TRACTOR TYRES			
1	5.50 X 16 (T.F.)	516	M/s.Sri Iyyappa Retreading Co.
2	6.00 X 16 (T.F.)	533	M/s.Sri Iyyappa Retreading Co.
3	6.50 X 20 (T.F.)	—	
4	6.00 X 19	—	
5	6.50 X 16 FORK LIFT	570	M/s.Fine Tyre Works
6	7.50 X 16 TRAILOR RIB	—	
7	11.2 X 28/10.28 Rr.	—	
8	12.4 X 11 X 28	2500	M/s.Sri Iyyappa Retreading Co.
9	12.5 X 20	—	
10	14.9 X 13 X 28	—	
11	16.9 X 29/14.28 Rr.	—	
12	13.6 X 28/12.28	2500	M/s.Fine Tyre Works

Full Address of the Companies

1. M/s.Sri Iyyappa Retreading Co., 26/9, Murugabavanam, Palani Rd., Dindigul-10.
2. M/s. Fine Tyre Works, Coimbatore.

Sd./-
DIRECTOR/TNMVMD.

SCHEDULE-27**RATES FOR RETREADING/RECAPPING OF TYRES FOR THE YEAR 2002-03****DISTRICT: DINDIGUL**

Sl.No	TYRE SIZE	<u>Rates inclusive of material cost, Labour charge, Taxes, Transportation charges and Repair charges</u>	
		<u>Precured Method</u>	<u>Name of the Company</u>
		RS. P.	
1	4.50 X 12	425	M/s.Sri Iyyappa Retreading Co.
2	5.20 X 14	460	M/s.Sri Iyyappa Retreading Co.
3	5.60 X 12	472	M/s.Sri Iyyappa Retreading Co.
4	5.60 X 13	493	M/s.Sri Iyyappa Retreading Co.
5	5.90 X 15	530	M/s.Sri Iyyappa Retreading Co.
6	6.00 X 16	608	M/s.Sri Iyyappa Retreading Co.
7	6.40 X 15	595	M/s.Sri Iyyappa Retreading Co.
8	6.70 X 15	654	M/s.Sri Iyyappa Retreading Co.
9	7.00 X 15	708	M/s.Sri Iyyappa Retreading Co.
10	7.00 X 16	738	M/s.Sri Iyyappa Retreading Co.
11	7.50 X 16	805	M/s.Sri Iyyappa Retreading Co.
12	7.50 X 20	1068	M/s.Sri Iyyappa Retreading Co.
13	8.25 X 20	1178	M/s.Sri Iyyappa Retreading Co.
14	9.00 X 20	1328	M/s.Sri Iyyappa Retreading Co.
15	10.00 X 20	1445	M/s.Sri Iyyappa Retreading Co.
16	11.00 X 20	1545	M/s.Sri Iyyappa Retreading Co.
17	F78 X 15	768	M/s.Sri Iyyappa Retreading Co.
18	165 SR 15 RADIAL	597	M/s.Sri Iyyappa Retreading Co.
19	175 80 R 14 RADIAL	655	M/s.Sri Iyyappa Retreading Co.
20	215 R 14 RADIAL	775	M/s.Sri Iyyappa Retreading Co.
21	215 R 15 RADIAL	788	M/s.Sri Iyyappa Retreading Co.
TRACTOR TYRES			
1	5.50 X 16 (T.F.)	635	M/s.Sri Iyyappa RetreadingCo.
2	6.00 X 16 (T.F.)	645	M/s.Sri Iyyappa RetreadingCo.
3	6.50 X 20 (T.F.)	—	
4	6.00 X 19	—	
5	6.50 X 16 FORK LIFT	—	
6	7.50 X 16 TRAILOR RIB	740	M/s.Fine Tyre Works.
7	11.2 X 28/10.28 Rr.	—	
8	12.4 X 11 X 28	—	
9	12.5 X 20	—	
10	14.9 X 13 X 28	—	
11	16.9 X 29/14.28 Rr.	—	
12	13.6 X 28/12.28	—	

Full Address of the Companies

- 1 M/s.Sri Iyyappa Retreading Co., 26/9, Murugabavanam, Palani Rd., Dindigul-10.
- 2 M/s. Fine Tyre Works, Coimbatore.

Sd./-
DIRECTOR/TNMVMD.

SCHEDULE-28**RATES FOR RETREADING/RECAPPING OF TYRES FOR THE YEAR 2002-03****DISTRICT: RAMNAD**

Sl.No	TYRE SIZE	<u>Rates inclusive of material cost, Labour charge, Taxes, Transportation charges and Repair charges</u>	
		<u>Conventional Method</u>	<u>Name of the Company</u>
		RS. P.	
1	4.50 X 12	381	M/s.Pudukkottai Tyres
2	5.20 X 14	387	M/s.Pudukkottai Tyres
3	5.60 X 12	—	
4	5.60 X 13	400	M/s.Pudukkottai Tyres
5	5.90 X 15	435	M/s.Selvi Tyres
6	6.00 X 16	468	M/s.Selvi Tyres
7	6.40 X 15	510	M/s.Selvi Tyres
8	6.70 X 15	515	M/s.Selvi Tyres
9	7.00 X 15	550	M/s.Selvi Tyres
10	7.00 X 16	—	
11	7.50 X 16	660	M/s.Selvi Tyres
12	7.50 X 20	760	M/s.Selvi Tyres
13	8.25 X 20	880	M/s.Selvi Tyres
14	9.00 X 20	960	M/s.Selvi Tyres
15	10.00 X 20	1090	M/s.Selvi Tyres
16	11.00 X 20	1350	M/s.Pudukkottai & Selvi
17	F78 X 15	—	
18	165 SR 15 RADIAL	—	
19	175 80 R 14 RADIAL	—	
20	215 R 14 RADIAL	—	
21	215 R 15 RADIAL	—	
TRACTOR TYRES			
1	5.50 X 16 (T.F.)	516	M/s.Pudukkottai & Selvi
2	6.00 X 16 (T.F.)	556	M/s.Pudukkottai Tyres
3	6.50 x 20 (T.F.)	675	M/s.Selvi Tyres
4	6.00 X 19	640	M/s.Pudukkottai Tyres
5	6.50 X 16 FORK LIFT	690	M/s.Pudukkottai Tyres
6	7.50 X 16 TRAILOR RIB	723	M/s.Pudukkottai Tyres
7	11.2 X 28/10.28 Rr.	2300	M/s.Selvi Tyres
8	12.4 X 11 X 28	2500	M/s.Selvi Tyres
9	12.5 X 20	2740	M/s.Pudukkottai Tyres
10	14.9 X 13 X 28	3100	M/s.Pudukkottai Tyres
11	16.9 X 29/14.28 Rr.	3700	M/s.Pudukkottai Tyres
12	13.6 X 28/12.28	3200	M/s.Pudukkottai Tyres

Full Address of the Companies

- 1 M/s.Pudukkottai Tyres, Pudukkottai.
- 2 M/s. Selvi Tyres, Tuticorin.

Sd./-
DIRECTOR/TNMVMD.

A.B. - 5

SCHEDULE-29**RATES FOR RETREADING/RECAPPING OF TYRES FOR THE YEAR 2002-03****DISTRICT:RAMNAD**

Sl.No	TYRE SIZE	<u>Rates inclusive of material cost, Labour charge, Taxes, Transportation charges and Repair charges</u>	
		<u>Precured Method</u>	<u>Name of the Company</u>
		RS. P.	
1	4.50 X 12	420	M/s.Pudukkottai Tyres
2	5.20 X 14	460	M/s.Pudukkottai Tyres
3	5.60 X 12	472	M/s.Pudukkottai Tyres
4	5.60 X 13	493	M/s.Pudukkottai Tyres
5	5.90 X 15	500	M/s.Selvi Tyres
6	6.00 X 16	580	M/s.Selvi Tyres
7	6.40 X 15	595	M/s.Pudukkottai Tyres
8	6.70 X 15	654	M/s. Pudukkottai & Selvi
9	7.00 X 15	708	M/s.Pudukkottai Tyres
10	7.00 X 16	738	M/s.Pudukkottai Tyres
11	7.50 X 16	775	M/s.Selvi Tyres
12	7.50 X 20	1010	M/s.Selvi Tyres
13	8.25 X 20	1178	M/s. Pudukkottai & Selvi
14	9.00 X 20	1215	M/s.Selvi Tyres
15	10.00 X 20	1445	M/s. Pudukkottai & Selvi
16	11.00 X 20	1545	M/s. Pudukkottai & Selvi
17	F78 X 15	765	M/s.Pudukkottai Tyres
18	165 SR 15 RADIAL	590	M/s.Selvi Tyres
19	175 80 R 14 RADIAL	655	M/s. Pudukkottai & Selvi
20	215 R 14 RADIAL	775	M/s.Pudukkottai Tyres
21	215 R 15 RADIAL	788	M/s.Pudukkottai Tyres

TRACTOR TYRES

1	5.50 X 16 (T.F.)	635	M/s.Pudukkottai Tyres
2	6.00 X 16 (T.F)	645	M/s.Pudukkottai Tyres
3	6.50 X 20 (T.F)	795	M/s.Pudukkottai Tyres
4	6.00 X 19	810	M/s.Pudukkottai Tyres
5	6.50 X 16 FORK LIFT	768	M/s.Pudukkottai Tyres
6	7.50 X 16 TRAILOR RIB	813	M/s.Pudukkottai Tyres
7	11.2 X 28/10.28 Rr.	—	—
8	12.4 X 11 X 28	—	—
9	12.5 X 20	—	—
10	14.9 X 13 X 28	—	—
11	16.9 X 29/14.28 Rr.	—	—
12	13.6 X 28/12.28	—	—

Full Address of the Companies

- | | |
|---|-------------------------------------|
| 1 | M/s.Pudukkottai Tyres, Pudukkottai. |
| 2 | M/s. Selvi Tyres, Tuticorin. |

Sd./-
DIRECTOR/TNMVMD.

SCHEDULE-30**RATES FOR RETREADING/RECAPPING OF TYRES FOR THE YEAR 2002-03****DISTRICT: SIVAGANGA**

Sl.No	TYRE SIZE	<u>Rates inclusive of material cost, Labour charge, Taxes, Transportation charges and Repair charges</u>	
		<u>Conventional Method</u>	<u>Name of the Company</u>
		RS. P.	
1	4.50 X 12	381	M/s.Sabari Tyres
2	5.20 X 14	387	M/s.Sabari Tyres
3	5.60 X 12	386	M/s.Sabari Tyres
4	5.60 X 13	402	M/s.Sabari Tyres
5	5.90 X 15	452	M/s.Sabari Tyres
6	6.00 X 16	545	M/s.Sabari Tyres
7	6.40 X 15	527	M/s.Sabari Tyres
8	6.70 X 15	580	M/s.Sabari Tyres
9	7.00 X 15	598	M/s.Sabari Tyres
10	7.00 X 16	657	M/s.Sabari Tyres
11	7.50 X 16	700	M/s.Sabari Tyres
12	7.50 X 20	898	M/s.Sabari Tyres
13	8.25 X 20	1000	M/s.Sabari Tyres
14	9.00 X 20	1170	M/s.Sabari Tyres
15	10.00 X 20	1315	M/s.Sabari Tyres
16	11.00 X 20	1350	M/s.Sabari Tyres
17	F78 X 15	620	M/s.Sabari Tyres
18	165 SR 15 RADIAL	—	
19	175 80 R 14 RADIAL	670	M/s.Sabari Tyres
20	215 R 14 RADIAL	—	
21	215 R 15 RADIAL	—	
TRACTOR TYRES			
1	5.50 X 16 (T.F.)	516	M/s.Sabari Tyres
2	6.00 X 16 (T.F.)	556	M/s.Sabari Tyres
3	6.50 X 20 (T.F.)	733	M/s.Sabari Tyres
4	6.00 X 19	693	M/s.Sabari Tyres
5	6.50 X 16 FORK LIFT	690	M/s.Sabari Tyres
6	7.50 X 16 TRAILOR RIB	723	M/s.Sabari Tyres
7	11.2 X 28/10.28 Rr.	2528	M/s.Pudukkottai Tyres
8	12.4 X 11 X 28	2525	M/s.Pudukkottai Tyres
9	12.5 X 20	2740	M/s.Pudukkottai Tyres
10	14.9 X 13 X 28	3100	M/s.Pudukkottai Tyres
11	16.9 X 29/14.28 Rr.	3700	M/s.Pudukkottai Tyres
12	13.6 X 28/12.28	3200	M/s.Pudukkottai Tyres

Full Address of the Companies

- 1 M/s.Sabari Tyres, 70, Perumal Chettiyar St., Muthupattinam, Karaikudi, Sivagangai District.
- 2 M/s.Pudukkottai Tyres, Pudukkottai.

Sd./-
DIRECTOR/TNMVMD.

SCHEDULE-31**RATES FOR RETREADING/RECAPPING OF TYRES FOR THE YEAR 2002-03****DISTRICT: SIVAGANGA**

Sl.No	TYRE SIZE	<u>Rates inclusive of material cost, Labour charge, Taxes, Transportation charges and Repair charges</u>	
		<u>Precured Method</u>	<u>Name of the Company</u>
		RS. P.	
1	4.50 X 12	425	M/s.Sabari Tyres
2	5.20 X 14	450	M/s.Sabari Tyres
3	5.60 X 12	420	M/s.Sabari Tyres
4	5.60 X 13	460	M/s.Sabari Tyres
5	5.90 X 15	480	M/s.Sabari Tyres
6	6.00 X 16	515	M/s.Sabari Tyres
7	6.40 X 15	590	M/s.Sabari Tyres
8	6.70 X 15	620	M/s.Sabari Tyres
9	7.00 X 15	670	M/s.Sabari Tyres
10	7.00 X 16	690	M/s.Sabari Tyres
11	7.50 X 16	740	M/s.Sabari Tyres
12	7.50 X 20	935	M/s.Sabari Tyres
13	8.25 X 20	1025	M/s.Sabari Tyres
14	9.00 X 20	1230	M/s.Sabari Tyres
15	10.00 X 20	1365	M/s.Sabari Tyres
16	11.00 X 20	1545	M/s.Sabari Tyres
17	F78 X 15	765	M/s.Pudukkottai Tyres
18	165 SR 15 RADIAL	597	M/s.Pudukkottai Tyres
19	175 80 R 14 RADIAL	655	M/s.Pudukkottai Tyres
20	215 R 14 RADIAL	—	
21	215 R 15 RADIAL	788	M/s.Pudukkottai Tyres
TRACTOR TYRES			
1	5.50 X 16 (T.F.)	565	M/s.Sabari Tyres
2	6.00 X 16 (T.F.)	570	M/s.Sabari Tyres
3	6.50 X 20 (T.F.)	785	M/s.Sabari Tyres
4	6.00 X 19	650	M/s.Sabari Tyres
5	6.50 X 16 FORK LIFT	720	M/s.Sabari Tyres
6	7.50 X 16 TRAILOR RIB	813	M/s.Sabari Tyres
7	11.2 X 28/10.28 Rr.	2675	M/s.Sabari Tyres
8	12.4 X 11 X 28	2705	M/s.Sabari Tyres
9	12.5 X 20	2600	M/s.Sabari Tyres
10	14.9 X 13 X 28	3100	M/s.Sabari Tyres
11	16.9 X 29/14.28 Rr.	3800	M/s.Sabari Tyres
12	13.6 X 28/12.28	3198	M/s.Sabari Tyres

Full Address of the Companies

- 1 M/s.Sabari Tyres, 70, Perumal Chettiyar St., Muthupattinam, Karaikudi, Sivagangai District.
- 2 M/s.Pudukkottai Tyres, Pudukkottai.

Sd./-
DIRECTOR/TNMVMD.

SCHEDULE-32**RATES FOR RETREADING/RECAPPING OF TYRES FOR THE YEAR 2002-03****DISTRICT: THENI**

Sl.No	TYRE SIZE	<u>Rates inclusive of material cost, Labour charge, Taxes, Transportation charges and Repair charges</u>	
		<u>Conventional Method</u>	<u>Precured Method</u>
		RS. P.	
1	4.50 X 12	381	425
2	5.20 X 14	—	460
3	5.60 X 12	386	472
4	5.60 X 13	—	493
5	5.90 X 15	452	520
6	6.00 X 16	500	608
7	6.40 X 15	—	595
8	6.70 X 15	—	654
9	7.00 X 15	598	695
10	7.00 X 16	—	738
11	7.50 X 16	700	805
12	7.50 X 20	—	1070
13	8.25 X 20	1000	1178
14	9.00 X 20	1170	1328
15	10.00 X 20	1300	1445
16	11.00 X 20	1350	1545
17	F78 X 15	—	768
18	165 SR 15 RADIAL	—	597
19	175 80 R 14 RADIAL	—	655
20	215 R 14 RADIAL	—	775
21	215 R 15 RADIAL	—	788
TRACTOR TYRES			
1	5.50 X 16 (T.F.)		
2	6.00 X 16 (T.F.)	556	645
3	6.50 X 20 (T.F.)	—	—
4	6.00 X 19	—	—
5	6.50 X 16 FORK LIFT	—	—
6	7.50 X 16 TRAILOR RIB	723	813
7	11.2 X 28/10.28 Rr.	—	—
8	12.4 X 11 X 28	2525	—
9	12.5 X 20	—	—
10	14.9 X 13 X 28	—	—
11	16.9 X 29/14.28 Rr.	—	—
12	13.6 X 28/12.28	3000	—

Full Address of the Company

- 1 M/s.Noor Retreading Company, Kannur Road, Perivakulam - 625 601.

Sd./-
DIRECTOR/TNMVMD.

SCHEDULE-33**RATES FOR RETREADING/RECAPPING OF TYRES FOR THE YEAR 2002-03****DISTRICT: TIRUNELVELI**

Sl.No	TYRE SIZE	<u>Rates inclusive of material cost, Labour charge, Taxes, Transportation charges and Repair charges</u>	
		<u>Conventional Method</u>	<u>Name of the Company</u>
		RS. P.	
1	4.50 X 12	271	M/s.Econ Tread
2	5.20 X 14	253	M/s.Econ Tread
3	5.60 X 12	262	M/s.Econ Tread
4	5.60 X 13	253	M/s.Econ Tread
5	5.90 X 15	334	M/s.Econ Tread
6	6.00 X 16	370	M/s.Econ Tread
7	6.40 X 15	343	M/s.Econ Tread
8	6.70 X 15	460	M/s.Econ Tread
9	7.00 X 15	469	M/s.Econ Tread
10	7.00 X 16	469	M/s.Econ Tread
11	7.50 X 16	505	M/s.Econ Tread
12	7.50 X 20	676	M/s.Econ Tread
13	8.25 X 20	766	M/s.Econ Tread
14	9.00 X 20	865	M/s.Econ Tread
15	10.00 X 20	991	M/s.Econ Tread
16	11.00 X 20	991	M/s.Econ Tread
17	F78 X 15	469	M/s.Econ Tread
18	165 SR 15 RADIAL	334	M/s.Econ Tread
19	175 80 R 14 RADIAL	460	M/s.Econ Tread
20	215 R 14 RADIAL	469	M/s.Econ Tread
21	215 R 15 RADIAL	469	M/s.Econ Tread
TRACTOR TYRES			
1	5.50 X 16 (T.F.)	361	M/s.Econ Tread
2	6.00 X 16 (T.F.)	361	M/s.Econ Tread
3	6.50 X 20 (T.F.)	640	M/s.Econ Tread
4	6.00 X 19	550	M/s.Econ Tread
5	6.50 X 16 FORK LIFT	594	M/s.Econ Tread
6	7.50 X 16 TRAILOR RIB	505	M/s.Econ Tread
7	11.2 X 28/10.28 Rr.	2528	
8	12.4 X 11 X 28	2525	
9	12.5 X 20	2530	
10	14.9 X 13 X 28	2930	
11	16.9 X 29/14.28 Rr.	3700	
12	13.6 X 28/12.28	3068	

Full Address of the Company

1 M/s.Econ Tread, 1/444, Tuticorin Road, V.M.Chathram, Tirunelveli.

Sd./-
DIRECTOR/TNMVMD.

SCHEDULE-34**RATES FOR RETREADING/RECAPPING OF TYRES FOR THE YEAR 2002-03****DISTRICT: TIRUNELVELI**

Sl.No	TYRE SIZE	<u>Rates inclusive of material cost, Labour charge, Taxes, Transportation charges and Repair charges</u>	
		<u>Precured Method</u>	<u>Name of the Company</u>
		RS. P.	
1	4.50 X 12	351	M/s.Jupitor Tyre Services
2	5.20 X 14	370	M/s.Econ Tread
3	5.60 X 12	405	M/s.Jupitor Tyre Services
4	5.60 X 13	370	M/s.Econ Tread
5	5.90 X 15	379	M/s.Econ Tread
6	6.00 X 16	550	M/s.Econ Tread
7	6.40 X 15	460	M/s.Econ Tread
8	6.70 X 15	559	M/s.Econ Tread
9	7.00 X 15	640	M/s.Econ Tread
10	7.00 X 16	640	M/s.Econ Tread
11	7.50 X 16	676	M/s.Econ Tread
12	7.50 X 20	820	M/s.Econ Tread
13	8.25 X 20	865	M/s.Econ Tread
14	9.00 X 20	1097	M/s.Jupitor Tyre Services
15	10.00 X 20	1270	M/s.Econ Tread
16	11.00 X 20	1270	M/s.Econ Tread
17	F78 X 15	640	M/s.Econ Tread
18	165 SR 15 RADIAL	379	M/s.Econ Tread
19	175 80 R 14 RADIAL	469	M/s.Econ Tread
20	215 R 14 RADIAL	666	M/s.Jupitor Tyre Services
21	215 R 15 RADIAL	694	M/s.Econ Tread
TRACTOR TYRES			
1	5.50 X 16 (T.F.)	550	M/s.Jupitor Tyre Services
2	6.00 X 16 (T.F.)	630	M/s.Jupitor Tyre Services
3	6.50 X 20 (T.F.)	649	M/s.Econ Tread
4	6.00 X 19	655	M/s.Jupitor Tyre Services
5	6.50 X 16 FORK LIFT	685	M/s.Jupitor Tyre Services
6	7.50 X 16 TRAILOR RIB	676	M/s.Econ Tread
7	11.2 X 28/10.28 Rr.	—	
8	12.4 X 11 X 28	—	
9	12.5 X 20	—	
10	14.9 X 13 X 28	—	
11	16.9 X 29/14.28 Rr.	—	
12	13.6 X 28/12.28	—	

Full Address of the Companies

- 1 M/s.Econ Tread, 1/444, Tuticorin Road, V.M.Chathram, Tirunelveli.
- 2 M/s. Jupitor Tyre Services, 36, Kailasapuram, Tirunelveli - 627 001.

Sd./-
DIRECTOR/TNMVMD.

SCHEDULE-35**RATES FOR RETREADING/RECAPPING OF TYRES FOR THE YEAR 2002-03****DISTRICT: TUTICORIN**

Sl.No	TYRE SIZE	<u>Rates inclusive of material cost, Labour charge, Taxes, Transportation charges and Repair charges</u>	
		Conventional Method	Precured Method
		RS. P.	
1	4.50 X 12	—	—
2	5.20 X 14	—	—
3	5.60 X 12	—	—
4	5.60 X 13	—	—
5	5.90 X 15	435	500
6	6.00 X 16	468	580
7	6.40 X 15	510	—
8	6.70 X 15	515	654
9	7.00 X 15	550	—
10	7.00 X 16	—	—
11	7.50 X 16	660	775
12	7.50 X 20	760	1010
13	8.25 X 20	880	1178
14	9.00 X 20	960	1215
15	10.00 X 20	1090	1445
16	11.00 X 20	1350	1545
17	F78 X 15	—	768
18	165 SR 15 RADIAL	—	590
19	175 80 R 14 RADIAL	—	655
20	215 R 14 RADIAL	—	—
21	215 R 15 RADIAL	—	—
TRACTOR TYRES			
1	5.50 X 16 (T.F.)	516	—
2	6.00 X 16 (T.F.)	—	—
3	6.50 X 20 (T.F.)	675	—
4	6.00 X 19	—	—
5	6.50 X 16 FORK LIFT	—	—
6	7.50 X 16 TRAILOR RIB	723	—
7	11.2 X 28/10.28 Rr.	2300	—
8	12.4 X 11 X 28	2500	—
9	12.5 X 20	—	—
10	14.9 X 13 X 28	—	—
11	16.9 X 29/14.28 Rr.	—	—
12	13.6 X 28/12.28	—	—

Full Address of the Company

M/s.Selvi Tyres, 203- K, Ettayapuram Road, Tuticorin- 2.

Sd./-
DIRECTOR/TNMVMD.

SCHEDULE-36**RATES FOR RETREADING/RECAPPING OF TYRES FOR THE YEAR 2002-03****DISTRICT: VIRUDHUNAGAR**

Sl.No	TYRE SIZE	<u>Rates inclusive of material cost, Labour charge, Taxes, Transportation charges and Repair charges</u>	
		Conventional Method	Precured Method
		RS. P.	
1	4.50 X 12	—	—
2	5.20 X 14	—	—
3	5.60 X 12	—	—
4	5.60 X 13	—	—
5	5.90 X 15	435	500
6	6.00 X 16	468	580
7	6.40 X 15	510	—
8	6.70 X 15	515	655
9	7.00 X 15	550	725
10	7.00 X 16	625	—
11	7.50 X 16	660	775
12	7.50 X 20	760	1010
13	8.25 X 20	880	1225
14	9.00 X 20	960	1215
15	10.00 X 20	1090	1500
16	11.00 X 20	1400	1700
17	F78 X 15	—	790
18	165 SR 15 RADIAL	—	590
19	175 80 R 14 RADIAL	—	680
20	215 R 14 RADIAL	—	790
21	215 R 15 RADIAL	—	890
TRACTOR TYRES			
1	5.50 X 16	516	—
2	6.00 X 16 (T.F)	556	—
3	6.50 X 20 (T.F)	675	—
4	6.00 X 19	693	—
5	6.50 X 16 FORK LIFT	690	—
6	7.50 X 16 TRAILOR RIB	723	—
7	11.2 X 28/10.28 Rr.	2300	—
8	12.4 X 11 X 28	2500	—
9	12.5 X 20	—	—
10	14.9 X 13 X 28	3400	—
11	16.9 X 29/14.28 Rr.	3700	—
12	13.6 X 28/12.28	3350	—

Full Address of the Company

M/s.Selvi Tyres, 203- K , Ettayapuram Road, Tuticorin- 2.

Sd./-
DIRECTOR/TNMVMD.

SCHEDULE-37**RATES FOR RETREADING/RECAPPING OF TYRES FOR THE YEAR 2002-03****DISTRICT: KANYAKUMARI**

Sl.No	TYRE SIZE	<u>Rates inclusive of material cost, Labour charge, Taxes, Transportation charges and Repair charges</u>	
		<u>Conventional Method</u>	<u>Name of the Company</u>
		RS. P.	
1	4.50 X 12	374	M/s.V.M.Tyres
2	5.20 X 14	369	M/s.V.M.Tyres
3	5.60 X 12	370	M/s.V.M.Tyres
4	5.60 X 13	372	M/s.V.M.Tyres
5	5.90 X 15	412	M/s.V.M.Tyres
6	6.00 X 16	441	M/s.V.M.Tyres
7	6.40 X 15	490	M/s.Union Treads
8	6.70 X 15	510	M/s.Union Treads
9	7.00 X 15	531	M/s.V.M.Tyres
10	7.00 X 16	575	M/s.Union Treads
11	7.50 X 16	639	M/s.V.M.Tyres
12	7.50 X 20	—	
13	8.25 X 20	1000	M/s.V.M.Tyres
14	9.00 X 20	1050	M/s.Union Treads
15	10.00 X 20	1222	M/s.V.M.Tyres
16	11.00 X 20	1350	M/s.V.M.Tyres
17	F78 X 15	—	
18	165 SR 15 RADIAL	—	
19	175 80 R 14 RADIAL	—	
20	215 R 14 RADIAL	—	
21	215 R 15 RADIAL	—	
TRACTOR TYRES			
1	5.50 X 16 (T.F.)	507	M/s.V.M.Tyres
2	6.00 X 16 (T.F.)	441	M/s.V.M.Tyres
3	6.50 X 20 (T.F.)	—	
4	6.00 X 19	—	
5	6.50 X 16 FORK LIFT	540	M/s.Union Treads
6	7.50 X 16 TRAILOR RIB	640	M/s.Union Treads
7	11.2 X 28/10.28 Rr.	—	
8	12.4 X 11 X 28	—	
9	12.5 X 20	—	
10	14.9 X 13 X 28	—	
11	16.9 X 29/14.28 Rr.	—	
12	13.6 X 28/12.28	—	

Full Address of the Companies

- 1 M/s.V.M.Tyres, No.24/71, B-1 New Convent Junction, Kulasekaram - 629 161.
- 2 M/s.Union Treads, Pammam, Marthandam, Kanyakumari District - 629 165.

Sd./-
DIRECTOR/TNMVMD.

SCHEDULE-38**RATES FOR RETREADING/RECAPPING OF TYRES FOR THE YEAR 2002-03****DISTRICT: KANYAKUMARI**

Sl.No	TYRE SIZE	<u>Rates inclusive of material cost, Labour charge, Taxes, Transportation charges and Repair charges</u>	
		<u>Precured Method</u>	<u>Name of the Company</u>
		RS. P.	
1	4.50 X 12	392	M/s.V.M.Tyres
2	5.20 X 14	450	M/s.V.M.Tyres
3	5.60 X 12	450	M/s.Union Treads
4	5.60 X 13	469	M/s.V.M.Tyres
5	5.90 X 15	515	M/s.Union Treads
6	6.00 X 16	608	M/s.V.M.Tyres
7	6.40 X 15	595	M/s.V.M.Tyres
8	6.70 X 15	631	M/s.V.M.Tyres
9	7.00 X 15	702	M/s.V.M.Tyres
10	7.00 X 16	738	M/s.V.M.Tyres
11	7.50 X 16	805	M/s.V.M.Tyres
12	7.50 X 20	1070	M/s.V.M.Tyres
13	8.25 X 20	1178	M/s.V.M.Tyres
14	9.00 X 20	1328	M/s.V.M.Tyres
15	10.00 X 20	1445	M/s.Union Treads
16	11.00 X 20	1545	M/s.V.M.Tyres
17	F78 X 15	734	M/s.V.M.Tyres
18	165 SR 15 RADIAL	597	M/s.V.M.Tyres
19	175 80 R 14 RADIAL	639	M/s.V.M.Tyres
20	215 R 14 RADIAL	718	M/s.V.M.Tyres
21	215 R 15 RADIAL	788	M/s.V.M.Tyres
TRACTOR TYRES			
1	5.50 X 16 (T.F.)	635	M/s.V.M.Tyres
2	6.00 X 16 (T.F.)	612	M/s.V.M.Tyres
3	6.50 X 20 (T.F.)	1025	M/s.Union Treads
4	6.00 X 19	875	M/s.Union Treads
5	6.50 X 16 FORK LIFT	768	M/s.Union Treads
6	7.50 X 16 TRAILOR RIB	813	M/s.V.M.Tyres
7	11.2 X 28/10.28 Rr.	—	
8	12.4 X 11 X 28	—	
9	12.5 X 20	—	
10	14.9 X 13 X 28	—	
11	16.9 X 29/14.28 Rr.	—	
12	13.6 X 28/12.28	—	

Full Address of the Companies

- 1 M/s.V.M.Tyres, No.24/71, B-1 New Convent Junction, Kulasekaram - 629 161.
- 2 M/s.Union Treads, Pammam, Marthandam, Kanyakumari District - 629 165.

Sd./-
DIRECTOR/TNMVMD.

SCHEDULE-39**RATES FOR RETREADING/RECAPPING OF TYRES FOR THE YEAR 2002-03****DISTRICT: SALEM**

Sl.No	TYRE SIZE	<u>Rates inclusive of material cost, Labour charge, Taxes, Transportation charges and Repair charges</u>	
		<u>Conventional Method</u>	<u>Name of the Company</u>
		RS. P.	
1	4.50 X 12	—	
2	5.20 X 14	370	M/s.Excel Tyres
3	5.60 X 12	—	
4	5.60 X 13	400	M/s.Excel Tyres
5	5.90 X 15	380	M/s.Excel Tyres
6	6.00 X 16	449	M/s.Excel Tyres
7	6.40 X 15	500	M/s.Excel Tyres
8	6.70 X 15	520	M/s.Excel Tyres
9	7.00 X 15	560	M/s.Excel Tyres
10	7.00 X 16	560	M/s.Excel Tyres
11	7.50 X 16	649	M/s.Excel Tyres
12	7.50 X 20	630	M/s.Excel Tyres
13	8.25 X 20	750	M/s.Excel Tyres
14	9.00 X 20	900	M/s.Excel Tyres
15	10.00 X 20	1100	M/s.Excel Tyres
16	11.00 X 20	1350	M/s.Excel Tyres
17	F78 X 15	550	M/s.Excel Tyres
18	165 SR 15 RADIAL	452	M/s.Janatha Tyres
19	175 80 R 14 RADIAL	—	
20	215 R 14 RADIAL	—	
21	215 R 15 RADIAL	—	
TRACTOR TYRES			
1	5.50 X 16 (T.F.)	516	M/s.Excel Tyres
2	6.00 X 16 (T.F.)	470	M/s.Janatha Tyres
3	6.50 X 20 (T.F.)	645	M/s.Excel Tyres
4	6.00 X 19	—	
5	6.50 X 16 FORK LIFT	690	M/s.Excel Tyres
6	7.50 X 16 TRAILOR RIB	700	M/s.Excel Tyres
7	11.2 X 28/10.28 Rr.	—	
8	12.4 X 11 X 28	2250	M/s.Janatha Tyres
9	12.5 X 20	—	
10	14.9 X 13 X 28	—	
11	16.9 X 29/14.28 Rr.	2800	M/s.Janatha Tyres
12	13.6 X 28/12.28	2650	M/s.Janatha Tyres

Full Address of the Companies

- 1 M/s.Excel Tyres, '100/209-B, Gugai Erumapalayam Road, Salem - 636 015.
2M/s.Janatha Tyre Retreading Co., No.154W-Kalarampatti Main Rd., Salem - 15.

Sd./-
DIRECTOR/TNMVMD.

SCHEDULE-40**RATES FOR RETREADING/RECAPPING OF TYRES FOR THE YEAR 2002-03****DISTRICT: SALEM**

Sl.No	TYRE SIZE	<u>Rates inclusive of material cost, Labour charge, Taxes, Transportation charges and Repair charges</u>	
		<u>Precured Method</u>	<u>Name of the Company</u>
		RS. P.	
1	4.50 X 12	410	M/s.Janatha & Excel Tyres
2	5.20 X 14	455	M/s.Excel Tyres
3	5.60 X 12	450	M/s.Excel Tyres
4	5.60 X 13	450	M/s.Excel Tyres
5	5.90 X 15	460	M/s.Excel Tyres
6	6.00 X 16	574	M/s.Excel Tyres
7	6.40 X 15	595	M/s.Excel Tyres
8	6.70 X 15	649	M/s.Excel Tyres
9	7.00 X 15	699	M/s.Excel Tyres
10	7.00 X 16	699	M/s.Excel Tyres
11	7.50 X 16	759	M/s.Excel Tyres
12	7.50 X 20	810	M/s.Excel Tyres
13	8.25 X 20	900	M/s.Excel Tyres
14	9.00 X 20	1175	M/s.Excel Tyres
15	10.00 X 20	1400	M/s.Excel Tyres
16	11.00 X 20	1500	M/s.Excel Tyres
17	F78 X 15	625	M/s.Excel Tyres
18	165 SR 15 RADIAL	597	M/s.Excel Tyres
19	175 80 R 14 RADIAL	655	M/s.Janatha Tyres
20	215 R 14 RADIAL	675	M/s.Excel Tyres
21	215 R 15 RADIAL	700	M/s.Excel Tyres

TRACTOR TYRES

1	5.50 X 16 (T.F.)	635	M/s.Excel Tyres
2	6.00 X 16 (T.F.)	645	M/s.Excel Tyres
3	6.50 X 20 (T.F.)	900	M/s.Excel Tyres
4	6.00 X 19	—	
5	6.50 X 16 FORK LIFT	768	M/s.Excel Tyres
6	7.50 X 16 TRAILOR RIB	813	M/s.Excel Tyres
7	11.2 X 28/10.28 Rr.	—	
8	12.4 X 11 X 28	—	
9	12.5 X 20	—	
10	14.9 X 13 X 28	—	
11	16.9 X 29/14.23 Rr.	—	
12	13.6 X 28/12.28	—	

Full Address of the Companies

- 1 M/s.Excel Tyres, 100/209-B, Gugai Erumapalayam Road, Salem - 636 015.
- 2 M/s.Janatha Tyre Retreading Co., No.154W-Kalarampatti Main Rd., Salem - 15.

Sd./-
DIRECTOR/TNMVMD.

SCHEDULE-41**RATES FOR RETREADING/RECAPPING OF TYRES FOR THE YEAR 2002-03****DISTRICT:NAMAKKAL**

Sl.No	TYRE SIZE	<u>Rates inclusive of material cost, Labour charge, Taxes, Transportation charges and Repair charges</u>	
		<u>Conventional Method</u>	<u>Name of the Company</u>
		RS. P.	
1	4.50 X 12	380	M/s. Sri Annamar Retreaders
2	5.20 X 14	380	M/s. Sri Annamar & VGB Tyres
3	5.60 X 12	380	M/s. VGB Tyre Works
4	5.60 X 13	385	M/s. Sri Annamar & VGB Tyres
5	5.90 X 15	425	M/s. VGB Tyre Works
6	6.00 X 16	485	M/s. VGB Tyre Works
7	6.40 X 15	515	M/s. VGB Tyre Works
8	6.70 X 15	535	M/s. VGB Tyre Works
9	7.00 X 15	575	M/s. VGB Tyre Works
10	7.00 X 16	608	M/s. VGB Tyre Works
11	7.50 X 16	669	M/s. VGB Tyre Works
12	7.50 X 20	820	M/s. VGB Tyre Works
13	8.25 X 20	1000	M/s. VGB Tyre Works
14	9.00 X 20	1100	M/s. VGB Tyre Works
15	10.00 X 20	1200	M/s. VGB Tyre Works
16	11.00 X 20	1300	M/s. VGB Tyre Works
17	F78 X 15	620	M/s. VGB Tyre Works
18	165 SR 15 RADIAL	452	M/s. VGB Tyre Works
19	175 80 R 14 RADIAL	528	M/s. VGB Tyre Works
20	215 R 14 RADIAL	535	M/s. VGB Tyre Works
21	215 R 15 RADIAL	528	M/s. VGB Tyre Works
TRACTOR TYRES			
1	5.50 X 16 (T.F.)	516	M/s. VGB Tyre Works
2	6.00 X 16 (T.F.)	525	M/s. Sri Annamar Retreaders
3	6.50 X 20 (T.F.)	733	M/s. VGB Tyre Works
4	6.00 X 19	640	M/s. VGB Tyre Works
5	6.50 X 16 FORK LIFT	670	M/s. VGB Tyre Works
6	7.50 X 16 TRAILOR RIB	680	M/s. Sri Annamar Retreaders
7	11.2 X 28/10.28 Rr.	2528	M/s. Sri Annamar Retreaders
8	12.4 X 11 X 28	2525	M/s. Sri Annamar Retreaders
9	12.5 X 20	2680	M/s. Sri Annamar Retreaders
10	14.9 X 13 X 28	3000	M/s. Sri Annamar Retreaders
11	16.9 X 29/14.28 Rr.	3700	M/s. Sri Annamar Retreaders
12	13.6 X 28/12.28	3000	M/s. Sri Annamar Retreaders

Full Address of the Companies

- 1 M/s.Sri Annammar Retreaders, E-1, Sidco Indl. Estate, Andipalayam, Thiruchengode-637214
- 2 M/s. VGB Tyre Works, A2, Sidco Indl.Estate, Paramathi Road, Namakkal - 637 002.

Sd./-
DIRECTOR/TNMVMD.

72
SCHEDULE-42

RATES FOR RETREADING/RECAPPING OF TYRES FOR THE YEAR 2002-03

DISTRICT: NAMAKKAL

Sl.No	TYRE SIZE	<u>Rates inclusive of material cost, Labour charge, Taxes, Transportation charges and Repair charges</u>	
		<u>Precured Method</u>	<u>Name of the Company</u>
		RS. P.	
1	4.50 X 12	410	M/s.VGB & Sri Annammar Retrs
2	5.20 X 14	460	M/s.Sri Annammar Retreaders
3	5.60 X 12	455	M/s.Sri Annammar Retreaders
4	5.60 X 13	470	M/s.Sri Annammar Retreaders
5	5.90 X 15	500	M/s.VGB & Sri Annammar Retrs
6	6.00 X 16	608	M/s.VGB Tyre Works
7	6.40 X 15	595	M/s.VGB Tyre Works
8	6.70 X 15	654	M/s.VGB & Sri Annammar Retrs
9	7.00 X 15	708	M/s.VGB & Sri Annammar Retrs
10	7.00 X 16	738	M/s.VGB Tyre Works
11	7.50 X 16	805	M/s.VGB Tyre Works
12	7.50 X 20	930	M/s.Sri Annammar Retreaders
13	8.25 X 20	1178	M/s.VGB Tyre Works
14	9.00 X 20	1325	M/s.VGB Tyre Works
15	10.00 X 20	1445	M/s.VGB Tyre Works
16	11.00 X 20	1545	M/s.VGB Tyre Works
17	F78 X 15	750	M/s.VGB Tyre Works
18	165 SR 15 RADIAL	597	M/s.VGB Tyre Works
19	175 80 R 14 RADIAL	655	M/s.VGB Tyre Works
20	215 R 14 RADIAL	715	M/s.VGB Tyre Works
21	215 R 15 RADIAL	788	M/s.VGB Tyre Works

TRACTOR TYRES

1	5.50 X 16 (T.F.)	635	M/s.VGB Tyre Works
2	6.00 X 16 (T.F.)	630	M/s.Sri Annammar Retreaders
3	6.50 X 20 (T.F.)	790	M/s.VGB Tyre Works
4	6.00 X 19	820	M/s.VGB Tyre Works
5	6.50 X 16 FORK LIFT	710	M/s.VGB Tyre Works
6	7.50 X 16 TRAILOR RIB	813	M/s.Sri Annammar Retreaders
7	11.2 X 28/10.28 Rr.	2550	M/s.VGB Tyre Works
8	12.4 X 11 X 28	2560	M/s.VGB Tyre Works
9	12.5 X 20	2600	M/s.VGB Tyre Works
10	14.9 X 13 X 28	2990	M/s.VGB Tyre Works
11	16.9 X 29/14.28 Rr.	3550	M/s.VGB Tyre Works
12	13.6 X 28/12.28	2995	M/s.VGB Tyre Works

Full Address of the Companies

- 1 M/s.Sri Annammar Retreaders, E-1, Sidco Indl. Estate, Andipalayam, Thiruchengode-637214
- 2 M/s. VGB Trye Works, A2, Sidco Indl.Estate, Paramathi Road, Namakkal - 637 002.

**Sd./-
DIRECTOR/TNMVMD.**

SCHEDULE-43**RATES FOR RETREADING/RECAPPING OF TYRES FOR THE YEAR 2002-03****DISTRICT: ERODE**

Sl.No	TYRE SIZE	<u>Rates inclusive of material cost, Labour charge, Taxes, Transportation charges and Repair charges</u>	
		<u>Conventional Method</u>	<u>Name of the Company</u>
		RS. P.	
1	4.50 X 12	365	M/s.Star Retreading Co.
2	5.20 X 14	370	M/s.A- One Retreading Co.
3	5.60 X 12	375	M/s.A- One Retreading Co.
4	5.60 X 13	375	M/s.Star Retreading Co.
5	5.90 X 15	390	M/s.Star Retreading Co.
6	6.00 X 16	395	M/s.Star Retreading Co.
7	6.40 X 15	500	M/s.A- One Retreading Co.
8	6.70 X 15	420	M/s.Star Retreading Co.
9	7.00 X 15	445	M/s.Star Retreading Co.
10	7.00 X 16	595	M/s.Star Retreading Co.
11	7.50 X 16	614	M/s.Star Retreading Co.
12	7.50 X 20	820	M/s.Star Retreading Co.
13	8.25 X 20	815	M/s.Star Retreading Co.
14	9.00 X 20	849	M/s.Star Retreading Co.
15	10.00 X 20	999	M/s.Star Retreading Co.
16	11.00 X 20	890	M/s.A- One Retreading Co.
17	F78 X 15	614	M/s.Star Retreading Co.
18	165 SR 15 RADIAL	—	
19	175 80 R 14 RADIAL	—	
20	215 R 14 RADIAL	—	
21	215 R 15 RADIAL	—	
TRACTOR TYRES			
1	5.50 X 16 (T.F.)	516	M/s.Star Retreading Co.
2	6.00 X 16 (T.F.)	499	M/s.Star Retreading Co.
3	6.50 X 20 (T.F.)	700	M/s.Star Retreading Co.
4	6.00 X 19	693	M/s.Star Retreading Co.
5	6.50 X 16 FORK LIFT	690	M/s.Star Retreading Co.
6	7.50 X 16 TRAILOR RIB	723	M/s.Star Retreading Co.
7	11.2 X 28/10.28 Rr.	2528	M/s.A- One Retreading Co.
8	12.4 X 11 X 28	2499	M/s.Star Retreading Co.
9	12.5 X 20	—	
10	14.9 X 13 X 28	—	
11	16.9 X 29/14.28 Rr.	3700	M/s.Star Retreading Co.
12	13.6 X 28/12.28	2949	M/s.Star Retreading Co.

Full Address of the Companies

- 1 M/s. Star Tyre Retreading Co., No.5, N.G.G.O. Colony, Gandhi Nagar, Erode-638 009.
- 2 M/s.A-One Tyre Retreading Co., No.95, Aandavar St., Opp. to Anna Theatre, .
Erode-638 001.

Sd./-
DIRECTOR/TNMVMD.

SCHEDULE-44**RATES FOR RETREADING/RECAPPING OF TYRES FOR THE YEAR 2002-03****DISTRICT: ERODE**

Sl.No	TYRE SIZE	<u>Rates inclusive of material cost, Labour charge, Taxes, Transportation charges and Repair charges</u>	
		<u>Precured Method</u>	<u>Name of the Company</u>
		RS. P.	
1	4.50 X 12	395	M/s.Star Tyre Retreading Co.
2	5.20 X 14	449	M/s.Star Tyre Retreading Co.
3	5.60 X 12	449	M/s.Star Tyre Retreading Co.
4	5.60 X 13	449	M/s.Star Tyre Retreading Co.
5	5.90 X 15	437	M/s.A-One Retreading Co.
6	6.00 X 16	608	M/s.Star Tyre Retreading Co.
7	6.40 X 15	547	M/s.Star Tyre Retreading Co.
8	6.70 X 15	645	M/s.Star Tyre Retreading Co.
9	7.00 X 15	695	M/s.Star Tyre Retreading Co.
10	7.00 X 16	695	M/s.Star Tyre Retreading Co.
11	7.50 X 16	785	M/s.Star Tyre Retreading Co.
12	7.50 X 20	825	M/s.Star Tyre Retreading Co.
13	8.25 X 20	995	M/s.Star Tyre Retreading Co.
14	9.00 X 20	1095	M/s.Star Tyre Retreading Co.
15	10.00 X 20	1330	M/s.Star Tyre Retreading Co.
16	11.00 X 20	1545	M/s.A- One Retreading Co.
17	F78 X 15	694	M/s.Star Tyre Retreading Co.
18	165 SR 15 RADIAL	597	M/s.Star Tyre Retreading Co.
19	175 80 R 14 RADIAL	655	M/s.Star Tyre Retreading Co.
20	215 R 14 RADIAL	715	M/s.A- One Retreading Co.
21	215 R 15 RADIAL	788	M/s.A- One Retreading Co.
TRACTOR TYRES			
1	5.50 X 16 (T.F.)	600	M/s.Star Tyre Retreading Co.
2	6.00 X 16 (T.F.)	645	M/s.Star Tyre Retreading Co.
3	6.50 X 20 (T.F.)	750	M/s.Star & A-One Retd.Co.
4	6.00 X 19	800	M/s.Star Tyre Retreading Co.
5	6.50 X 16 FORK LIFT	768	M/s.Star Tyre Retreading Co.
6	7.50 X 16 TRAILOR RIB	759	M/s.Star Tyre Retreading Co.
7	11.2 X 28/10.28 Rr.	—	
8	12.4 X 11 X 28	—	
9	12.5 X 20	—	
10	14.9 X 13 X 28	—	
11	16.9 X 29/14.28 Rr.	—	
12	13.6 X 28/12.28	—	

Full Address of the Companies

- 1 M/s. Star Tyre Retreading Co., No.5, N.G.G.O. Colony, Gandhi Nagar, Erode-638 009.
- 2 M/s.A-One Tyre Retreading Co., No.95, Aandavar St., Opp. to Anna Theatre, Erode-638 001.

Sd./-
DIRECTOR/TNMVMD.

75 SCHEDULE-45

RATES FOR RETREADING/RECAPPING OF TYRES FOR THE YEAR 2002-03

DISTRICT: COIMBATORE

Sl.No	TYRE SIZE	<u>Rates inclusive of material cost, Labour charge, Taxes, Transportation charges and Repair charges</u>	
		<u>Conventional Method</u>	<u>Name of the Company</u>
		RS. P.	
1	4.50 X 12	350	M/s.Coimbatore Retd. Co.
2	5.20 X 14	387	M/s.Coimbatore Retd. Co.
3	5.60 X 12	380	M/s.Coimbatore Retd. Co.
4	5.60 X 13	385	M/s.Coimbatore Retd. Co.
5	5.90 X 15	410	M/s.Coimbatore Retd. Co.
6	6.00 X 16	420	M/s.Fine Tyre Works
7	6.40 X 15	460	M/s.Fine Tyre Works
8	6.70 X 15	500	M/s.Fine Tyre Works
9	7.00 X 15	550	M/s.Fine Tyre Works
10	7.00 X 16	570	M/s.Fine Tyre Works
11	7.50 X 16	570	M/s.Fine Tyre Works
12	7.50 X 20	700	M/s.Fine Tyre Works
13	8.25 X 20	775	M/s.Fine Tyre Works
14	9.00 X 20	860	M/s.Fine Tyre Works
15	10.00 X 20	1000	M/s.Coimbatore & Fine Tyres
16	11.00 X 20	1100	M/s.Coimbatore Retd. Co.
17	F78 X 15	550	M/s.Coimbatore Retd. Co.
18	165 SR 15 RADIAL	452	M/s.Coimbatore Retd. Co.
19	175 80 R 14 RADIAL	500	M/s.Coimbatore Retd. Co.
20	215 R 14 RADIAL	500	M/s.Coimbatore Retd. Co.
21	215 R 15 RADIAL	500	M/s.Coimbatore Retd. Co.

TRACTOR TYRES

1	5.50 X 16 (T.F.)	450	M/s.Coimbatore Retd. Co.
2	6.00 X 16 (T.F.)	450	M/s.Coimbatore Retd. Co.
3	6.50 X 20 (T.F.)	650	M/s.Coimbatore Retd. Co.
4	6.00 X 19	600	M/s.Coimbatore Retd. Co.
5	6.50 X 16 FORK LIFT	600	M/s.Coimbatore Retd. Co.
6	7.50 X 16 TRAILOR RIB	570	M/s.Fine Tyre Works
7	11.2 X 28/10.28 Rr.	2300	M/s.Coimbatore Retd. Co.
8	12.4 X 11 X 28	2300	M/s.Fine Tyre Works
9	12.5 X 20	2500	M/s.Coimbatore Retd. Co.
10	14.9 X 13 X 28	3400	M/s.Coimbatore Retd. Co.
11	16.9 X 29/14.28 Rr.	3700	M/s.Coimbatore Retd. Co.
12	13.6 X 28/12.28	2500	M/s.Fine Tyre Works

Full Address of the Companies

- M/s.Coimbatore Retd. Co., No.1045, Sakthi Road, Opp. Textool , Ganapathy , Coimbatore - 641 006.
- M/s.Fine Tyre Works, No.69, Market Road, Pollachi - 642 001.

**Sd./-
DIRECTOR/TNMVMD.**

SCHEDULE-46**RATES FOR RETREADING/RECAPPING OF TYRES FOR THE YEAR 2002-03****DISTRICT: COIMBATORE**

Sl.No	TYRE SIZE	<u>Rates inclusive of material cost, Labour charge, Taxes, Transportation charges and Repair charges</u>	
		<u>Precured Method</u>	<u>Name of the Company</u>
		RS. P.	
1	4.50 X 12	390	M/s.Fine Tyre Works
2	5.20 X 14	425	M/s.Fine Tyre Works
3	5.60 X 12	400	M/s.Fine Tyre Works
4	5.60 X 13	425	M/s.Fine Tyre Works
5	5.90 X 15	470	M/s.Fine Tyre Works
6	6.00 X 16	540	M/s.Fine Tyre Works
7	6.40 X 15	595	M/s.Coimbatore & Fine Tyre
8	6.70 X 15	600	M/s.Fine Tyre Works
9	7.00 X 15	640	M/s.Fine Tyre Works
10	7.00 X 16	720	M/.s.Coimbatore Retd.Co.
11	7.50 X 16	740	M/s.Fine Tyre Works
12	7.50 X 20	900	M/s.Fine Tyre Works
13	8.25 X 20	999	M/s.Fine Tyre Works
14	9.00 X 20	1080	M/s.Fine Tyre Works
15	10.00 X 20	1200	M/s.Fine Tyre Works
16	11.00 X 20	1350	M/s.Fine Tyre Works
17	F78 X 15	700	M/s.Coimbatore & Fine Tyre
18	165 SR 15 RADIAL	575	M/s.Fine Tyre Works
19	175 80 R 14 RADIAL	650	M/s.Fine Tyre Works
20	215 R 14 RADIAL	700	M/.s.Coimbatore Retd.Co.
21	215 R 15 RADIAL	—	

TRACTOR TYRES

1	5.50 X 16 (T.F.)	—	
2	6.00 X 16 (T.F.)	—	
3	6.50 X 20 (T.F.)	660	M/.s.Coimbatore Retd.Co.
4	6.00 X 19	700	M/.s.Coimbatore Retd.Co.
5	6.50 X 16 FORK LIFT	700	M/.s.Coimbatore Retd.Co.
6	7.50 X 16 TRAILOR RIB	740	M/s.Fine Tyre Works
7	11.2 X 28/10.28 Rr.	—	
8	12.4 X 11 X 28	—	
9	12.5 X 20	—	
10	14.9 X 13 X 28	—	
11	16.9 X 29/14.28 Rr.	—	
12	13.6 X 28/12.28	—	

Full Address of the Companies

- 1 M/s.Coimbatore Retd. Co., No.1045, Sakthi Road, Opp. Textool , Ganapathy , Coimbatore - 641 006.
- 2 M/s.Fine Tyre Works, No.69, Market Road, Pollachi - 642 001.

Sd./-
DIRECTOR/TNMVMD.

SCHEDULE-47**RATES FOR RETREADING/RECAPPING OF TYRES FOR THE YEAR 2002-03****DISTRICT: NILGIRIS**

Sl.No	TYRE SIZE	<u>Rates inclusive of material cost, Labour charge, Taxes, Transportation charges and Repair charges</u>	
		<u>Conventional Method</u>	<u>Precured Method</u>
		RS. P.	
1	4.50 X 12	381	420
2	5.20 X 14	380	460
3	5.60 X 12	360	390
4	5.60 X 13	395	493
5	5.90 X 15	380	515
6	6.00 X 16	495	608
7	6.40 X 15	505	595
8	6.70 X 15	515	654
9	7.00 X 15	598	708
10	7.00 X 16	620	738
11	7.50 X 16	670	805
12	7.50 X 20	890	1070
13	8.25 X 20	980	1178
14	9.00 X 20	1040	1328
15	10.00 X 20	1270	1410
16	11.00 X 20	1350	1545
17	F78 X 15	610	690
18	165 SR 15 RADIAL	452	597
19	175 80 R 14 RADIAL	550	655
20	215 R 14 RADIAL	602	775
21	215 R 15 RADIAL	600	788
TRACTOR TYRES			
1	5.50 X 16 (T.F.)	516	635
2	6.00 X 16 (T.F.)	556	645
3	6.50 X 20 (T.F.)	733	820
4	6.00 X 19	693	740
5	6.50 X 16 FORK LIFT	680	735
6	7.50 X 16 TRAILOR RIB	710	795
7	11.2 X 28/10.28 Rr.	2528	—
8	12.4 X 11 X 28	2525	—
9	12.5 X 20	2450	—
10	14.9 X 13 X 28	3400	—
11	16.9 X 29/14.28 Rr.	3700	—
12	13.6 X 28/12.28	3350	—

Full Address of the Company

- 1 M/s. Udaya Tyre Retreaders, Opp. Infant Jesus Shrine, 11/210, G.I.A. Calicut Road, Gudalur- 643 212.

Sd./-
DIRECTOR/TNMVMD.

/ True Copy /

Establishment - Check Measurement of Chemicals in Thermal Stations - Powers to Deputy Chief Chemist/
Senior Chemist - Orders - Issued.

(Permanent) B.P. (Ch.) No.201

(Secretariat Branch)

Dated the 1st October, 2002,
Purattasi 15, Chithirabanu Aandu,
Thiruvalluvar Aandu 2033.

Read:

- 1) From Chief Engineer/NCTPS Lr.No.CE/NCTPS/SE/0/DCC/
F.14/D.145/01, dated 12.7.2001.
- 2) From Chief Engineer/MTPS Lr. No.CE/MTPS/SE/O/DCC/F.1/
D.115/02, dated 23.3.2002.
- 3) From Chief Engineer/TTPS Lr. No.CE/TTPS/SE/O/DCC/F.19/
D.125/02, dated 29.5.2002.
- 4) From Chief Engineer/ETPS Lr. No.CE/ETPS/SE/O/EA/F.9/
D.189/02, dated 8.7.2002.

Proceedings:-

At present, on receipt of Chemicals in Thermal Stations, the Check Measurement is being made by Executive Engineers/Assistant Executive Engineers. The Chief Engineers of Thermal Stations have now requested to issue necessary orders empowering the Deputy Chief Chemist/Senior Chemist with Check Measurement powers on par with Executive Engineers/Assistant Executive Engineers respectively as the cadre are equivalent in other aspects.

2. The Tamil Nadu Electricity Board, after careful consideration hereby directs that the Deputy Chief Chemist/Senior Chemist be empowered to check measure the chemicals in the Thermal Power Stations instead of the Executive Engineers/Assistant Executive Engineers.

3. Necessary amendment will be issued to the Madras Electricity Department Volume I by the Accounts Branch.

4. Receipt of these Proceedings shall be acknowledged.

(By Order of the Chairman)

G. Gnanaselvam,
Secretary.

Circular No.X/DFC/T/AA0/T/D.28/964/2002, (Accounts Branch), dated 9.10.2002.

Sub: Tamil Nadu General Sales Tax Act 1959 - Notification of Levy of Resale
Tax - Certain Guidelines issued - Reg.

Ref: 1) G.O.Ms.No.71, Commercial Taxes, (B1), dated 27th June 2002.
2) Lr. No. Acts Cell-VI/34510/2002, dated 13.5.2002.

A new Section 3-H Levy of resale tax has been inserted by Act 22/2002 Gazette, dated 3.6.2002. The date of effect was notified by G.O. Ms. No.71, CT (B1), dated 27.6.2002.

As per the Section 3-H, the turnover of resale in respect of goods taxable at the point of first purchase means the sales turnover of such goods at all points of sale by subsequent dealers.

In view of the above it is informed that resale tax @ 1% shall be applicable on Second & subsequent sales with effect from 1.7.2002.

Receipt of the Circular may be acknowledged to the D.F.C./Tender.

S. Kathiresan,
Chief Financial Controller/General.

www.taneef.org

Circular Memo.No.X/DFC/T/AAO/T/D.28/973/2002, (Accounts Branch), dated 17.10.2002.

Sub: Amendment to Section 16 (c) of Tamil Nadu Transparency in Tenders Act 1998 - Reg.

Ref: T.N. Govt. Gazette Extraordinary No.644, dated 30.9.2002.

In the Tamil Nadu Government Gazette Extraordinary cited, Amendment to Section 16 (c) of Tamil Nadu Transparency in Tenders Act has been issued as follows:

In Section 16 of the Tamil Nadu Transparency in Tenders Act 1998 (hereinafter referred to as the Principal Act) in Clause (c), for the words "two years", the words "four years" shall be substituted.

All the P.O. placing authorities are instructed to note the above amendment to Tamil Nadu Transparency in Tenders Act 1998.

(By Order of the Chairman)

S. Kathiresan,
Chief Financial Controller/General.

* * *

Circular Memo.No.X/DFC/T/AAO/T/D.28/955/2002, (Accounts Branch), dated 25.10.2002.

Sub: Tenders - Sale/Disposal of Materials (Scraps and obsolete) - Issue of Tender Documents through "TNEB WEBSITE" - Reg.

Ref: Circular Memo.No.930/X/DFC/T/AAO/T/D.28/2002, dated 13.9.2002.

In order to make it easier for the prospective bidders to get Tender Documents for Sale/Disposal of Materials (Scraps and obsolete) the Tender Documents shall be placed in the TNEB WEBSITE and the prospective bidders may be asked to get the specification by down-loading from TNEB WEBSITE.

In such case the bidders shall be required to remit the cost of Tender Documents by a separate Demand Draft/Banker's Cheque along with their offer. Tender advertisement should contain this instruction also.

If the tenderer does not keep the Demand Draft/Banker's Cheque for the cost of tender documents inside the outer cover then the tender will be summarily rejected without opening inner envelope.

The "Notice Inviting Tender" shall contain the above provisions for the information of prospective bidders.

All the Tender Inviting Authorities are instructed to follow the above guidelines.

(By Order of the Chairman)

S. Kathiresan,
Chief Financial Controller/General.

* * *

U.O.No.X/DFC/T/AAO/T/D.28/1007/2002, (Accounts Branch), dated 26.10.2002.

Sub: Tender Regulations - Payment of PEMD with revised slab - Amendment to Tender Regulation 1991 - Clarification - Furnished - Reg.

Ref: 1) (Per.) B.P. (FB) No.13, (Accounts Br.), dated 16.9.2002.
2) U.O.No.SE/CAUP/ES/A4/F.Tender/D.815/2002, dated 26.10.2002.

Adverting to above, it is clarified that the Permanent E.M.D. holders of Rs.10 lakhs with the Board can participate in all tenders without any monetary limit, even if the value of Tender is less than Rs.10 Crores.

S. Kathiresan,
Chief Financial Controller/General.

Erode Region - Erode EDC - M/s. Sakthi Sugars Limited - Co-generation plant (32 MW) - Power Evacuation system - Administrative approval - Accorded.

(Permanent) B.P. (Ch.) No.341

(Technical Branch)

Dated 28.10.2002,
Iyppasi 11, Chithirabanu Aandu,
Thiruvalluvar Aandu 2033.

Read:

Chairman's approval dated 20.10.2002.

Proceedings:-

The Tamil Nadu Electricity Board approves the proposal of the Chief Engineer/Distribution/Erode Region for the transmission system for power evacuation from the 32 MW Co-generation plant of M/s. Sakthi Sugars Limited at Appakudal, Bhavani Taluk in Erode District, and also for carrying out improvements to the existing Kavandapadi SS for conversion into Grid SS, at an estimated cost of Rs.262.28 Lakhs, of which Rs.219.40 Lakhs is chargeable to M/s. Sakthi Sugars Ltd., and Rs.42.88 Lakhs is chargeable to Board. The detailed estimate is annexed to these proceedings.

2. The expenditure is chargeable to

(i) A/c. 14.696	Rs. 219.40 Lakhs
(ii) A/c. 14.655	Rs. 42.88 Lakhs

3. The Board will exercise the powers of the Telegraph Authority under the provisions of Section 42 of Electricity (Supply) Act, 1948, and shall not be bound by the provision of Section 12 to 16, 18 and 19 of the Indian Electricity Act 1910.

4. The works may be taken up for execution after ensuring budget provision and after collecting the amount from M/s. Sakthi Sugars Ltd. as indicated in para 1 above.

(By Order of the Chairman)

Encl.: 1. Report
2. Detailed Estimate

M. Durairaj,
Chief Engineer/Planning.

REPORT TO ACCOMPANY THE ESTIMATE

A Co-generation plant of 32 MW capacity is being set up by M/s. Sakthi Sugars Ltd., at Appakudal, Bhavani Taluk in Erode District.

It is proposed to interface the co-generation plant of M/s. Sakthi Sugars Ltd., with TNEB grid by erecting a 110 KV DC line on DC towers to a route length of 11 Kms. from the plant to Kavandapadi 110 KV SS. The Kavandapadi 110 KV SS is also proposed to be converted into a grid sub-station by providing two Nos. 110 KV circuit breakers and Control and Relay panels for the existing Gobi - Erode 110 KV feeder LIL Oed at Kavandapadi 110 KV SS. The relay panels will be provided with distance protection as main protection with two Nos. O/C and one No. E/F protection as backup protection.

The following are the major works involved:

1. Erection of 11 Kms. of 110 KV DC line on DC towers with Panther conductor from the co-generation plant to Kavandapadi 110 KV SS.
2. Extension of two Nos. 110 KV bays at Kavandapadi 110 KV SS.
3. Provision of metering arrangements (for import and export) at the co-generation plant and at Kavandapadi 110 KV SS.
4. Provision of Breakers and Control Panels for the existing Gobi - Erode 110 KV line LIL Oed at Kavandapadi 110 KV SS.

The estimated cost of the proposal works out to Rs.262.28 Lakhs of which Rs.219.40 Lakhs is chargeable to M/s. Sakthi Sugars Ltd., (Items 1 to 3) and Rs.42.88 Lakhs is chargeable to Board (Item 4).

/ True Copy /

Encl.:

ANNEXURE - I**TRANSMISSION SYSTEM FOR POWER EVACUATION FROM THE CO-GENERATION PLANT OF
M/S. SAKTHI SUGARS LTD.****ABSTRACT ESTIMATE**

Sl. No.	Description	Estimated Cost (Rs. in lakhs)	Reference
1.	Estimated cost chargeable to M/s. Sakthi Sugars Ltd.	219.40	Ann - I (a)
2.	Estimated cost chargeable to Board	42.88	Ann - I (b)
Total		262.28	

/ True Copy /

ANNEXURE - I (a)**TRANSMISSION SYSTEM FOR POWER EVACUATION FROM THE CO-GENERATION PLANT OF
M/S. SAKTHI SUGARS LTD.****ESTIMATE COST CHARGEABLE TO M/S. SAKTHI SUGARS LTD.**

Sl. No.	Description of works	Length in Km./No. of extension	Cost per Km./Extn.	Estimated cost
(1)	(2)	(3)	(4)	(5)
A.	At cogeneration plant			(Rs. in Lakhs)
I.	Special structure erected			
1.	110 KV structure including earthing, concreting, etc.		LS	5.00
II.	Switch gear and station auxiliaries erected			
1.	110 KV CTs	6	0.66	3.96
2.	110 KV PTs	3	0.66	1.98
1.	Static trivector meter with import & export (TOD type)	2	0.32	0.64
2.	Control cable		LS	0.05
3.	Cost of materials			6.63
4.	Contingencies 3%			0.33
5.	Sub total			6.96
6.	Labour			0.35
7.	Transport			0.35
8.	Sub total			7.66
9.	Estt. and supervision charges 22%			1.68
TOTAL				9.34

B. At Kavandapadi 110 KV SS end**I. Switch gear erected**

1.	110 KV SF6 breaker	2	5.75	11.50
2.	110 KV CTs	6	0.66	3.96
3.	110 KV bus PTs	3	0.66	1.98
4.	110 KV AB switch with earth	2	0.368	0.74
5.	110 KV AB switch w/o. earth	2	0.295	0.59
6.	Earthing including earth pipe		LS	0.50
7.	Structure		LS	4.00
8.	Control cable		LS	1.00
9.	Busbars, insulators and hardware		LS	2.00

(1)	(2)	(3)	(4)	(5)
10.	Control and Relay panel	2	4	8.00
11.	Static trivector meter with import & export (TOD type)	2	0.32	0.640
12.	Cost of materials			34.91
13.	Contingencies 5%			1.75
14.	Sub total			36.65
15.	Labour			1.83
16.	Transport			1.83
17.	Sub total			40.32
18.	Estt. and supervision charges 22%			8.87
	TOTAL			49.19

C. EHT line erected

1.	110 KV DC line on DC towers with panther conductor from project to Kavandapadi	11	14.17	155.87
	TOTAL			219.40

/ True Copy /

ANNEXURE - I (b)

**TRANSMISSION SYSTEM FOR POWER EVACUATION FROM THE CO-GENERATION PLANT OF
M/S. SAKTHI SUGARS LTD.**

ESTIMATE COST CHARGEABLE TO BOARD

A. Conversion of Kavandapadi SS into grid station

I. Switch gear erected

1.	110 KV SF6 breaker	2	5.75	11.50
2.	110 KV CTs	6	0.66	3.96
3.	110 KV AB switch with earth	2	0.368	0.74
4.	110 KV AB switch w/o. earth	2	0.295	0.59
5.	Earthing including earth pipe		LS	0.50
6.	Structure		LS	4.00
7.	Control cable		LS	1.00
8.	Busbars, insulators and hardware		LS	2.00
9.	Control and Relay panel	2	4	8.00
10.	Cost of materials			32.29
11.	Contingencies 5%			1.61
12.	Sub total			33.90
13.	Labour			1.70
14.	Transport			1.70
15.	Sub total			37.29
16.	Estt. and supervision charges 15%			5.59
	TOTAL			42.88

/ True Copy /

Electricity - Settlement of dues by pre-litigant consumers in Electricity Adalat with respect to theft of energy - Adoption of norms as per (Per.) B.P. (F.B.) No.30, dated 10.4.2002 - Reg.

(Per.) B.P. (F.B.) No.151

(Technical Branch)

Dated 28.10.2002,
Iyppasi 11, Chithirabanu Aandu,
Thiruvalluvar Aandu 2033.

Read:

1. (Per.) B.P. (F.B.) No.20, (S.B.), dated 12.3.2002.
2. (Per.) B.P. (F.B.) No.29, (T.B.), dated 5.4.2002.
3. (Per.) B.P. (F.B.) No.30, (T.B.), dated 10.4.2002.
4. (Per.) B.P. (F.B.) No.118, (T.B.), dated 3.8.2002.
5. Item No.17 of the minutes of the 860th Board Meeting held on 19.10.2002.

Proceedings:-

The Board has taken various measures to realise the revenue from the energy theft cases. To encourage the consumer to come forward to pay the extra levy, the rates of the extra levy payable for various categories of consumers have been reduced with effect from 12.3.2002 vide B.P. cited at (1) above.

2) The Board further approved to conduct electricity adalat to try Civil cases pending in various courts in Tamil Nadu relating to power theft and fixed the norms for adoption during negotiation in settling the cases through electricity adalats. Accordingly orders have been issued to refer the cases pending in the City Civil Court, Chennai in the first instance to the proposed electricity adalat for disposal vide B.P. at reference (2) and necessary guidelines to field officers for settlement of such cases have been issued vide B.P. at reference (3) cited.

As the response from the consumers for settlement of cases through electricity adalat is encouraging, the settlement of such cases through electricity adalat has been extended to all energy theft related cases pending at various courts in the Districts and also at High Court, Chennai vide B.P. cited at (4).

3) Now, some of the pre-litigation cases have been referred to Head Quarters where the consumer after paying compounding fees and the first instalment/40% of the extra levy for the energy theft cases detected prior to the revision of extra levy rate issued vide B.P. 20, (S.B.), dated 12.3.2002 pleads during the appeal enquiry for reduction of extra levy at revised rate accepting the responsibility of energy theft and agreeing to pay the balance dues without any disputes. Some consumers for whom assessment is issued based on old rate and the service connection is under disconnection due to non-payment of extra levy, also come forward to pay the extra levy without dispute, if the same is reduced to the revised rate.

4) A proposal to settle pre-litigation cases also through 'Electricity Adalat' was placed before the Board in its 860th meeting and the Board approved the proposal and accordingly the following instructions are issued.

The pre-litigation cases relating to power theft detected prior to 12.3.2002 may also be settled through Electricity Adalat if such consumers come forward for settlement through Electricity Adalat by adopting the following norms as being done for litigant consumers.

I. The quantum of amount to be collected should not fall below the rate specified in B.P. (F.B.) No.20, dated 12.3.2002 as detailed below:-

Sl.No.	Category	Extra levy to be collected
(i)	Low Tension Service Connections (For energy)	Appropriate Low Tension Tariff Rate x 2
(ii)	High Tension Service Connections (For energy)	Highest High Tension Tariff Rate x 2
(iii)	High Tension Service Connections - Maximum Demand	Highest High Tension Tariff rate for Maximum Demand x 2

II. The BPSC/Interest accrued due to delayed payment may be waived.

(By Order of the Board)

A. Balasubramanian,
Member (Distribution).

* * *

TNEB - Procedure to be adopted - Registration of firms/contractors - Orders issued.

(Per.) B.P. (F.B.) No.152

(Technical Branch)

Dated 30.10.2002,
Iyppasi 13, Chithirabanu Aandu,
Thiruvalluvar Aandu 2033.

Read:

- 1) B.P. (FB) No.258, (Technical Branch), dated 28.7.84.
- 2) B.P. Ms. (FB) No.52, (Technical Branch), dated 20.3.98.

Proceedings:-

The norms to be adopted for registration of contractors/suppliers are stipulated in the B.P. Ms. (FB) No.258/28.7.84. As per this B.P. solvency certificate is to be obtained from Tahsildar or R.D.O. for values of contracts below and above Rs.1,00,000/- respectively. Certain contractors complained that they could not get solvency certificates from the R.D.Os. The R.D.Os. when contacted have clarified that Tahsildars are empowered to issue solvency certificates for values above Rs.1,00,000/- also and suggested that the Tahsildars may be contacted for issue of solvency certificates.

In view of the difficulties expressed by the contractors to get the solvency certificate, the Board after careful consideration, has decided to adopt certain modifications in the procedure in obtaining solvency certificate for registration of firms/agents and contractors.

Accordingly, it is hereby ordered as follows:-

- i) Contractors/Suppliers shall furnish solvency certificate from Tahsildar irrespective of the value of supplies/contracts for vendor registration and the same could be accepted on confirmation of genuineness from the concerned Tahsildar.
- ii) As an alternative, contractors/suppliers shall furnish solvency certificate obtained from the Scheduled/Nationalised/Foreign banks with branches in India in which they have accounts, for vendor registration and the same could be accepted on confirmation from the authority who has issued the solvency certificate.

2. The Board also orders that in addition to an amount of Rs.250/- to be collected towards processing fee, the following registration fees may be collected in the form of DD/Pay Order/Banker's Cheque:

- | | | |
|--|---|-------------|
| (i) Registration fee for contractors (Civil, Mechanical and Electrical) | } | Rs. 4,000/- |
| (ii) Registration fee for suppliers (other than stationery and printing) | } | Rs. 4,000/- |
| (iii) Registration fee for suppliers of stationery and printing items | } | Rs. 1,000/- |

The same fee is to be collected for renewal also.

This comes into force from the date of issue of this B.P. The other terms of the B.P.258/28.7.84 remains unaltered.

(By Order of the Board)

P.S. Mohanakrishnan,
Chief Engineer/Materials Management.

Chennai Development Circle/Chennai - Sanction for formation of 'MODERN CALL CENTRE' using computers by outsourcing professionally trained Telephone Operators - Orders issued.

(Per.) B.P. (F.B.) No.153

(Technical Branch)

Dated 30.10.2002,
Iyppasi 13, Chithirabanu Aandu,
Thiruvalluvar Aandu 2033.

Read:

1. B.P. (Ch.) No.174, (Technical Branch), dated 17.6.2002.
2. Minutes of the 860th Meeting of the TNEB held on 19.10.2002. (Item No.31).

Proceedings:-

The Tamil Nadu Electricity Board approves the proposal of the Chief Engineer/Distribution/Chennai Region, North for establishing a "MODERN CALL CENTRE" at an estimated total cost of Rs.66.05 lakhs (Rupees Sixty six Lakhs and Five thousand only) which involves the following:

- (a) Placing of orders on M/s. ELCOT under single tender system for providing and installing "MODERN CALL CENTRE" under Turnkey basis.
- (b) Entrusting call centre site preparation works by CE/Civil Design.

(By Order of the Board)

A. Balasubramanian,
Member (Distribution).

Encl.:

ANNEXURE

Formation of "MODERN CALL CENTRE" using computers by
outsourcing professionally trained Telephone Operators.

(A)	Expenditure towards placing of orders on M/s. ELCOT, Chennai under single tender system for providing and Installing "MODERN CALL CENTRE" under Turnkey basis.	Rs.60,01,006/- (Rupees Sixty Lakhs one thousand and six only).
(B)	Entrusting call centre site preparation work to CE/Civil Design.	Rs.6,03,700/- (Rupees six lakhs three thousand and seven hundred only)

/ True Copy /

INDEX

INDEX

	Page
ACTS & RULES:	
Amendment to Sec. 16 (c) of Tamil Nadu Transparency in Tenders Act 1998 - Reg.	... 79
படிகள்: (ALLOWANCES) :	
அகவிடைப் படி: (D.A.) :	
1.10.2002 முதற்கொண்டு உயர்த்தப்பட்ட அகவிடைப் படி வீதம் - ஆணைகள் - வெளியிடப்படுகின்றன.	... 20
1.10.2002 முதற்கொண்டு உயர்த்தப்பட்ட அகவிடைப் படி வீதம் - அரசின் ஆணை - வாரியத்தில் அயல் பணியாற்றும் மாநில அரசு ஊழியர்களுக்கு வழங்கும்பொருட்டு நகல் அனுப்பதல் - தொடர்பாக.	... 24
AMENITIES:	
RECREATION CLUB:	
Gen. Circle/Kundah - Recurring matching grant for the year 2001-2002 - Sanctioned.	... 8
Mettur EDC - Recurring matching grant for the year 2000-2001 - Sanctioned.	... 8
BONUS & EX-GRATIA:	
Bonus to workmen of R.E.C. Societies taken over by the Bd. w.e.f. 6.4.2002 - Ordered.	... 23
Bonus to workmen of TNEB for 2001-2002 - Ordered.	... 17
Payment of ex-gratia of Rs.400/- to the C.Ls. working in Distn. Areas & other Areas & employees on consolidated remuneration, part-time employees & part-time contingency workers who were in service during 2001-2002 - Ordered.	... 18
BUILDINGS:	
Chennai Region (North) - Chennai Dev. Cir. - Constr. of compound wall for the MRC Nagar 33/11 KV SS, Chennai - Adm. appl. - Accorded.	... 16
CONTRACT:	
REGISTRATION OF FIRMS/CONTRACTORS:	
Procedure to be adopted - Registration of Firms/Contractors - Ordered.	... 84
DELEGATION OF POWERS:	
To The CE/Opn. & CEs./Thermal Stations to Sanction/Purchase of Computer systems - Revised orders - Issued.	... 1
The CE/Opn. for procurement of computer system for Sub-Load Despatch Centre at Madurai - Ordered.	... 2
The Field Officers to sanction payment under Imprest enhancement of powers - Clarification - Requested - Reg.	... 2

ELECTRICITY:**THEFT OF ENERGY:**

Settlement of dues by pre-litigant consumers in Elec. Adalat with respect to theft of energy - Adoption of norms as per (Per.) B.P. (F.B.) No.30, dt. 10.4.2002 - Reg.

... 83

TRANSMISSION LINE & S.S.:

Erode Region - Erode EDC - M/s. Sakthi Sugars Ltd. - Co-generation plant (32 MW) - Power Evacuation system - Adm. appl. - Accorded.

... 80

EMPLOYEES' SPL. P.F.-CUM-GRATUITY SCHEME:

Payment of Interest on the employees subscription beyond 148th Instalment - Revised orders - Issued.

... 18

ESTABLISHMENT:**CHECK MEASUREMENT:**

Chemicals in Thermal Stns. - Powers to Dy. Chief Chemist/Sr. Chemist - Ordered.

... 78

சம்பளப் பட்டுவாடா:

2002-ஆவது ஆண்டு அக்டோபர் மாதத்திய சம்பளப் பட்டுவாடா கன்னியாகுமரி மிய.வ. ஊழியர்களுக்கு 31.10.2002 அன்று வழங்கிட ஆணை பிறப்பிக்கப்படுகிறது.

... 14

POSTS:

Opn. Cir. - Sanctioning of Intermediate Wireman post in Lines Sec. & Maint. Sec. of S.Ss. - Certain Instns. - Issued.

... 15

TRANSFERS:

Class II Service - Medical Officers - Requests for transfer Medical and paramedical staff in TNEB - Instructed.

... 3

INSPECTION BUNGALOW:

Inclusion of Hon'ble Chief Justice & Hon'ble Judges of Tamil Nadu in appd. list for occupation of I.B. & Rest Houses in TNEB.

... 16

LABOUR:**UNIONS:**

Certain Trade Unions - Strike proposed on 23.10.2002 - Instructed.

... 4

NEWSPAPERS:

Vig. Cell - Enforcement Wing - Supply of one English Newspaper to the offices of the E.Es. of Enforcement Wing - Ordered.

... 9

REGULATIONS:**SERVICE REGULATIONS:**

Class III Service - RWE - Promotion to the post of Instrument Mechanic Gr. I - Prescribing of addl. qualifn. - Amendment to T.N.E.B. S.Rs. Issued.

... 4

TENDER REGULATIONS:

Payment of PEMD with revised slab - Amendment to T.Rs. 1991 - Clarifn. Furnished - Reg.

... 79

REWARD:**AWARDING OF ROLLING SHIELD AND GOLD/SILVER MEDAL:**

Thermal Stns. - Awarding of rolling shields for least sp. oil consumption and auxiliary consumption during the year 2001 and Gold medals and shields for higher productivity during the year 2001-2002 - Appd.

... 9

SALES TAX:

T.N. Genl. S.T. Act 1959 - Notifn. of Levy of Resale Tax - Certain guidelines Issued - Reg.

... 78

TELEPHONES:

Implementing the load shedding - Increase in the BSNL phone calls - Appd.

... 2

TENDER:

Chennai Dev. Cir./Chennai - Sanction for formation of "MODERN CALL CENTRE" using Computers by outsourcing professionally trained Tel. Oprs. - Ordered.

... 85

Sale/Disposal of materials (Scraps & obsolete) - Issue of Tender Documents thro' "TNEB WEBSITE" - Reg.

... 79

VEHICLES:

Retreading/Recapping of tyres - List of appd. firms with rates for the year 2002-03 - Communicated.

... 30

* * *